No. *6457.1

1947

Public Document No. 1

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1947

PREPARED BY

FREDERIC W. COOK

THE SECRETARY OF THE COMMONWEALTH

EDITED BY

ARTHUR J. HASSETT

STATE REGISTRAR OF VITAL STATISTICS

BOSTON PUBLIC LIBRARY

PUBLICATION OF THIS DOCUMENT APPROVED BY THE STATE PURCHASING AGENT

650-5-48—23697

CONTENTS

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1947.

MORTALITY STATISTICS.

	PAGE
INTRODUCTION	1–10
General mortality	1–4
Death registration	1
Purpose	1
Importance of death records	2
Mortality statistics	2
Source of data	2
Occupations	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Nativity	4
Seasonal distribution of deaths	4
Infant mortality	4, 5
Cause of death	5–9
Sources of error in mortality statistics	5
Principal causes of death	5–9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	10
Autopsies	10
Cause of death	10
STATISTICAL TABLES	11–219
General mortality	11–198
TABLE 1.—Deaths occurring in cities and towns, by sex and nativity, population, and death rates in each county, city and town: 1947	11–16
TABLE 2.—Deaths allocated by cities and towns, by sex and nativity, population and death rates in each county, city and town: 1947	17–21
TABLE 3.—Deaths by sex and age, in each county: 1947	22, 23
TABLE 4.—Deaths, by sex and age, in municipalities having over 10,000 inhabitants: 1947	24–29
TABLE 5.—Mortality of males and females: 1923 to 1947	30
TABLE 6.—Deaths at specified ages: census years 1920 to 1945	30
TABLE 7.—Per cent of deaths at specified ages—both sexes: 1923 to 1947	31
TABLE 8.—Male deaths per 1,000 female deaths at specified ages: 1944 to 1947	31
TABLE 9.—Deaths of males and females at specified ages: 1938 to 1947	32
TABLE 10.—Deaths by sex, age, and marital condition: 1947	33
TABLE 11.—Deaths in counties, and in cities having over 50,000 inhabitants, by months: 1947	33
TABLE 12.—Deaths, live births, deaths under 1 year, deaths under 1 month and rates per 1,000 population and per 1,000 live births: 1900 to 1947	34
TABLE 13.—Deaths allocated from each cause and class of causes, according to the detailed International List, by months and sex: 1947	35–57
TABLE 14.—Deaths allocated from each cause and class of causes, according to the detailed International List, by sex and 5-year age periods: 1947	58–101
TABLE 15.—Deaths of residents out of State dying in Massachusetts from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1947	102–119
TABLE 16.—Deaths of residents of Massachusetts dying out of State, from each cause and class of causes, according to the detailed International List by months and sex and by age and sex: 1947	120–133
TABLE 17.—Deaths from important causes in each county and municipality: 1947	134–160
TABLE 18.—Registered deaths from important violent causes by place of occurrence: 1947	161–167
TABLE 19.—Deaths allocated from important causes by occupations: 1947	168–191
TABLE 20.—Deaths from principal causes: 1923 to 1947	192
TABLE 21.—Deaths from principal communicable diseases: 1923 to 1947	193
TABLE 22.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abridged International List: 1941 to 1947	194, 195
TABLE 23.—Deaths and death rates per 100,000 population from important causes: 1900 to 1947	196, 197
TABLE 24.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1910 to 1945	198
TABLE 25.—Deaths produced by external causes: 1923 to 1947	198
Infant mortality	199–206
TABLE 26.—Deaths under 1 month of age; also under 1 year of age, by sex, in the State and each municipality: 1947	199–201
TABLE 27.—Infant and maternal deaths and death rates, for the State and counties: 1947	201
TABLE 28.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1945: 1940 to 1947	202
TABLE 29.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1945: 1947	202, 203
TABLE 30.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1931 to 1947	203
TABLE 31.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1922 to 1947	204

STATISTICAL TABLES—*Concluded.*
Infant mortality—*concluded.*
TABLE 32.—Infant deaths per 1,000 live births, by causes: 1940 to 1947 204
TABLE 33.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1940 to 1947 204
TABLE 34.—Deaths from important causes for certain subdivisions of the first year of life for the State: 1947 205
TABLE 35.—Deaths from important causes for certain subdivisions of the first year of life, for Boston: 1947 206
Deaths from special causes 207, 208
TABLE 36.—Deaths from lobar pneumonia, by months, in municipalities having over 10,000 inhabitants in 1945: 1947 207
TABLE 37.—Deaths from bronchopneumonia, by months, in municipalities having over 10,000 inhabitants in 1945: 1947 208
Maternal mortality 209
TABLE 38.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1923 to 1947 . . 209
TABLE 39.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1923 to 1947 . . . 209
Deaths investigated by medical examiners 210–219
TABLE 40.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1947 . 210–217
TABLE 41.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes: 1947 . . . . . 218, 219
TABLE 42.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1938 to 1947 . . . . . 218, 219

BIRTH STATISTICS.

INTRODUCTION 220–223
Birth registration 220
Importance of birth records 220, 221
Adoptions 221
Records impounded 222
Treatment of infants eyes after birth 222
Allocation 222
Live births 222
Birth rate 222
Changes in birth rate 222
Stillbirths 222
Birth rates, highest 222, 223
Sex proportion at birth 223
Nativity of parents 223
Plural births 223
Natural increase 223
STATISTICAL TABLES 224–242
TABLE 43.—Live births, by sex and parent nativity, in each county and municipality; population; and birth rates: 1947 224–228
TABLE 44.—Allocated live births, by sex and parent nativity, in each county and municipality; population; and birth rates: 1947 229–233
TABLE 45.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants: 1947 234
TABLE 46.—Plural births and stillbirths, by sex, in each county and municipality: 1947 . 235–239
TABLE 47.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1945: 1900 to 1947 240
TABLE 48.—Live births, by sex and parent nativity, and sex proportions at birth: 1900 to 1947 241
TABLE 49.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1900 to 1947 . . . 242

MARRIAGE STATISTICS.

INTRODUCTION 243, 244
Marriage registration 243
Source of data 243
Decrease of marriages 243
Solemnization 243, 244
Accuracy 244
Purpose, marriage requirements 244
STATISTICAL TABLES 245–249
TABLE 50.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1947 245–248
TABLE 51.—Marriages by sex, age, and marital condition: 1947 249
TABLE 52.—Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1945: 1947 . . . . . 250, 251
TABLE 53.—Marriages in each county, by sex and age: 1947 . . . . . 250, 251
TABLE 54.—Marriages, by sex and age: 1947 252
TABLE 55.—First marriages, by sex and age: 1947 252
TABLE 56.—First marriage of grooms and remarriages of brides, by age: 1947 . . . 252
TABLE 57.—Remarriages of grooms and first marriages of brides, by age: 1947 . . 253
TABLE 58.—Remarriages of both parties, by age: 1947 253
TABLE 59.—First marriages and remarriages: 1947 253
TABLE 60.—Marriages, marriage rates, and nativity of persons married: 1922 to 1947 . 254
TABLE 61.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1945: 1922 to 1947 254

Divorce Statistics.

PAGE

Introduction . . . 255, 256
Causes for divorce . . . 255
Source of data . . . 255
Applications for divorce . . . 255
Contested cases . . . 255
Number of divorces . . . 255
Divorce rates . . . 255, 256
Party to which granted . . . 256
Divorces classified by causes . . . 256
Annulled cases . . . 256
Duration of marriages . . . 256
Statistical Tables . . . 257–275
Table 62.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State—1947 . . . 257
A. Barnstable County . . . 258
B. Berkshire County . . . 259
C. Bristol County . . . 260
D. Dukes County . . . 261
E. Essex County . . . 262
F. Franklin County . . . 263
G. Hampden County . . . 264
H. Hampshire County . . . 265
I. Middlesex County . . . 266
J. Nantucket County . . . 267
K. Norfolk County . . . 268
L. Plymouth County . . . 269
M. Suffolk County . . . 270
N. Worcester County . . . 271
Table 63.—Number and per cent of divorces granted to husbands and to wives: 1923 to 1947 . . . 272
Table 64.—Divorces granted, number and per cent increase in each five-year period over preceding five-year census period: 1920 to 1944 . . . 272
Table 65.—Comparison of increase in divorces and divorce rates with increase in population: 1920 to 1945 . . . 272
Table 66.—Divorce rates based on total population and on married population: census years, 1920 to 1945 . . . 272
Table 67.—Annual average number of divorces in the State and in each county: census years, 1925 to 1945 . . . 273
Table 68.—Divorces granted for specified causes for 25 years: 1923 to 1947 . . . 273
Table 69.—Statutory causes of divorce: 1923 to 1947 . . . 273
Table 70.—Applications for divorce: 1923 to 1947 . . . 274
Table 71.—Divorces granted, classified by cause and party to which granted: 1947 . . . 274
Table 72.—Libels for divorce granted and not granted, contested and not contested classified by party to which granted: 1947 . . . 274
Table 73.—Number of years libellants were married at time of application for divorce: 1923 to 1947 . . . 275

Population Statistics.

Introductory . . . 276
Estimated population . . . 276
Statistical Tables . . . 277, 278
Table 74.—Census population of municipalities having over 15,000 inhabitants in 1945: 1920 to 1945 . . . 277
Table 75.—Estimated population by age and sex: July 1, 1947 . . . 278

Appendix.

International classification of causes of death . . . 279–285
1. Detailed International List . . . 279–284
2. Abridged International List . . . 285

LETTER OF SUBMITTAL

The Commonwealth of Massachusetts,
Office of the Secretary,
Division of Vital Statistics,
Boston, March 1, 1948.

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, section 21, and Chapter 208, section 47, of the General Laws, the one hundredth and sixth annual report on statistics of births, marriages, divorces and deaths in Massachusetts, for the calendar year 1947. Deaths are reported monthly while births, marriages, and statistics of divorce are not required to be reported until March, April and May of the year following that in which the events occur.

The editorial review and the method of presentation of the statistical data were prepared by Arthur J. Hassett, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Elizabeth M. Canty, statistician of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

Frederic W. Cook,
Secretary of the Commonwealth.

Editorial Review of the Vital Statistics of Massachusetts, 1947

BY ARTHUR J. HASSETT, STATE REGISTRAR OF VITAL STATISTICS.

MORTALITY STATISTICS

	PAGE
Introduction	1–10
General mortality	1–4
Death registration	1
Purpose	1
Importance of death records	2
Mortality statistics	2
Source of data	2
Occupations	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Nativity	4
Seasonal distribution of deaths	4
Infant mortality	4, 5
Cause of death	5–9
Sources of error in mortality statistics	5
Principal causes of death	5–9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	10
Autopsies	10
Cause of death	10
Statistical tables	11–219

INTRODUCTION

History.

Death Registration. — Massachusetts was one of the first colonies to recognize the importance of the registration of vital statistics, and as early as 1639 required registration of births, marriages and deaths; in 1840 statutes required copies to be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1947 inclusive, 4,219,062 copies of deaths have been received, filed, and tabulated in the Division of Vital Statistics. The original records are on file in the cities and towns in which the events occurred and copies in the city and town given as the residence of the deceased at the time of death. Chapter 439, Acts of 1945, provides that in cases of burial of war veterans in a city or town other than the place of death or residence, a copy of the death certificate shall also be filed with the Clerk of the place of burial.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipiency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for all purposes.

Importance of Death Records. — Where proof concerning death is needed:

1. To prove the fact of death: For life-insurance claims; for liquidation of estates.
2. To prove facts about the deceased: For tracing ancestry; for names of husband or wife, and parents; for information on circumstances and cause of death; for age, sex, and race; for recording date and place of interment.
3. To prove date of death: For settlement of pensions; for insurance adjustments; for general legal use.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths; the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a standard death certificate with the local Board of Health.

The responsibility for seeing that a certificate is properly made out and filed rests with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove or bury a body. The local boards of health are required to transmit the death certificates to the city or town clerks who in turn record the deaths and are required to transmit certified copies to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the deaths occurred. Hospitals and other institutions are required to obtain, when persons are received, the facts which are required for record in the event of the deaths of such persons.

Occupations. — As great interest is still being shown in the study of occupations in connection with cause of death due to the fact that many industries have adapted newer types of machines that give employment to large numbers and may have increased occupational risks, Table 19 will be continued. This table has been prepared from the list of occupations published by the Bureau of the Census showing the number of those gainfully employed who died from important causes.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) migration; and (5) the birth rate.

Allocation. — Deaths are charged to the place of event and also are allocated to the place of residence of the deceased. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. The usual place of residence has been used as a basis for all deaths occurring outside the State as well as for those in the State. Except for purposes of allocation former residents of Massachusetts who have died in other States, after an absence

from Massachusetts of more than one year, are considered as non-residents. Residents of other States who have resided in Massachusetts for more than one year are considered as residents. In the case of institutions and jails deaths have been allocated to the place of residence before entrance. Such persons are regarded as temporary residents of these places since they did not voluntarily enter with the intention of remaining and without doubt would have returned, if discharged, to their usual residence. Accidental deaths have been treated in the same manner as those caused by sickness. Also, those deaths due to violence have been allocated to the place of occurrence (see Table 18, page 161). The foregoing outline does not by any means cover all cases that may and will arise but will serve as an explanation of the method used in preparation of allocated tables.

Number of Deaths and Death Rates. — There was an increase in the mortality of 1947 as compared with that of 1946, the number of deaths occurring in the State during the calendar year 1947 being 52,036, an increase as compared with 1946 of 200. Based on the estimated population of July 1, 1947, of 4,586,206, these deaths correspond to a rate of 11.3 per 1,000 population. The rate for 1946 was 11.4. Deaths of residents of Massachusetts numbered 51,583 in 1947, resulting in a death rate of 11.2 per 1,000 inhabitants.

During the ten-year periods, from 1928 to 1937, inclusive, the average death rate of the Commonwealth was 11.7 and 1938 to 1947, inclusive, 11.6.

Sex. — Of the 52,036 deaths in 1947, 27,688, or 53.2 per cent, were males, the percentage in 1946 being 52.7. The proportion of males in the living population, as shown by the United States Census of 1940, was 48.7 per cent. Expressed as a ratio, there were 1,139 deaths of males per 1,000 deaths of females in 1947, as compared with 1,113 in 1946, 1,131 in 1945, and 1,108 in 1944. Of the 51,583 residents of the State who died in 1947, 27,472, or 53.3 per cent, were males.

Table 5 on page 30, shows that the death rate of males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 51,583 deaths in 1947 of residents of the State, 3,021, or 5.9 per cent were of infants under 1 year of age. The rates for infant deaths in previous years were 5.8 per cent in 1946 and an average of 5.2 per cent for the five years from 1942 to 1946, 4.9 per cent for the five years from 1937 to 1941 and 6.3 per cent for the five years from 1932 to 1936. A more detailed discussion of infant mortality may be found on pages 4 and 5.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, because of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 3,021 decedents under 1 year of age in 1947, 1,724, or 57.1 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 70 to 74 years. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males including the reputed centenarians, numbering 29, of whom 8 were males and 21 were females. The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1944–1947 are shown in Table 8, on page 31.

Among the 27,472 male decedents in 1947, 1,724, or 6.3 per cent, were under 1 year of age; among the 24,111 female decedents, 1,297, or 5.4 per cent, were under 1 year of age; and among the decedents of both sexes, 5.9 per cent were under 1 year of age (see Table 9, page 32).

Marital Condition. — Not quite one-half (46.3 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1947 were married, 17.1 per cent were single, 34.6 per cent were widowed, 1.9 per cent were divorced and .1 per cent were unknown. Among the male decedents 57 per cent were married, 16.7 per cent were single, 23.8 per cent were widowed, 2.3 per cent were divorced and .2 per cent were unknown. Among the female decedents 34.2 per cent

were married, 17.5 per cent were single, 46.7 per cent were widowed, 1.6 per cent were divorced and less than one-tenth of one per cent were unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 10, on page 33, shows the number of deaths of males and females 15 years of age and over by marital condition.

Nativity. — Of the Massachusetts residents whose nativity was reported on the death certificates in 1947 nearly two-thirds (61.2 per cent) were native, and 38.6 per cent were foreign. There were two-tenths of one per cent whose nativity was not reported.

Seasonal Distribution of Deaths. — The largest number of deaths during any month occurred in January (5,024) and the next largest number in March (4,666) and April (4,632). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1947 was 141. The months showing the highest average for the year were January (162), April (154), February (152), and March (151). Table 11, on page 33, shows the number of deaths in each month of 1947, in counties, and in cities having over 50,000 inhabitants in 1945.

Infant Mortality.

Much credit is due to physicians, hospitals, public health officials and mothers for the gratifying results obtained in their campaign against infantile diseases. The present low rate of infant mortality, together with the steadily declining rate over a long period of years, is largely due to the constantly improving methods of infant feeding and the continued developments in community and home sanitation.

The infant mortality for residents of the State in 1947 was 28.3 per 1,000 live births. This rate has been moving steadily downward being largely due to the reduction in deaths from gastro-intestinal, respiratory and communicable diseases. Reference to Table 30, on page 203, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

In the ten years from 1938 to 1947, there has been an increase of 71.5 per cent in the number of live births registered. In 1947, deaths of Boston residents under 1 year of age numbered 671 or 36.1 per 1,000 live births. The rates for previous years were 34.8 in 1946, 34.3 in 1945, 36.8 in 1944 and 35.4 in 1943. In the ten years from 1938 to 1947, there has been an increase of 7,976 in the number of live births registered. For the remainder of the State, the number of births registered increased 78.7 per cent during this period. The infant mortality rates for residents of the State, exclusive of Boston, decreased from 52.9 per 1,000 live births in 1931 to 26.7 in 1947, as compared with a decrease in Boston from 60.6 in 1931 to 36.1 in 1947. (See Table 30, on page 203.)

Deaths under one month and also under one year of age in each municipality are shown in Table 26, on pages 199 to 201.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1947 are shown for the years 1940 to 1947 in Table 28, on page 202.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1947, 1,860 deaths occurred in the first week, constituting 61.6 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (35.3 per cent) was higher than on any other day. In the first month of life there were 2,201 deaths, or 72.9 per cent of all infant deaths.

In the first three months there were 2,554 deaths, or 84.5 per cent of all infant deaths. Ninety-two and one-tenth per cent of the infant deaths occurred in the first half of the year.

Over three-fourths, 84.4 per cent, of the 1,860 babies who died less than one week after birth, died of prematurity, congenital debility, malformations, or injuries received at birth. Of the 2,044 babies who died from these causes before reaching the age of 1 year, 45.4 per cent died in less than one day, 76.8 per cent died in less than one week, and 87.9 per cent died in less than one month. Gastric and intes-

tinal diseases which were important factors in causing infant deaths prior to 1921, have greatly decreased since then due to the improvement of hygiene and popular education. These causes claimed 163, or 5.4 per cent of the babies who died before reaching 1 year of age, as compared with 5.6 per cent in 1946. Twenty-three and nine-tenths per cent of the babies who died from these causes died in less than one month after birth, 27.6 per cent within one but less than two months after birth, and 11 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases*, and the figures indicate a reduction in infant mortality due to these causes, — from 30.0 deaths per 1,000 live births in 1922 to 17.1 in 1943 and 1945. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has fluctuated somewhat since 1943 when there were 349 infant deaths from this cause, 284 in 1944, 234 in 1945, 253 in 1946 and 220 in 1947. The principal causes of infant deaths for the years 1940 to 1947 are shown in Table 32, page 204.

Causes of Death. [1]

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again, the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death. Beginning with 1940, the 1938 revision of the Manual of International List of Causes of Death was used in the assignment of causes of death.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character— under the 200 titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death received during 1947 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes. — More than two-thirds of the 51,583 resident deaths reported in 1947 were caused by diseases of the heart, cancer, cerebral hemorrhage (including embolism and thrombosis), pneumonia and nephritis. These diseases, together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 85.3 per cent of the deaths for the year. There were 52,036 registered deaths in 1947, the allocated rate being 11.2 and the registered rate, 11.3. Table 20 on page 192, shows the number of residents of the State who died from these causes.

Heart Disease*, as usual was the leading cause of resident deaths in 1947, the total number being 20,030 corresponding to a rate of 436.7 per 100,000 population as compared with 19,214 deaths, or 422.4 per 100,000 in 1946. Deaths from heart disease, reported as having occurred in Massachusetts numbered 19,983, or 435.7 per 100,000 population. The great increase in the last few years was partly due to

[1] In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.

the fact that under the revised classification of causes of deaths, diseases of the coronary artery, which were formerly classified as arterial diseases, are now classified under diseases of the heart.

Cancer and other Malignant Tumors. — Cancer ranked second in numerical importance among all the causes of death. The resident deaths from cancer were 8,091, the rate being 176.4 per 100,000 population, with cancers of the digestive tract and peritoneum claiming 47.2 per cent of these deaths, cancer of the genitourinary organs 21 per cent; breast 10.4 per cent; respiratory system 8.2 per cent; buccal cavity and pharynx 3.4 per cent; skin 1.2 per cent and 8.6 per cent were of other or unspecified organs. The death rate from cancer has steadily risen from 89.6 in 1910 to 176.4 in 1947, an all-time high, with the first decreases during the last twenty-five years, 171.6 and 170.6, occurring in 1945 and 1946 respectively. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Among the male deaths the per cent distribution was as follows: digestive organs and peritoneum 50.7; genito urinary organs 18.2; breast .2; respiratory organs 13.8; buccal cavity and pharynx 5.7; skin 1.7 and other or unspecified organs 9.7. The per cent distribution of the female deaths was as follows: digestive organs and peritoneum 44; genitourinary organs 23.7; breast 19.8; respiratory system 3; buccal cavity and pharynx 1.2; skin .7 and other or unspecified organs 7.6.

Of cancer of the digestive organs and peritoneum, cancer of the stomach claimed the largest number of males, 16.2 per cent, while cancer of the intestines claimed 18.3 of the females. Among the deaths from cancer of the genitourinary organs, 23.3 per cent were of the prostate gland and 35.3 per cent were of the uterus. More than three-fourths of the deaths from cancer of the lungs were of males, 75.9 per cent, while 24.1 per cent were of females. In the buccal cavity group cancer of the pharynx was responsible for 27.5 per cent of the male deaths and for 6.6 per cent of the female deaths. Over two-thirds, 68.4 per cent of the deaths from cancer of the skin were of males; while 31.6 per cent were females.

Registered deaths from cancer showed an increase of 341 and a total of 8,273 in 1947, corresponding to a death rate of 180.4 as compared with 174.4 in 1946. Of the resident deaths from cancer more than one-half, 52.1 per cent were of females.

Cerebral Hemorrhage, Cerebral Embolism and Thrombosis* were the causes of 4,655 deaths of residents, or 101.5 per 100,000 population. The death rate from these diseases has fluctuated somewhat, being 113.4 in 1943, 108.3 in 1944, 109.0 in 1945 and 104.4 in 1946. These diseases caused 4,688 registered deaths, corresponding to a rate of 102.2 per 100,000 population.

Pneumonia (including bronchopneumonia) caused 1,889 resident deaths in 1947 or 41.2 per 100,000 population, as compared with 2,279 deaths, or 50.1 per 100,000 population in 1946. It also was responsible for 1,894 deaths occurring in the State with a rate of 41.3 per 100,000 population.

Nephritis*, all forms, was the cause of 2,003 deaths of Massachusetts residents in 1947, corresponding to a rate of 43.7 per 100,000 population, as compared with 44.8 in 1946, 50.0 in 1945, 55.3 in 1944, 63.2 in 1943 and an average rate of 65.1 for the five years from 1938 to 1942. There were 1.903 deaths caused by chronic nephritis*, and 43 by acute nephritis. Of the registered deaths 1,926 were from chronic nephritis* and 46 from acute nephritis, with a total of 2,030 for all forms of nephritis and a death rate of 44.3 per 100,000 population.

Tuberculosis in its various forms claimed 1,584 victims in 1947, of whom 1,495 died from tuberculosis of the respiratory system*. Deaths due to the latter cause constituted 2.9 per cent of all resident deaths during the year, the rate being 32.6 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2. Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, this disease has fluctuated during recent years, there being an increase of .8 in 1941, .6 in 1940 and .5 in 1946 over the preceding years respectively. Tuberculosis (all forms) was responsible for 1,602 deaths registered in Massachusetts including 1,510 deaths from tuberculosis of the respiratory system. The rates for the latter disease were 2.9 per cent of all deaths during the year and 32.9 per 100,000 population.

Diabetes* was the cause of 1,643 deaths of Massachusetts residents in 1947, an increase of 49 over those reported in 1946 and was responsibe for a rate of 35.8 per 100,000 population. The rate from this disease has shown a steady increase from 20.0 to 36.4, per 100,000 population for the fifteen years from 1926 to 1940, but since the latter year, has fluctuated slightly as may be seen from the following rates: 1946, 35.0; 1945, 33.1; 1944, 35.9; and 1943, 37.9. Two-thirds, 66.7 per cent, of the resident deaths from diabetes were of females, with the age periods 65 to 74 years having the greatest number, 25.7 per cent; of the males 11.4 per cent were in the same age periods. This disease attacked persons 50 years of age and over most severely and these age groups had a rate of 93.2 per cent of diabetic deaths, 67.5 per cent being females and 32.5 per cent males. Deaths from diabetes reported as having occurred in the State numbered 1,662 or 36.2 per 100,000 population.

Congenital Debility* and Malformations*, including premature birth, caused 1,825 resident deaths in 1947, corresponding to a rate of 39.7 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2) to 26.7 in 1939. There were 1,876 registered deaths from these diseases, resulting in a rate of 40.9 per 100,000 population.

Alcoholism and Cirrhosis of the Liver* (specified as alcoholic, etc.) were responsible for 766 resident deaths in 1947, corresponding to a rate of 16.7 per 100,000 population. Of these 115 were due to alcoholism which is an increase of 16 over those reported in 1946, corresponding to a rate of 2.5 per 100,000 population. These diseases caused 775 deaths in Massachusetts with a rate of 16.9 per 100,000 population. Alcoholism claimed 117 of these, or 2.6 per 100,000 population.

Maternal Mortality*. Deaths from puerperal causes of residents of the State in 1947 totalled 102 corresponding to a rate of 9.5 per 10,000 confinements. This rate was a decrease from 1946, the rate being 12.8 and 18.6 for 1945.

Puerperal septicemia* was responsible for 30 resident deaths including 6 due to abortion with septic conditions, the rates for this cause in 1947 being 2.8 per 10,000 confinements. In 1946 the rate was 3.9 and in 1945, 5.3. Of the deaths from these causes 16 were from 20 to 29 years of age and the remainder, 14, were from 30 to 44 years of age.

Diarrhea and Enteritis* caused 262 deaths of residents in 1947, or 5.7 per 100,000 population. Fifty-nine and nine-tenths per cent of the total number of deaths charged to these causes in 1947 were of infants under 2 years of age. The rates from this cause for all ages were 6.7 in 1943, 4.8 in 1944, 4.1 in 1945 and 5.7 in 1946. During 1947 registered deaths totalled 269 from these causes, or 5.9 per 100,000 population. The number of infants under 2 years of age was 159 or 59.1 per cent of the total number claimed by these diseases.

Principal Communicable Causes. (See Table 21.) The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 55 deaths of Massachusetts residents, or 1.2 per 100,000 inhabitants, as compared with 2.3 in 1942, 4.6 in 1943, 4.7 in 1944, 1.3 in 1945 and 2.8 in 1946. The number of registered deaths was the same as the allocated total with the same rate. In 1918 there were 13,783 deaths from this cause, corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated between 1.2 in 1947 and 27.9 in 1929.

Whooping Cough*, one of the principal epidemic maladies of childhood, was responsible for 15 deaths of both adults and children, the number of registered deaths being the same or .3 per 100,000 population. This is a decrease from 1946 of .1 per 100,000 population.

Measles*, another childhood disease, caused 12 resident deaths in 1947, or .3 per 100,000 population. This rate was .3 in 1946, .2 in 1945 and .5 in 1944 and 1943. The total number and death rate for deaths occurring in Massachusetts were the same.

Scarlet Fever*, another epidemic disease of childhood, was the cause of 4 deaths in 1947, with a rate of one-tenth of one per 100,000 population. These rates have changed from year to year during the period 1921 to 1947, the highest being 4.9 in 1921 and the lowest, less than one-tenth of one in 1946. The number and rate for registered deaths were the same in 1947.

Diphtheria and Croup* — which are classed together in the statistics, but practically all of which are diphtheria — number 12 or .3 per 100,000 population. There has been a decided decrease in this disease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants. This rate was .8 in 1946, .2 in 1945 and 1944 and .3 in 1943. The total and rate for deaths registered in the State were 13 and .3 respectively.

Epidemic Cerebrospinal Meningitis claimed 12 victims in 1947, as compared with 21 in 1946, 20 in 1945, 81 in 1944 and 119 in 1943. The rate for this cause was .3 per 100,000 population. This disease was responsible for 13 registered deaths with a rate of .3 per 100,000 population.

Encephalitis Lethargica, commonly known as sleeping sickness, is a comparatively new disease and has varied little in the last five years, the number of deaths in 1947 being 5, 12 in 1946, 14 in 1945, 13 in 1944 and 9 in 1943. The registered deaths were the same in 1947.

Dysentery caused 28 resident deaths in 1947, and the number of registered deaths was 29. This increase was due to a sporadic outbreak of the disease throughout the year. There were 9 in 1946, 1945 and 1944 and 6 in 1943.

Typhoid Fever* has shown a steady decline since 1910, having dropped from 12.2 in that year to less than one-tenth of one per 100,000 in 1946. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid fever in 1947 was 2 as compared with 2 in 1946 and 1945, 1 in 1944 and 5 in 1943. The number of registered deaths in 1947 was 3, or .1 per 100,000 population.

Acute Poliomyelitis* has shown a decrease for 1947, the number of deaths being 12, or .3 per 100,000 population, as compared with 19 in 1946, .5 in 1945 and .4 in 1944 and 1943. Deaths reported as having occurred in the State were 11, or .2 per 100,000 population.

There were no deaths from Smallpox in 1947.

Violent Deaths. Death rates from violence during the past five years per 100,000 population were 82.7 in 1943, 75.9 in 1944, 74.5 in 1945, 74.0 in 1946 and 73.6 in 1947. The death rate from violence was 73.8 per 100,000 population for registered deaths in 1947.

Resident deaths due to Railroad Accidents and Injuries* totalled 40 in 1947, and corresponded to a rate of .9 per 100,000 population. The rates for the previous years were 1.1 in 1946, 1.0 in 1945, 1.3 in 1944 and 1.4 in 1943. Registered deaths had 45 with a rate of 1.0 in 1947.

Resident deaths resulting from Streetcar Accidents and Injuries* numbered 12 or .3 per 100,000 population. The registered deaths had the same total and rate in 1947.

Automobile Accidents and Injuries* caused 531 deaths of residents in 1947, including 4 deaths from automobile and railroad collisions, and 1 death from automobile and streetcar collisions. The rate was 11.6 per 100,000 population, as compared with 12.9 in 1946, 11.5 in 1945, 11.6 in 1944 and 11.2 in 1943. These accidents caused 545 deaths registered in Massachusetts in 1947 or 11.9 per 100,000 population. Of these, 2 deaths were from automobile and railroad collisions and there were no deaths from automobile and streetcar collisions. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. — In 1947 the resident deaths from this cause numbered 10. In 1946 there were 8 deaths; in 1945, 2; in 1944, 40 and in 1943, 19. The total deaths occurring in the State from this cause were the same in 1947. The highest temperature recorded in 1947 was 99 degrees on August 13. The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The next highest temperature was 103 degrees on July 22, 1926.

Deaths of residents caused by Machinery Accidents* in 1947 numbered 37 or .8 per 100,000 population. The corresponding figures for previous years were 1.0 in 1943, .7 in 1944, .8 in 1945 and .9 in 1946. Deaths registered in Massachusetts were 35 in 1947.

The number of Suicides* of Massachusetts residents in 1947 was 508, or 11.1 per 100,000 population. The rates since 1942 have been: 1943, 10.2; 1944, 10.1; 1945, 10.7 and 1946, 10.2. Reported deaths from suicide in 1947 numbered 511 or 11.1 per 100,000 population.

Resident deaths caused by firearms numbered 159 in 1947, corresponding to a rate of 3.5 per 100,000 population. Of these deaths 106 were suicides, 19 were homicides, and 34 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt). The total reported deaths caused by firearms in 1947 were 153 or 3.3 per 100,000 population. These deaths included 103 suicides, 18 homicides, and 32 accidents.

Resident deaths from Homicide* numbered 66 in 1947, or 1.4 per 100,000 population. The rates for homicide in recent years are .8 in 1943, 1.3 in 1944 and 1945 and 1.5 in 1946. There were 65 registered deaths from homicide in 1947 with a rate of 1.4 per 100,000 population.

The causes of deaths of males and females for each month for the Commonwealth for the complete International List of Causes of Death with certain subdivisions are shown in Table 13, on pages 35 to 57. The causes denoted by letters, shown separately in indented type, Table 13, are a part of the total cause shown in the International List. Ages, grouped in five-year periods, are shown in Table 14, on pages 58 to 101. For comparative purposes those residents of other states dying in Massachusetts are shown in Table 15 by months and age periods according to the International List while those of residents of Massachusetts dying out of the State are shown in Table 16. In Table 17, on pages 134 to 160, the deaths are shown for 58 causes and groups of causes for each county and municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1941 to 1947 are shown for the 44 causes and groups of causes in the Abridged International List in Table 22, on pages 194 and 195. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of death are presented on pages 196 to 208.

DEATHS INVESTIGATED BY MEDICAL EXAMINERS.

Source of Data. — The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associates to the Secretary of the Commonwealth of deaths supposedly due to violence, the cause and manner of which have been investigated during the year. Deaths supposedly due to violence include deaths caused by the action of chemical, thermal, or electrical agents, or following abortion, or from diseases resulting from injury or infection related to occupation, or suddenly when not disabled by recognizable disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.) but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1947 was 11,621, or 22.3 per cent of the total number of deaths which occurred during the year, as compared with 10,926 deaths in 1946 when the rate was 21.1 per cent. Almost two-thirds (64.6 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 3,149, or 27.1 per cent, were reported as due to violence, while among the deaths returned to the registrars, 3,385 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1947 was in Suffolk County, 2,577, as compared with 2,527 in 1946. Of the deaths investigated in Suffolk County, 796, or 30.9 per cent, were reported as due to violence (see Table 41, pages 218 and 219).

Autopsies. — Autopsies were made in 1,136, or 9.8 per cent of the cases investigated by the medical examiners in 1947, as compared with 11.4 per cent in1946, 9.2 per cent in 1945, 9.5 per cent in 1944 and 8.5 per cent in 1943.

The highest proportion of autopsies was in Suffolk County where 26.8 per cent of the views were autopsied, there being 29.2 per cent in 1946. Table 42, on pages 218 and 219, shows the number of views and the number of autopsies in each county in each year from 1938 to 1947, and the number and per cent of views autopsied for the ten-year period, 1938 to 1947.

Cause of Death. — Over one-half (61.8 per cent) of the deaths viewed by medical examiners in 1947 were from causes not due to violence, 27.1 per cent were due to violence, and .5 per cent were stillbirths. One thousand, two hundred and twenty-five or 10.5 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 7,187, of which 7,037 were from natural causes and 121 were due to alcoholism.

Deaths due to violence numbered 3,149, of which 2,569 were due to accident or negligence, 520 were suicides, and 60 were homicides.

Of the 2,569 deaths due to accident or negligence, 1,243 were due to falls, blows, and falling bodies, 516 were due to automobile accidents, 3 of which were railroad and automobile accidents, 208 resulted from drowning, 43 were due to railroad accidents, and 559 to other causes. There were 2 streetcar and automobile collisions.

Suicides numbered 520, or 16.5 per cent of the deaths due to violence. Suicides committed by the use of illuminating and other gases, 129, and by hanging or strangulation, 141, constituted more than one-half (51.9 per cent), of the total number. The number of suicides by firearms was 107, by poisons, 59; by drowning, 44; and other methods, 40. Almost three-fourths (72.3 per cent) of the suicides were males.

Of the 520 persons committing suicide, 113 were 50 to 59 years of age, 112 were 40 to 49 years of age, 96 were 60 to 69 years of age, 79 were 30 to 39 years of age, 47 were 20 to 29 years of age, 64 were over 70 years of age, and 9 were under 20 years of age. Among the male suicides the largest numbers were from 40 to 49 years of age, 80; and from 50 to 59 years of age, 74; and among the female suicides the largest numbers were from 50 to 59 years of age, 39; and 40 to 49 years of age, 32. The most common method of committing suicide was by hanging or strangulation.

Homicides numbered 60, of which 17 were by firearms, 11 were by cutting or piercing instruments, 27 by other means, and 5 were cases of infanticide. Of the 60 homicides, 38 or 63.3 per cent, were males.

STATISTICAL TABLES

General Mortality

Table 1

Deaths[2] Occurring in Cities and Towns by Sex and Nativity, and Death Rates in Each County, City and Town: 1947.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated July 1, 1947.	Death rate per 1,000 population. Including non-residents.
The State.	**52,036**	**27,688**	**24,348**	**31,890**	**20,024**	**122**	**4,586,206**	**11.3**
Counties.								
Barnstable	481	262	219	381	99	1	38,901	12.4
Berkshire	1,424	746	678	1,004	416	4	130,577	10.9
Bristol	4,502	2,407	2,095	2,388	2,104	10	380,232	11.8
Dukes	103	51	52	77	25	1	5,050	20.4
Essex	5,917	3,069	2,848	3,610	2,295	12	531,770	11.1
Franklin	562	314	248	427	132	3	52,077	10.8
Hampden	3,737	2,024	1,713	2,395	1,336	6	361,446	10.3
Hampshire	1,019	562	457	691	326	2	75,752	13.5
Middlesex	10,331	5,368	4,963	6,264	4,056	11	1,048,578	9.9
Nantucket	50	23	27	43	7	–	2,870	17.4
Norfolk	3,521	1,711	1,810	2,290	1,225	6	378,959	9.3
Plymouth	2,076	1,109	967	1,445	629	2	185,735	11.2
Suffolk	12,264	6,808	5,456	7,109	5,095	50	860,709	14.2
Worcester	6,049	3,234	2,815	3,756	2,279	14	533,550	11.3
Municipalities.								
Abington	55	27	28	44	11	–	6,674	8.2
Acton	24	13	11	20	3	1	2,959	8.1
Acushnet	73	40	33	43	30	–	4,350	16.8
Adams	151	81	70	82	69	–	12,785	11.8
Agawam	46	20	26	33	13	–	8,703	5.3
Alford	5	4	1	3	2	–	207	24.2
Amesbury	125	57	68	83	42	–	10,824	11.5
Amherst	49	25	24	40	9	–	7,474	6.6
Andover	73	37	36	49	24	–	12,343	5.9
Arlington	351	167	184	214	137	–	45,284	7.8
Ashburnham	29	14	15	25	4	–	2,355	12.3
Ashby	7	7	–	6	1	–	1,140	6.1
Ashfield	15	7	8	10	5	–	963	15.6
Ashland	26	15	11	13	13	–	3,151	8.3
Athol	71	36	35	55	16	–	12,133	5.9
Attleboro	353	202	151	221	132	–	22,577	15.6
Auburn	33	20	13	17	16	–	8,524	3.9
Avon	19	13	6	16	3	–	2,604	7.3
Ayer	41	20	21	36	5	–	4,168	9.8
Barnstable	178	107	71	143	35	–	8,768	20.3
Barre	18	10	8	11	7	–	3,485	5.2
Becket	6	5	1	6	–	–	682	8.8
Bedford	82	76	6	62	20	–	4,341	18.9
Belchertown	18	12	6	16	2	–	3,930	4.6
Bellingham	18	11	7	13	5	–	3,716	4.8
Belmont	139	58	81	86	53	–	29,882	4.7
Berkley	6	4	2	6	–	–	1,212	5.0
Berlin	6	4	2	6	–	–	1,149	5.2
Bernardston	4	1	3	4	–	–	1,052	3.8
Beverly	343	188	155	249	92	2	27,478	12.5
Billerica	62	29	33	42	20	–	8,795	7.0
Blackstone	29	11	18	19	10	–	4,349	6.7
Blandford	6	4	2	6	–	–	551	10.9
Bolton	5	1	4	3	2	–	880	5.7
Boston	11,342	6,250	5,092	6,603	4,682	47	766,386	14.8
Bourne	50	26	24	35	15	–	3,600	13.9
Boxborough	1	1	–	1	–	–	358	2.8
Boxford	7	5	2	4	3	–	841	8.3
Boylston	29	17	12	21	8	–	1,313	22.1
Braintree	160	70	90	106	53	1	21,835	7.3
Brewster	9	2	7	8	1	–	757	11.9
Bridgewater	96	72	24	61	34	1	8,641	11.1
Brimfield	10	6	4	10	–	–	975	10.3
Brockton	859	419	440	569	290	–	66,460	12.9
Brookfield	12	5	7	9	3	–	1,390	8.6
Brookline	556	203	353	350	206	–	59,800	9.3
Buckland	6	3	3	5	1	–	1,525	3.9
Burlington	9	7	2	6	3	–	2,857	3.2
Cambridge	1,572	782	790	888	683	1	111,244	14.1

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1947.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated July 1, 1947.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Canton	60	36	24	29	30	1	6,835	8.8
Carlisle	6	2	4	4	2	–	697	8.6
Carver	11	5	6	7	4	–	1,383	8.0
Charlemont	8	4	4	7	1	–	812	9.9
Charlton	50	39	11	34	16	–	3,320	15.1
Chatham	19	12	7	17	2	–	2,213	8.6
Chelmsford	48	28	20	29	19	–	9,047	5.3
CHELSEA	496	346	150	278	217	1	39,940	12.4
Cheshire	17	5	12	13	4	–	1,718	10.0
Chester	9	6	3	6	2	1	1,252	7.2
Chesterfield	4	2	2	4	–	–	375	10.7
CHICOPEE	235	131	104	104	131	–	46,104	5.1
Chilmark	6	4	2	6	–	–	230	26.1
Clarksburg	7	2	5	6	1	–	1,431	4.9
Clinton	167	86	81	95	72	–	12,885	13.0
Cohasset	44	18	26	33	11	–	3,731	11.8
Colrain	10	5	5	9	1	–	1,455	6.9
Concord	90	45	45	67	23	–	8,583	10.5
Conway	9	4	5	7	2	–	867	10.4
Cummington	4	2	2	3	1	–	532	7.5
Dalton	34	16	18	26	8	–	4,458	7.6
Danvers	363	185	178	216	145	2	14,857	24.4
Dartmouth	78	37	41	45	32	1	10,559	7.4
Dedham	104	55	49	57	47	–	17,114	6.1
Deerfield	15	8	7	7	8	–	3,252	4.6
Dennis	28	13	15	25	3	–	1,807	15.5
Dighton	36	19	17	26	10	–	3,051	11.8
Douglas	11	6	5	7	4	–	2,697	4.1
Dover	4	2	2	4	–	–	1,637	2.4
Dracut	52	25	27	24	28	–	7,494	6.9
Dudley	27	14	13	13	14	–	4,784	5.6
Dunstable	3	2	1	2	1	–	440	6.8
Duxbury	20	10	10	12	8	–	2,462	8.1
East Bridgewater	33	17	16	24	9	–	4,088	8.1
East Brookfield	12	10	2	9	3	–	1,100	10.9
East Longmeadow	37	19	18	28	9	–	4,004	9.2
Eastham	7	4	3	5	2	–	604	11.6
Easthampton	64	32	32	37	27	–	10,739	6.0
Easton	40	15	25	22	18	–	6,126	6.5
Edgartown	10	7	3	8	2	–	1,296	7.7
Egremont	1	1	–	–	1	–	624	1.6
Erving	14	7	7	11	3	–	1,315	10.6
Essex	11	8	3	9	2	–	1,654	6.7
EVERETT	321	168	153	172	148	1	49,449	6.5
Fairhaven	94	38	56	48	46	–	12,876	7.3
FALL RIVER	1,566	844	722	787	777	2	115,062	13.6
Falmouth	45	25	20	31	13	1	8,050	5.6
FITCHBURG	458	243	215	264	193	1	44,789	10.2
Florida	3	–	3	3	–	–	401	7.5
Foxborough	145	65	80	93	52	–	6,528	22.2
Framingham	481	326	155	329	152	–	26,659	18.0
Franklin	65	32	33	38	27	–	7,602	8.6
Freetown	12	8	4	8	4	–	1,985	6.0
GARDNER	315	168	147	197	117	1	20,275	15.5
Gay Head	2	1	1	2	–	–	114	17.5
Georgetown	22	9	13	18	4	–	2,071	10.6
Gill	4	1	3	3	1	–	918	4.4
GLOUCESTER	288	149	139	189	99	–	25,285	11.4
Goshen	2	2	–	–	2	–	308	6.5
Gosnold	2	2	–	–	1	1	107	18.7
Grafton	177	100	77	102	73	2	8,238	21.5
Granby	6	3	3	3	3	–	1,173	5.1
Granville	8	5	3	6	2	–	656	12.2
Great Barrington	94	41	53	65	27	2	6,443	14.6
Greenfield	221	130	91	178	41	2	17,681	12.5
Groton	24	12	12	17	7	–	2,976	8.1
Groveland	15	8	7	10	5	–	2,150	7.0
Hadley	27	11	16	19	8	–	2,636	10.2
Halifax	7	5	2	5	2	–	1,047	6.7
Hamilton	13	5	8	7	6	–	2,570	5.1
Hampden	9	3	6	7	2	–	1,208	7.5

[1]Cities are printed in small capitals.
[2]Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1947.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated July 1, 1947.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Hancock	4	1	3	3	1	–	349	11.5
Hanover	22	9	13	14	8	–	3,098	7.1
Hanson	34	20	14	28	6	–	2,671	12.7
Hardwick	16	8	8	5	11	–	2,115	7.6
Harvard	10	8	2	9	1	–	1,065	9.4
Harwich	27	15	12	22	5	–	2,071	13.0
Hatfield	15	8	7	6	9	–	2,188	6.9
HAVERHILL	656	341	315	432	221	3	46,162	14.2
Hawley	2	2	–	2	–	–	203	9.9
Heath	3	1	2	2	1	–	327	9.2
Hingham	44	22	22	30	14	–	10,405	4.2
Hinsdale	11	10	1	10	1	–	1,306	8.4
Holbrook	43	26	17	39	4	–	3,877	11.1
Holden	64	31	33	48	16	–	5,325	12.0
Holland	1	–	1	1	–	–	265	3.8
Holliston	29	16	13	24	5	–	3,452	8.4
HOLYOKE	726	392	334	403	322	1	53,775	13.5
Hopedale	19	12	7	16	3	–	3,436	5.5
Hopkinton	24	13	11	18	6	–	2,946	8.1
Hubbardston	7	6	1	5	2	–	1,019	6.9
Hudson	45	21	24	29	16	–	8,156	5.5
Hull	34	16	18	18	16	–	3,918	8.7
Huntington	14	8	6	11	3	–	1,242	11.3
Ipswich	96	58	38	60	36	–	6,763	14.0
Kingston	27	17	10	16	11	–	2,972	9.1
Lakeville	32	24	8	24	8	–	1,555	20.6
Lancaster	19	11	8	14	5	–	3,067	6.2
Lanesborough	6	1	5	5	1	–	1,677	3.6
LAWRENCE	931	511	420	416	514	1	86,267	10.8
Lee	27	17	10	20	7	–	4,408	6.1
Leicester	23	12	11	16	7	–	5,303	4.3
Lenox	23	7	16	16	7	–	2,981	7.7
LEOMINSTER	203	105	98	126	77	–	24,238	8.4
Leverett	7	4	3	5	2	–	594	11.8
Lexington	294	151	143	166	125	3	15,085	19.5
Leyden	3	1	2	2	1	–	254	11.8
Lincoln	12	8	4	6	6	–	2,118	5.7
Littleton	11	5	6	7	4	–	1,673	6.6
Longmeadow	36	17	19	23	13	–	6,724	5.4
LOWELL	1,295	681	614	746	549	–	101,229	12.8
Ludlow	80	44	36	37	43	–	8,065	9.9
Lunenburg	18	7	11	13	5	–	2,896	6.2
LYNN	1,084	563	521	649	434	1	108,847	10.0
Lynnfield	22	11	11	19	3	–	3,254	6.8
MALDEN	590	282	308	333	257	–	60,350	9.8
Manchester	29	12	17	21	8	–	2,569	11.3
Mansfield	41	25	16	27	13	1	7,304	5.6
Marblehead	96	47	49	82	14	–	13,398	7.2
Marion	10	6	4	7	3	–	2,170	4.6
MARLBOROUGH	184	104	80	134	49	1	15,941	11.5
Marshfield	29	14	15	26	3	–	2,405	12.1
Mashpee	3	2	1	3	–	–	343	8.7
Mattapoisett	20	12	8	16	4	–	2,174	9.2
Maynard	46	26	20	18	28	–	7,137	6.4
Medfield	196	86	110	129	67	–	4,199	46.7
MEDFORD	479	235	244	271	208	–	69,101	6.9
Medway	30	13	17	22	8	–	3,393	8.8
MELROSE	280	125	155	202	78	–	29,308	9.6
Mendon	5	1	4	3	2	–	1,593	3.1
Merrimac	18	7	11	12	6	–	2,414	7.5
Methuen	202	94	108	99	103	–	23,824	8.5
Middleborough	129	70	59	98	31	–	9,846	13.1
Middlefield	1	1	–	1	–	–	226	4.4
Middleton	67	40	27	48	19	–	2,445	27.4
Milford	184	111	73	119	65	–	16,010	11.5
Millbury	56	22	34	36	20	–	8,025	7.0
Millis	16	10	6	11	5	–	2,359	6.8
Millville	11	4	7	6	5	–	1,616	6.8
Milton	148	71	77	97	51	–	22,921	6.5
Monroe	1	1	–	–	1	–	171	5.8
Monson	81	47	34	61	19	1	5,692	14.2

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: **1947.**

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION Estimated July 1, 1947.	DEATH RATE PER 1,000 POPULATION Including non-residents.
Montague	127	69	58	88	39	–	7,602	16.7
Monterey	4	2	2	4	–	–	305	13.1
Montgomery	1	1	–	1	–	–	137	7.3
Mount Washington	1	–	1	1	–	–	53	18.9
Nahant	20	15	5	13	7	–	2,699	7.4
Nantucket	50	23	27	43	7	–	2,870	17.4
Natick	165	79	86	110	55	–	16,775	9.8
Needham	112	59	53	70	42	–	15,345	7.3
New Ashford	–	–	–	–	–	–	99	–
NEW BEDFORD	1,271	655	616	592	675	4	110,308	11.5
New Braintree	4	2	2	2	2	–	409	9.8
New Marlborough	7	5	2	6	1	–	896	7.8
New Salem	4	3	1	3	1	–	364	11.0
Newbury	22	11	11	20	2	–	1,666	13.2
NEWBURYPORT	236	121	115	182	54	–	14,172	16.7
NEWTON	671	340	331	469	201	1	81,024	8.3
Norfolk	63	44	19	44	19	–	2,006	31.4
NORTH ADAMS	267	134	133	175	92	–	22,230	12.0
North Andover	88	45	43	45	43	–	8,149	10.8
North Attleborough	90	49	41	58	32	–	12,404	7.3
North Brookfield	22	17	5	16	6	–	3,121	7.0
North Reading	28	18	10	20	8	–	3,209	8.7
NORTHAMPTON	661	369	292	456	203	2	25,074	26.4
Northborough	28	13	15	20	8	–	3,257	8.6
Northbridge	83	44	39	37	46	–	10,212	8.1
Northfield	28	17	11	24	3	1	2,113	13.3
Norton	24	11	13	14	10	–	3,096	7.8
Norwell	15	8	7	11	4	–	2,277	6.6
Norwood	254	139	115	157	97	–	16,963	15.0
Oak Bluffs	63	28	35	45	18	–	1,345	46.8
Oakham	4	3	1	3	1	–	424	9.4
Orange	41	26	15	28	13	–	5,834	7.0
Orleans	21	12	9	18	3	–	1,584	13.3
Otis	2	2	–	–	2	–	377	5.3
Oxford	30	11	19	24	6	–	5,231	5.7
Palmer	79	44	35	55	24	–	9,999	7.9
Paxton	1	1	–	–	1	–	880	1.1
PEABODY	208	110	98	102	105	1	22,606	9.2
Pelham	3	1	2	2	1	–	512	5.9
Pembroke	23	16	7	17	6	–	1,871	12.3
Pepperell	31	14	17	24	7	–	3,119	9.9
Peru	1	–	1	1	–	–	116	8.6
Petersham	6	4	2	3	3	–	743	8.1
Phillipston	2	2	–	1	1	–	475	4.2
PITTSFIELD	661	367	294	484	175	2	55,610	11.9
Plainfield	3	2	1	3	–	–	224	13.4
Plainville	8	5	3	5	3	–	2,059	3.9
Plymouth	195	113	82	139	56	–	13,736	14.2
Plympton	5	1	4	2	3	–	545	9.2
Princeton	7	6	1	5	2	–	955	7.3
Provincetown	34	19	15	26	8	–	3,564	9.5
QUINCY	735	379	356	436	298	1	84,609	8.7
Randolph	51	27	24	33	18	–	8,817	5.8
Raynham	6	4	2	2	4	–	2,244	2.7
Reading	95	40	55	64	29	2	13,080	7.3
Rehoboth	12	9	3	7	5	–	3,238	3.7
REVERE	274	136	138	135	138	1	35,687	7.7
Richmond	5	2	3	5	–	–	646	7.7
Rochester	8	5	3	5	3	–	1,107	7.2
Rockland	89	42	47	65	24	–	8,833	10.1
Rockport	34	17	17	25	9	–	4,235	8.0
Rowe	2	1	1	2	–	–	178	11.2
Rowley	10	7	3	8	2	–	1,615	6.2
Royalston	5	3	2	4	1	–	750	6.7
Russell	7	3	4	6	1	–	1,221	5.7
Rutland	171	147	24	129	42	–	1,561	109.5
SALEM	577	289	288	388	187	2	43,677	13.2
Salisbury	15	4	11	10	5	–	2,745	5.5
Sandisfield	2	2	–	1	1	–	370	5.4
Sandwich	20	6	14	15	5	–	1,585	12.6
Saugus	125	54	71	67	58	–	17,626	7.1
Savoy	2	1	1	1	1	–	294	6.8

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1 — Deaths[2] Occurring in Cities and Towns by Sex and Nativity, and Death Rates in Each County, City and Town: 1947.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. Estimated July 1, 1947.	Death rate per 1,000 population. Including non-residents.
Scituate	46	24	22	36	10	–	5,203	8.8
Seekonk	47	21	26	33	14	–	5,498	8.5
Sharon	19	12	7	13	6	–	4,204	4.5
Sheffield	10	4	6	8	2	–	1,782	5.6
Shelburne	19	5	14	16	3	–	1,656	11.5
Sherborn	7	4	3	4	3	–	1,036	6.8
Shirley	12	9	3	9	3	–	2,459	4.9
Shrewsbury	57	34	23	31	25	1	10,195	5.6
Shutesbury	1	–	1	1	–	–	201	5.0
Somerset	49	26	23	24	25	–	7,512	6.5
SOMERVILLE	842	407	435	430	412	–	107,772	7.8
South Hadley	21	12	9	8	13	–	7,641	2.7
Southampton	7	6	1	5	2	–	1,199	5.8
Southborough	20	5	15	15	5	–	2,389	8.4
Southbridge	145	73	72	92	52	1	17,950	8.1
Southwick	13	8	5	8	5	–	2,030	6.4
Spencer	55	36	19	43	12	–	6,824	8.1
SPRINGFIELD	1,964	1,061	903	1,346	615	3	165,038	11.9
Sterling	10	6	4	7	3	–	1,986	5.0
Stockbridge	14	6	8	14	–	–	1,739	8.1
Stoneham	210	87	123	149	61	–	12,665	16.6
Stoughton	84	41	43	60	24	–	9,254	9.1
Stow	20	14	6	15	5	–	1,397	14.3
Sturbridge	18	9	9	10	8	–	2,388	7.5
Sudbury	15	8	7	11	4	–	2,192	6.8
Sunderland	4	3	1	3	1	–	1,018	3.9
Sutton	22	14	8	14	8	–	2,610	8.4
Swampscott	91	42	49	53	38	–	12,409	7.3
Swansea	60	29	31	31	29	–	6,168	9.7
TAUNTON	605	350	255	370	233	2	39,464	15.3
Templeton	78	49	29	54	24	–	4,435	17.6
Tewksbury	25	14	11	15	10	–	5,949	4.2
State Infirmary	345	261	84	177	168	–	–	–
Tisbury	19	9	10	16	3	–	1,719	11.1
Tolland	–	–	–	–	–	–	111	–
Topsfield	6	5	1	4	2	–	1,153	5.2
Townsend	31	21	10	25	6	–	2,418	12.8
Truro	8	4	4	5	3	–	582	13.7
Tyngsborough	9	4	5	6	3	–	1,495	6.0
Tyringham	5	2	3	3	2	–	211	23.7
Upton	14	7	7	13	1	–	2,447	5.7
Uxbridge	37	18	19	23	14	–	6,754	5.5
Wakefield	108	52	56	67	41	–	19,924	5.4
Wales	6	2	4	5	1	–	354	16.9
Walpole	40	29	11	22	18	–	8,774	4.6
WALTHAM	506	262	244	324	182	–	45,376	11.2
Ware	110	60	50	68	42	–	7,578	14.5
Wareham	100	56	44	71	29	–	7,919	12.6
Warren	35	20	15	22	13	–	3,498	10.0
Warwick	5	3	2	3	2	–	401	12.5
Washington	8	2	6	7	1	–	242	33.1
Watertown	164	70	94	86	78	–	38,454	4.3
Wayland	23	11	12	16	7	–	4,102	5.6
Webster	98	60	38	51	47	–	13,713	7.1
Wellesley	77	36	41	52	25	–	18,581	4.1
Wellfleet	8	6	2	6	2	–	851	9.4
Wendell	3	2	1	3	–	–	348	8.6
Wenham	11	7	4	10	1	–	1,499	7.3
West Boylston	16	9	7	12	4	–	2,681	6.0
West Bridgewater	42	23	19	29	12	1	3,755	11.2
West Brookfield	14	10	4	13	–	1	1,487	9.4
West Newbury	13	7	6	11	2	–	1,503	8.6
West Springfield	83	37	46	51	32	–	20,617	4.0
West Stockbridge	13	5	8	10	3	–	1,059	12.3
West Tisbury	1	–	1	–	1	–	239	4.2
Westborough	224	97	127	140	84	–	6,784	33.0
WESTFIELD	286	165	121	187	99	–	20,523	13.9
Westford	22	15	7	13	9	–	3,815	5.8
Westhampton	–	–	–	–	–	–	413	–
Westminster	18	10	8	10	7	1	2,153	8.4
Weston	18	8	10	14	4	–	4,905	3.7
Westport	39	21	18	24	15	–	5,198	7.5

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1

DEATHS[2] OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1947.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated July 1, 1947.	DEATH RATE PER 1,000 POPULATION. Including non-residents.
Westwood	27	13	14	17	10	–	5,354	5.0
Weymouth	359	175	184	272	84	3	29,584	12.1
Whately	6	6	–	4	2	–	973	6.2
Whitman	91	56	35	71	20	–	8,520	10.7
Wilbraham	14	9	5	11	3	–	3,442	4.1
Williamsburg	9	5	4	8	1	–	1,925	4.7
Williamstown	30	19	11	24	6	–	4,804	6.2
Wilmington	28	11	17	19	9	–	6,026	4.6
Winchendon	68	36	32	47	21	–	6,461	10.5
Winchester	147	84	63	113	34	–	15,420	9.5
Windsor	3	2	1	2	1	–	274	10.9
Winthrop	152	76	76	93	58	1	18,696	8.1
WOBURN	181	85	96	112	68	1	19,946	9.1
WORCESTER	2,673	1,366	1,307	1,612	1,055	6	201,403	13.3
Worthington	1	1	–	1	–	–	363	2.8
Wrentham	84	41	43	72	12	–	5,258	16.0
Yarmouth	24	9	15	22	2	–	2,522	9.5

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: **1947.**

COUNTIES AND MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated July 1, 1947.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
The State.	**51,583**	**27,472**	**24,111**	**31,549**	**19,905**	**129**	**4,586,206**	**11.2**
COUNTIES.								
Barnstable	506	271	235	405	100	1	38,901	13.0
Berkshire	1,485	787	698	1,038	443	4	130,577	11.4
Bristol	4,343	2,326	2,017	2,288	2,046	9	380,232	11.4
Dukes	95	48	47	71	23	1	5,050	18.8
Essex	6,130	3,222	2,908	3,766	2,352	12	531,770	11.5
Franklin	631	357	274	484	143	4	52,077	12.1
Hampden	3,843	2,089	1,754	2,454	1,381	8	361,446	10.6
Hampshire	852	479	373	580	272	–	75,752	11.2
Middlesex	10,856	5,615	5,241	6,665	4,174	17	1,048,578	10.4
Nantucket	47	23	24	39	8	–	2,870	16.4
Norfolk	3,855	2,010	1,845	2,531	1,315	9	378,959	10.2
Plymouth	2,294	1,215	1,079	1,616	677	1	185,735	12.4
Suffolk	11,008	6,011	4,997	6,082	4,876	50	860,709	12.8
Worcester	5,638	3,019	2,619	3,530	2,095	13	533,550	10.6
MUNICIPALITIES.								
Abington	87	47	40	70	17	–	6,674	13.0
Acton	36	17	19	30	5	1	2,959	12.2
Acushnet	37	21	16	20	17	–	4,350	8.5
Adams	155	88	67	84	71	–	12,785	12.1
Agawam	70	34	36	52	17	1	8,703	8.0
Alford	9	5	4	7	2	–	207	43.5
Amesbury	125	58	67	83	42	–	10,824	11.5
Amherst	90	49	41	69	21	–	7,474	12.0
Andover	113	57	56	74	39	–	12,343	9.2
Arlington	435	213	222	273	160	2	45,284	9.6
Ashburnham	38	17	21	31	7	–	2,355	16.1
Ashby	12	8	4	9	3	–	1,140	10.5
Ashfield	5	2	3	4	1	–	963	5.2
Ashland	45	27	18	24	21	–	3,151	14.3
Athol	131	69	62	97	33	1	12,133	10.8
ATTLEBORO	297	161	136	184	113	–	22,577	13.2
Auburn	77	43	34	48	29	–	8,524	9.0
Avon	37	23	14	33	4	–	2,604	14.2
Ayer	29	11	18	24	5	–	4,168	7.0
Barnstable	116	58	58	93	23	–	8,768	13.2
Barre	28	15	13	17	11	–	3,485	8.0
Becket	8	6	2	7	1	–	682	11.7
Bedford	35	22	13	28	7	–	4,341	8.1
Belchertown	27	17	10	23	4	–	3,930	6.9
Bellingham	24	14	10	17	7	–	3,716	6.5
Belmont	264	135	129	169	94	1	29,882	8.8
Berkley	10	5	5	8	2	–	1,212	8.3
Berlin	9	7	2	9	–	–	1,149	7.8
Bernardston	10	4	6	10	–	–	1,052	9.5
BEVERLY	309	169	140	226	83	–	27,478	11.2
Billerica	105	55	50	74	31	–	8,795	11.9
Blackstone	64	35	29	42	22	–	4,349	14.7
Blandford	9	6	3	8	1	–	551	16.3
Bolton	7	3	4	4	3	–	880	8.0
BOSTON	10,020	5,472	4,548	5,603	4,370	47	766,386	13.1
Bourne	50	30	20	36	14	–	3,600	13.9
Boxborough	2	2	–	2	–	–	358	5.6
Boxford	9	6	3	6	3	–	841	10.7
Boylston	12	8	4	7	5	–	1,313	9.1
Braintree	215	114	101	150	65	–	21,835	9.8
Brewster	7	4	3	7	–	–	757	9.2
Bridgewater	70	41	29	46	24	–	8,641	8.1
Brimfield	14	10	4	12	2	–	975	14.4
BROCKTON	838	424	414	540	297	1	66,460	12.6
Brookfield	16	8	8	12	4	–	1,390	11.5
Brookline	684	316	368	419	263	2	59,800	11.4
Buckland	10	7	3	8	2	–	1,525	6.6
Burlington	22	17	5	15	7	–	2,857	7.7
CAMBRIDGE	1,360	680	680	776	583	1	111,244	12.2
Canton	88	48	40	56	31	1	6,835	12.9
Carlisle	5	1	4	3	2	–	697	7.2
Carver	20	11	9	12	8	–	1,383	14.5
Charlemont	11	4	7	9	2	–	812	13.5
Charlton	54	40	14	38	16	–	3,320	16.3
Chatham	31	19	12	26	5	–	2,213	14.0
Chelmsford	80	48	32	49	31	–	9,047	8.8
CHELSEA	431	244	187	170	260	1	39,940	10.8
Cheshire	11	5	6	9	2	–	1,718	6.4
Chester	15	9	6	9	5	1	1,252	12.0

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1947.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated July 1, 1947.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Chesterfield	8	2	6	8	–	–	375	21.3
CHICOPEE	390	213	177	196	194	–	46,104	8.5
Chilmark	8	5	3	8	–	–	230	34.8
Clarksburg	14	5	9	11	3	–	1,431	9.8
Clinton	160	77	83	88	71	1	12,885	12.4
Cohasset	42	18	24	34	8	–	3,731	11.3
Colrain	19	9	10	17	2	–	1,455	13.1
Concord	66	31	35	49	17	–	8,583	7.7
Conway	16	8	8	13	3	–	867	18.5
Cummington	9	4	5	7	2	–	532	16.9
Dalton	44	21	23	35	9	–	4,458	9.9
Danvers	127	69	58	99	27	1	14,857	8.5
Dartmouth	107	54	53	65	41	1	10,559	10.1
Dedham	161	87	74	101	60	–	17,114	9.4
Deerfield	23	16	7	13	10	–	3,252	7.1
Dennis	33	16	17	32	1	–	1,807	18.3
Dighton	32	14	18	19	13	–	3,051	10.5
Douglas	22	12	10	14	8	–	2,697	8.2
Dover	7	5	2	6	1	–	1,637	4.3
Dracut	80	37	43	40	40	–	7,494	10.7
Dudley	38	25	13	22	16	–	4,784	7.9
Dunstable	10	5	5	8	2	–	440	22.7
Duxbury	38	18	20	26	12	–	2,462	15.4
East Bridgewater	55	24	31	43	12	–	4,088	13.5
East Brookfield	15	12	3	9	6	–	1,100	13.6
East Longmeadow	54	31	23	38	16	–	4,004	13.5
Eastham	7	3	4	5	2	–	604	11.6
Easthampton	116	64	52	70	46	–	10,739	10.8
Easton	60	27	33	31	29	–	6,126	9.8
Edgartown	18	12	6	14	4	–	1,296	13.9
Egremont	4	3	1	2	2	–	624	6.4
Erving	19	10	9	14	5	–	1,315	14.4
Essex	14	10	4	11	3	–	1,654	8.5
EVERETT	436	235	201	230	204	2	49,449	8.8
Fairhaven	122	58	64	61	59	2	12,876	9.5
FALL RIVER	1,388	726	662	691	694	3	115,062	12.1
Falmouth	64	36	28	44	19	1	8,050	8.0
FITCHBURG	455	236	219	256	198	1	44,789	10.2
Florida	4	3	1	4	–	–	401	10.0
Foxborough	74	40	34	57	17	–	6,528	11.3
Framingham	265	151	114	165	100	–	26,659	9.9
Franklin	93	48	45	59	34	–	7,602	12.2
Freetown	21	15	6	16	5	–	1,985	10.6
GARDNER	199	115	84	113	86	–	20,275	9.8
Gay Head	4	2	2	4	–	–	114	35.1
Georgetown	35	17	18	30	5	–	2,071	16.9
Gill	8	1	7	6	2	–	918	8.7
GLOUCESTER	309	163	146	209	99	1	25,285	12.2
Goshen	–	–	–	–	–	–	308	–
Gosnold	2	2	–	–	1	1	107	18.7
Grafton	77	39	38	57	20	–	8,238	9.3
Granby	9	5	4	5	4	–	1,173	7.7
Granville	10	8	2	8	2	–	656	15.2
Great Barrington	83	33	50	53	29	1	6,443	12.9
Greenfield	203	122	81	155	45	3	17,681	11.5
Groton	27	14	13	21	6	–	2,976	9.1
Groveland	34	15	19	23	11	–	2,150	15.8
Hadley	33	16	17	19	14	–	2,636	12.5
Halifax	12	8	4	12	–	–	1,047	11.5
Hamilton	25	14	11	15	10	–	2,570	9.7
Hampden	16	10	6	12	4	–	1,208	13.2
Hancock	3	1	2	2	1	–	349	8.6
Hanover	39	17	22	29	10	–	3,098	12.6
Hanson	34	20	14	27	7	–	2,671	12.7
Hardwick	22	12	10	9	13	–	2,115	10.4
Harvard	15	12	3	13	2	–	1,065	14.1
Harwich	45	24	21	38	7	–	2,071	21.7
Hatfield	29	17	12	12	17	–	2,188	13.3
HAVERHILL	638	337	301	412	223	3	46,162	13.8
Hawley	2	2	–	2	–	–	203	9.9
Heath	7	2	5	4	3	–	327	21.4
Hingham	93	50	43	72	21	–	10,405	8.9
Hinsdale	23	16	7	21	2	–	1,306	17.6
Holbrook	43	23	20	39	4	–	3,877	11.1
Holden	44	23	21	32	12	–	5,325	8.3
Holland	2	1	1	2	–	–	265	7.5

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1947.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated July 1, 1947.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Holliston	43	25	18	34	9	–	3,452	12.5
HOLYOKE	713	390	323	395	316	2	53,775	13.3
Hopedale	32	17	15	25	7	–	3,436	9.3
Hopkinton	30	15	15	24	6	–	2,946	10.2
Hubbardston	11	8	3	10	1	–	1,019	10.8
Hudson	88	50	38	60	28	–	8,156	10.8
Hull	32	18	14	20	12	–	3,918	8.2
Huntington	14	7	7	12	2	–	1,242	11.3
Ipswich	96	53	43	56	40	–	6,763	14.2
Kingston	39	23	16	22	17	–	2,972	13.1
Lakeville	19	14	5	14	5	–	1,555	12.2
Lancaster	31	20	11	26	5	–	3,067	10.1
Lanesborough	17	8	9	15	2	–	1,677	10.1
LAWRENCE	965	529	436	434	530	1	86,267	11.2
Lee	47	25	22	35	12	–	4,408	10.7
Leicester	51	31	20	39	12	–	5,303	9.6
Lenox	45	20	25	36	9	–	2,981	15.1
LEOMINSTER	240	125	115	160	80	–	24,238	9.9
Leverett	11	7	4	8	3	–	594	18.5
Lexington	118	61	57	81	37	–	15,085	7.8
Leyden	3	1	2	2	1	–	254	11.8
Lincoln	15	8	7	8	7	–	2,118	7.1
Littleton	21	13	8	14	7	–	1,673	12.6
Longmeadow	69	33	36	51	18	–	6,724	10.3
LOWELL	1,173	619	554	656	517	–	101,229	11.6
Ludlow	70	36	34	31	39	–	8,065	8.7
Lunenburg	25	7	18	17	8	–	2,896	8.6
LYNN	1,232	651	581	730	501	1	108,847	11.3
Lynnfield	37	20	17	30	7	–	3,254	11.4
MALDEN	665	333	332	373	292	–	60,350	11.0
Manchester	42	23	19	30	12	–	2,569	16.3
Mansfield	79	44	35	50	28	1	7,304	10.8
Marblehead	144	70	74	118	26	–	13,398	10.7
Marion	18	11	7	14	4	–	2,170	8.3
MARLBOROUGH	191	102	89	142	48	1	15,941	12.0
Marshfield	38	18	20	34	4	–	2,405	15.8
Mashpee	4	3	1	4	–	–	343	11.7
Mattapoisett	21	15	6	16	5	–	2,174	9.7
Maynard	82	51	31	36	46	–	7,137	11.5
Medfield	28	17	11	21	7	–	4,199	6.7
MEDFORD	648	328	320	380	267	1	69,101	9.4
Medway	50	26	24	32	18	–	3,393	14.7
MELROSE	321	157	164	239	82	–	29,308	11.0
Mendon	15	10	5	10	5	–	1,593	9.4
Merrimac	34	13	21	26	8	–	2,414	14.1
Methuen	244	129	115	112	132	–	23,824	10.2
Middleborough	139	72	67	107	32	–	9,846	14.1
Middlefield	4	2	2	4	–	–	226	17.7
Middleton	27	14	13	19	8	–	2,445	11.0
Milford	132	80	52	83	49	–	16,010	8.2
Millbury	80	36	44	53	26	1	8,025	10.0
Millis	23	15	8	16	7	–	2,359	9.7
Millville	17	9	8	9	8	–	1,616	10.5
Milton	212	106	106	143	69	–	22,921	9.2
Monroe	1	1	–	–	1	–	171	5.8
Monson	49	22	27	35	13	1	5,692	8.6
Montague	110	63	47	83	26	1	7,602	14.5
Monterey	3	2	1	3	–	–	305	9.8
Montgomery	–	–	–	–	–	–	137	–
Mount Washington	1	–	1	1	–	–	53	18.9
Nahant	27	18	9	17	10	–	2,699	10.0
Nantucket	47	23	24	39	8	–	2,870	16.4
Natick	178	95	83	127	50	1	16,775	10.6
Needham	148	79	69	96	52	–	15,345	9.6
New Ashford	2	2	–	2	–	–	99	20.2
NEW BEDFORD	1,345	702	643	633	712	–	110,308	12.2
New Braintree	6	4	2	4	2	–	409	14.7
New Marlborough	16	11	5	12	4	–	896	17.9
New Salem	6	4	2	5	1	–	364	16.5
Newbury	27	16	11	24	3	–	1,666	16.2
NEWBURYPORT	205	100	105	154	51	–	14,172	14.5
NEWTON	791	409	382	539	251	1	81,024	9.8
Norfolk	24	17	7	19	5	–	2,006	12.0
NORTH ADAMS	268	137	131	166	102	–	22,230	12.1
North Andover	83	43	40	48	35	–	8,149	10.2
North Attleborough	126	75	51	85	41	–	12,404	10.2

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1947.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated July 1, 1947.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
North Brookfield	36	23	13	28	8	–	3,121	11.5
North Reading	25	19	6	17	8	–	3,209	7.8
NORTHAMPTON	298	175	123	212	86	–	25,074	11.9
Northborough	42	19	23	32	10	–	3,257	12.9
Northbridge	108	55	53	55	53	–	10,212	10.6
Northfield	38	21	17	32	6	–	2,113	18.0
Norton	38	21	17	23	15	–	3,096	12.3
Norwell	23	12	11	18	5	–	2,277	10.1
Norwood	180	103	77	101	79	–	16,963	10.6
Oak Bluffs	32	17	15	19	13	–	1,345	23.8
Oakham	4	3	1	4	–	–	424	9.4
Orange	68	41	27	51	17	–	5,834	11.7
Orleans	25	17	8	22	3	–	1,584	15.8
Otis	5	5	–	2	3	–	377	13.3
Oxford	44	20	24	34	10	–	5,231	8.4
Palmer	76	42	34	52	24	–	9,999	7.6
Paxton	9	5	4	7	2	–	880	10.2
PEABODY	243	136	107	125	117	1	22,606	10.7
Pelham	5	3	2	3	2	–	512	9.8
Pembroke	30	19	11	21	9	–	1,871	16.0
Pepperell	46	22	24	34	12	–	3,119	14.7
Peru	3	–	3	3	–	–	116	25.9
Petersham	8	6	2	6	2	–	743	10.8
Phillipston	6	5	1	4	2	–	475	12.6
PITTSFIELD	578	325	253	409	166	3	55,610	10.4
Plainfield	9	4	5	9	–	–	224	40.2
Plainville	21	14	7	15	6	–	2,059	10.2
Plymouth	189	115	74	129	60	–	13,736	13.8
Plympton	12	5	7	9	3	–	545	22.0
Princeton	8	5	3	6	2	–	955	8.4
Provincetown	44	25	19	33	11	–	3,564	12.3
QUINCY	831	440	391	497	333	1	84,609	9.8
Randolph	95	52	43	66	29	–	8,817	10.8
Raynham	13	10	3	8	5	–	2,244	5.8
Reading	124	63	61	86	36	2	13,080	9.5
Rehoboth	24	16	8	16	8	–	3,238	7.4
REVERE	337	180	157	177	159	1	35,687	9.4
Richmond	8	5	3	7	1	–	646	12.4
Rochester	14	9	5	9	5	–	1,107	12.6
Rockland	127	60	67	96	31	–	8,833	14.4
Rockport	54	26	28	34	19	1	4,235	12.8
Rowe	3	1	2	3	–	–	178	16.9
Rowley	16	10	6	12	4	–	1,615	9.9
Royalston	12	8	4	9	3	–	750	16.0
Russell	13	7	6	11	2	–	1,221	10.6
Rutland	31	20	11	22	9	–	1,561	19.9
SALEM	517	264	253	338	177	2	43,677	11.8
Salisbury	34	15	19	28	6	–	2,745	12.4
Sandisfield	3	1	2	2	1	–	370	8.7
Sandwich	26	7	19	21	5	–	1,585	16.4
Saugus	166	86	80	103	63	–	17,626	9.4
Savoy	2	1	1	1	1	–	294	6.8
Scituate	72	34	38	59	13	–	5,203	13.8
Seekonk	54	29	25	33	21	–	5,498	9.8
Sharon	37	25	12	27	9	1	4,204	8.8
Sheffield	20	9	11	16	4	–	1,782	11.2
Shelburne	27	11	16	23	4	–	1,656	16.3
Sherborn	10	6	4	7	3	–	1,036	9.7
Shirley	21	15	6	15	6	–	2,459	8.5
Shrewsbury	80	46	34	45	34	1	10,195	7.8
Shutesbury	1	–	1	1	–	–	201	5.0
Somerset	78	41	37	42	36	–	7,512	10.4
SOMERVILLE	1,137	574	563	626	511	–	107,772	10.6
South Hadley	65	33	32	40	25	–	7,641	8.5
Southampton	11	10	1	8	3	–	1,199	9.2
Southborough	20	8	12	12	8	–	2,389	8.4
Southbridge	166	86	80	101	64	1	17,950	9.2
Southwick	26	15	11	18	8	–	2,030	12.8
Spencer	62	40	22	54	8	–	6,824	9.1
SPRINGFIELD	1,838	989	849	1,258	577	3	165,038	11.1
Sterling	19	11	8	13	6	–	1,986	9.6
Stockbridge	24	12	12	24	–	–	1,739	13.8
Stoneham	129	61	68	88	41	–	12,665	10.2
Stoughton	105	51	54	70	35	–	9,254	11.3
Stow	21	14	7	15	6	–	1,397	15.0
Sturbridge	23	12	11	16	7	–	2,388	9.6

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

ALLOCATED DEATHS,[2] BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN: 1947.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. Estimated July 1, 1947.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Sudbury	18	9	9	14	4	–	2,192	8.2
Sunderland	10	7	3	8	2	–	1,018	9.8
Sutton	28	19	9	19	9	–	2,610	10.7
Swampscott	144	66	78	97	47	–	12,409	11.6
Swansea	62	37	25	30	32	–	6,168	10.1
TAUNTON	395	236	159	247	147	1	39,464	10.0
Templeton	49	33	16	38	11	–	4,435	11.0
Tewksbury	57	36	21	38	19	–	5,949	9.6
State Infirmary	–	–	–	–	–	–	–	–
Tisbury	29	10	19	25	4	–	1,719	16.9
Tolland	–	–	–	–	–	–	111	–
Topsfield	11	8	3	8	3	–	1,153	9.5
Townsend	41	27	14	33	8	–	2,418	17.0
Truro	10	3	7	7	3	–	582	17.2
Tyngsborough	21	9	12	12	9	–	1,495	14.0
Tyringham	7	3	4	5	2	–	211	33.2
Upton	29	14	15	24	5	–	2,447	11.9
Uxbridge	59	32	27	37	22	–	6,754	8.7
Wakefield	174	80	94	117	57	–	19,924	8.7
Wales	10	4	6	8	2	–	354	28.2
Walpole	88	50	38	51	37	–	8,774	10.0
WALTHAM	461	238	223	293	168	–	45,376	10.2
Ware	102	60	42	59	43	–	7,578	13.5
Wareham	77	42	35	52	25	–	7,919	9.7
Warren	44	25	19	27	17	–	3,498	12.6
Warwick	6	2	4	4	2	–	401	15.0
Washington	6	1	5	5	1	–	242	24.8
Watertown	323	169	154	181	139	3	38,454	8.4
Wayland	43	26	17	30	13	–	4,102	10.5
Webster	137	82	55	75	61	1	13,713	10.0
Wellesley	155	76	79	115	40	–	18,581	8.3
Wellfleet	15	12	3	13	2	–	851	17.6
Wendell	5	3	2	4	1	–	348	14.4
Wenham	19	8	11	16	3	–	1,499	12.7
West Boylston	28	12	16	22	6	–	2,681	10.4
West Bridgewater	50	24	26	34	16	–	3,755	13.3
West Brookfield	19	14	5	18	–	1	1,487	12.8
West Newbury	25	9	16	19	5	1	1,503	16.6
West Springfield	154	88	66	98	56	–	20,617	7.5
West Stockbridge	19	6	13	15	4	–	1,059	17.9
West Tisbury	2	–	2	1	1	–	239	8.4
Westborough	49	26	23	39	10	–	6,784	7.2
WESTFIELD	220	125	95	144	76	–	20,523	10.7
Westford	36	21	15	21	15	–	3,815	9.4
Westhampton	1	–	1	1	–	–	413	2.4
Westminster	25	15	10	16	8	1	2,153	11.6
Weston	43	19	24	34	9	–	4,905	8.8
Westport	55	34	21	26	28	1	5,198	10.6
Westwood	46	19	27	29	17	–	5,354	8.6
Weymouth	303	163	140	234	65	4	29,584	10.2
Whately	9	8	1	5	4	–	973	9.2
Whitman	108	64	44	85	23	–	8,520	12.7
Wilbraham	25	16	9	16	9	–	3,442	7.3
Williamsburg	18	9	9	15	3	–	1,925	9.4
Williamstown	49	26	23	41	8	–	4,804	10.2
Wilmington	67	34	33	45	22	–	6,026	11.1
Winchendon	84	47	37	57	27	–	6,461	13.0
Winchester	153	84	69	112	41	–	15,420	9.9
Windsor	4	2	2	3	1	–	274	14.6
Winthrop	220	115	105	132	87	1	18,696	11.8
WOBURN	228	114	114	145	82	1	19,946	11.4
WORCESTER	2,286	1,173	1,113	1,356	926	4	201,403	11.4
Worthington	4	2	2	4	–	–	363	11.0
Wrentham	41	21	20	28	13	–	5,258	7.8
Yarmouth	29	14	15	24	5	–	2,522	11.5

[1] Cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 3

Line No.	State, Counties and Sex.	Allocated Deaths,[1] by Sex and											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	**The State**	51,583	3,415	3,021	143	76	92	83	199	149	276	434	513
2	Males . . .	27,472	1,964	1,724	83	50	53	54	127	93	169	249	279
3	Females . .	24,111	1,451	1,297	60	26	39	29	72	56	107	185	234
4	Barnstable.	506											
5	Males . . .	271	16	11	1	3	–	1	1	–	2	1	4
6	Females . .	235	13	12	1	–	–	–	–	1	2	1	2
7	Berkshire.	1,485											
8	Males . . .	787	58	50	4	–	2	2	3	1	3	8	4
9	Females . .	698	28	27	–	–	1	–	2	1	4	2	9
10	Bristol.	4,343											
11	Males . . .	2,326	163	143	9	3	5	3	6	10	20	16	26
12	Females . .	2,017	102	84	8	1	4	5	4	8	11	17	22
13	Dukes.	95											
14	Males . . .	48	3	1	1	–	–	1	–	–	1	–	–
15	Females . .	47	2	2	–	–	–	–	–	1	–	–	–
16	Essex.	6,130											
17	Males . . .	3,222	194	171	7	9	5	2	11	6	12	21	28
18	Females . .	2,908	167	148	9	4	4	2	9	6	18	16	29
19	Franklin.	631											
20	Males . . .	357	22	21	–	1	–	–	2	–	1	4	5
21	Females . .	274	15	14	1	–	–	–	1	–	–	2	1
22	Hampden	3,843											
23	Males . . .	2,089	162	142	6	4	6	4	9	5	13	24	13
24	Females . .	1,754	134	124	2	1	3	4	3	4	5	19	22
25	Hampshire.	852											
26	Males . . .	479	29	27	–	–	1	1	4	3	6	7	3
27	Females . .	373	21	19	1	1	–	–	1	1	–	2	4
28	Middlesex.	10,856											
29	Males . . .	5,615	398	350	19	8	9	12	31	24	32	46	73
30	Females . .	5,241	319	275	13	6	17	8	16	9	18	35	47
31	Nantucket.	47											
32	Males . . .	23	2	2	–	–	–	–	–	–	1	–	–
33	Females . .	24	–	–	–	–	–	–	–	–	–	–	–
34	Norfolk.	3,855											
35	Males . . .	2,010	141	121	7	–	5	8	7	11	13	15	18
36	Females . .	1,845	94	86	1	1	2	4	8	5	10	13	9
37	Plymouth.	2,294											
38	Males . . .	1,215	90	77	5	3	2	3	6	5	6	14	15
39	Females . .	1,079	57	55	1	1	–	–	4	1	7	7	10
40	Suffolk.	11,008											
41	Males . . .	6,011	464	411	18	14	10	11	28	19	46	55	61
42	Females . .	4,997	345	318	11	6	5	5	16	14	19	49	57
43	Worcester.	5,638											
44	Males . . .	3,019	222	197	6	5	8	6	19	9	13	38	29
45	Females . .	2,619	154	133	12	5	3	1	8	5	13	22	22

[1] Exclusive of stillbirths.

AGE,[2] IN EACH COUNTY: 1947.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	638	935	1,313	2,136	3,052	4,156	5,174	6,058	7,121	6,593	5,054	3,058	1,047	232	29	1
2	369	554	801	1,282	1,871	2,631	3,110	3,324	3,682	3,161	2,162	1,239	320	77	8	–
3	269	381	512	854	1,181	1,525	2,064	2,734	3,439	3,432	2,892	1,819	727	155	21	1
4																
5	–	4	9	8	7	21	27	34	44	40	34	10	8	1	–	–
6	1	3	3	6	9	8	18	18	34	44	39	19	11	3	–	–
7																
8	6	17	24	40	32	67	87	94	118	94	76	42	9	3	1	–
9	5	14	9	25	31	39	69	71	105	100	90	65	22	6	1	–
10																
11	27	40	54	109	158	229	263	282	352	281	182	86	16	6	–	–
12	32	33	45	70	118	143	188	259	307	246	202	139	53	15	3	–
13																
14	2	–	–	–	5	1	5	8	8	8	4	3	–	–	–	–
15	–	–	–	–	2	1	5	5	5	7	10	8	–	1	–	–
16																
17	38	63	83	126	222	305	377	391	444	398	279	165	46	12	1	–
18	36	43	46	107	154	164	228	333	424	425	371	234	78	18	2	–
19																
20	3	6	7	8	23	27	39	41	53	46	32	30	6	2	–	–
21	3	–	2	7	10	7	27	20	43	52	40	27	15	2	–	–
22																
23	36	39	76	101	138	219	246	275	264	200	146	93	26	4	–	–
24	19	26	44	83	88	126	128	190	252	211	204	134	50	11	1	–
25																
26	8	4	11	22	31	47	42	58	65	69	32	30	5	3	–	–
27	3	5	11	13	19	26	31	43	53	48	51	29	11	1	–	–
28																
29	81	113	154	275	376	521	604	702	763	629	456	253	66	16	2	–
30	43	78	119	162	224	342	449	592	749	770	650	394	178	41	6	–
31																
32	–	–	–	1	4	–	–	3	4	4	4	–	–	–	–	–
33	–	–	1	–	2	2	–	2	3	3	8	1	2	–	–	–
34																
35	26	43	65	91	142	181	213	212	264	254	175	98	34	6	1	–
36	14	35	31	64	98	117	136	186	261	269	253	158	67	13	3	1
37																
38	16	27	23	42	56	100	127	153	162	150	120	78	17	8	–	–
39	8	15	24	21	44	60	89	120	139	169	137	97	60	9	1	–
40																
41	90	152	217	334	477	615	746	709	765	628	344	203	49	8	1	–
42	73	99	123	213	260	316	464	606	687	693	520	313	108	20	2	–
43																
44	36	46	78	125	200	298	334	362	376	360	278	148	38	8	2	–
45	32	30	54	83	122	174	232	289	377	395	317	201	72	15	2	–

[2] Age at last birthday.

Table 4

Line No.	Municipalities and Sex.	Allocated Deaths,[1] by Sex and Age,[2] in All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years	25 to 29 years.
1	Adams (town)	155											
2	Males . . .	88	8	6	1	–	1	–	–	–	2	–	1
3	Females . .	67	3	3	–	–	–	–	1	–	–	–	2
4	Amesbury (town)	125											
5	Males . . .	58	2	2	–	–	–	–	1	1	–	1	–
6	Females . .	67	3	3	–	–	–	–	1	–	–	–	–
7	Andover (town)	113											
8	Males . . .	57	7	3	–	1	2	1	3	–	1	–	–
9	Females . .	56	5	4	–	1	–	–	–	–	–	1	2
10	Arlington (town)	435											
11	Males . . .	213	15	15	–	–	–	–	2	–	–	–	3
12	Females . .	222	8	8	–	–	–	–	2	1	–	2	1
13	Athol (town)	131											
14	Males . . .	69	10	10	–	–	–	–	1	–	–	1	–
15	Females . .	62	3	3	–	–	–	–	2	1	1	–	1
16	Attleboro	297											
17	Males . . .	161	11	8	3	–	–	–	–	1	–	2	–
18	Females . .	136	5	5	–	–	–	–	–	1	–	3	–
19	Belmont (town)	264											
20	Males . . .	135	9	9	–	–	–	–	1	–	1	–	3
21	Females . .	129	7	5	2	–	–	–	–	–	–	–	–
22	Beverly.	309											
23	Males . .	169	9	9	–	–	–	–	–	–	2	4	2
24	Females .	140	9	9	–	–	–	–	–	–	1	1	2
25	Boston	10,020											
26	Males . . .	5,472	423	373	17	13	9	11	25	17	41	53	61
27	Females . .	4,548	322	298	10	5	5	4	14	13	15	48	5
28	Braintree (town).	215											
29	Males . . .	114	12	10	1	–	–	1	–	–	–	3	–
30	Females . .	101	9	9	–	–	–	–	–	–	1	–	–
31	Brockton.	838											
32	Males . . .	424	30	26	–	2	1	1	2	3	1	4	1
33	Females . .	414	18	17	1	–	–	–	2	1	3	3	6
34	Brookline (town).	684											
35	Males . . .	316	13	12	–	–	1	–	–	3	3	2	3
36	Females . .	368	7	6	–	–	1	–	1	2	2	3	–
37	Cambridge.	1,360											
38	Males . . .	680	74	66	3	–	2	3	6	2	1	3	8
39	Females . .	680	47	45	–	1	1	–	3	–	2	6	4
40	Chelsea.	431											
41	Males . . .	244	16	14	1	–	1	–	1	2	2	1	–
42	Females . .	187	8	7	–	–	–	1	1	–	3	1	2
43	Chicopee.	390											
44	Males . . .	213	21	15	3	1	2	–	–	–	1	4	4
45	Females . .	177	21	18	1	–	1	1	–	1	–	5	1
46	Clinton (town).	160											
47	Males . . .	77	4	3	–	–	1	–	–	–	–	1	1
48	Females . .	83	5	3	1	1	–	–	–	–	–	2	1
49	Danvers (town).	127											
50	Males . . .	69	4	4	–	–	–	–	1	–	1	1	2
51	Females . .	58	2	–	–	2	–	–	–	–	–	2	–
52	Dartmouth (town).	107											
53	Males . . .	54	5	4	–	1	–	–	–	–	1	1	–
54	Females . .	53	1	1	–	–	–	–	–	1	–	–	2
55	Dedham (town).	161											
56	Males . . .	87	2	2	–	–	–	–	1	1	–	–	–
57	Females . .	74	4	4	–	–	–	–	–	–	–	1	1
58	Easthampton (town).	116											
59	Males . . .	64	5	4	–	–	–	1	1	–	–	–	–
60	Females . .	52	3	3	–	–	–	–	–	–	–	–	–
61	Everett.	436											
62	Males . . .	235	17	14	1	2	–	–	–	1	2	–	4
63	Females . .	201	18	16	–	1	1	–	1	–	1	1	1
64	Fairhaven (town).	122											
65	Males . . .	58	8	6	–	–	1	1	–	1	–	1	1
66	Females . .	64	2	2	–	–	–	–	–	–	1	–	1
67	Fall River	1,388											
68	Males . . .	726	54	49	2	1	1	1	3	3	4	5	6
69	Females . .	662	45	36	3	1	2	3	3	3	9	5	9
70	Fitchburg.	455											
71	Males . . .	236	16	15	–	1	–	–	4	2	2	3	1
72	Females . .	219	10	8	1	–	1	–	–	–	2	2	2
73	Framingham (town).	265											
74	Males . . .	151	10	9	1	–	–	–	1	1	1	2	–
75	Females . .	114	8	5	1	–	1	1	–	–	–	1	–
76	Gardner.	199											
77	Males . . .	115	13	9	2	–	2	–	–	–	–	–	2
78	Females . .	84	3	3	–	–	–	–	–	–	–	1	1
79	Gloucester.	309											
80	Males . . .	163	8	6	2	–	–	–	–	–	1	1	3
81	Females . .	146	6	6	–	–	–	–	1	1	–	–	3

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1947.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	1	5	1	6	3	9	10	12	13	6	6	4	1	–	–	–
3	–	1	1	1	4	1	11	4	12	9	8	7	2	–	–	–
4																
5	1	–	1	1	4	5	7	6	8	7	7	5	1	–	–	–
6	3	1	1	2	1	4	7	7	6	10	9	9	3	–	–	–
7																
8	1	–	1	1	1	6	–	7	7	12	7	3	–	–	–	–
9	1	1	1	3	3	–	2	5	7	13	5	3	4	–	–	–
10																
11	5	4	11	10	14	20	29	19	24	33	16	6	2	–	–	–
12	1	5	2	5	16	12	16	25	34	35	34	15	6	2	–	–
13																
14	1	–	2	–	2	7	5	6	11	12	6	4	1	–	–	–
15	1	1	1	1	1	3	6	4	11	11	2	9	3	–	–	–
16																
17	2	2	5	6	12	12	26	10	22	21	16	8	4	1	–	–
18	3	4	2	8	5	9	9	18	21	11	19	13	4	1	–	–
19																
20	1	2	3	5	7	14	17	19	21	15	12	4	1	–	–	–
21	1	3	2	7	10	12	10	9	22	18	8	16	4	–	–	–
22																
23	4	4	5	5	10	15	19	18	24	15	15	15	2	1	–	–
24	1	–	3	4	3	8	6	18	26	20	19	14	4	1	–	–
25																
26	84	144	199	315	420	557	678	636	696	570	312	185	48	7	1	–
27	61	88	112	192	242	270	433	541	628	635	472	291	97	20	1	–
28																
29	2	5	2	7	6	9	6	8	20	12	14	4	2	1	1	–
30	–	1	3	1	2	7	7	7	17	17	18	8	3	–	–	–
31																
32	7	9	3	12	16	37	51	57	62	47	51	25	5	1	–	–
33	4	5	14	7	17	29	37	41	55	62	55	38	11	5	1	–
34																
35	3	6	9	10	21	27	42	33	47	47	29	14	3	1	–	–
36	2	4	1	10	23	27	26	40	71	51	43	37	14	3	1	–
37																
38	10	8	28	41	49	63	67	71	95	69	49	28	6	2	–	–
39	10	14	18	22	31	51	66	83	93	104	68	41	14	3	–	–
40																
41	3	3	6	8	30	25	35	31	35	26	13	6	1	–	–	–
42	8	6	6	7	8	24	14	26	22	21	19	6	4	–	1	–
43																
44	2	2	9	7	15	18	31	30	31	16	15	6	1	–	–	–
45	4	8	6	8	11	12	20	21	20	16	12	5	4	2	–	–
46																
47	2	1	3	6	5	7	4	6	10	12	8	6	1	–	–	–
48	1	–	4	1	3	8	6	9	19	12	12	–	–	–	–	–
49																
50	1	2	1	2	4	8	6	5	8	14	4	1	4	–	–	–
51	2	–	–	1	1	1	4	10	8	8	10	6	3	–	–	–
52																
53	1	–	3	2	7	5	4	9	5	7	3	1	–	–	–	–
54	2	1	1	2	4	7	3	3	9	10	3	1	3	–	–	–
55																
56	4	1	3	8	8	7	11	10	9	8	9	4	–	1	–	
57	1	–	1	1	5	2	6	11	11	13	9	7	1	–	–	–
58																
59	1	–	1	4	3	8	5	8	6	14	5	3	–	–	–	–
60	–	2	4	3	3	3	3	4	8	4	10	4	–	1	–	–
61																
62	5	3	9	9	17	22	37	25	37	15	19	7	5	1	–	–
63	1	5	6	5	7	18	13	23	28	28	31	10	4	–	–	–
64																
65	–	1	1	–	6	4	7	5	11	4	4	3	–	1	–	–
66	–	4	–	–	2	3	5	10	11	7	10	5	3	–	–	–
67																
68	10	19	16	35	56	76	83	82	108	84	53	26	2	1	–	–
69	10	10	21	22	52	46	63	90	91	79	57	36	8	3	–	–
70																
71	6	5	6	5	19	23	31	27	31	20	25	9	1	–	–	–
72	6	1	4	9	7	14	24	24	36	26	28	16	6	2	–	–
73																
74	–	5	1	11	9	13	11	17	22	18	18	8	2	1	–	–
75	1	–	3	2	1	8	10	16	17	17	13	12	3	1	1	–
76																
77	–	2	2	8	4	17	18	15	13	5	8	6	2	–	–	–
78	2	–	2	3	4	4	7	7	17	13	12	6	2	–	–	–
79																
80	4	4	5	6	8	15	22	20	16	27	11	12	–	–	–	–
81	1	–	5	7	6	7	6	11	26	30	20	9	5	1	1	–

[2] Age at last birthday.

Line No.	Table 4 — Municipalities and Sex.	Allocated Deaths,[1] by Sex and Age,[2] in — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Greenfield (town).	203											
2	Males	122	12	12	–	–	–	–	–	–	1	2	–
3	Females	81	5	4	1	–	–	–	–	–	–	1	1
4	Haverhill.	638											
5	Males	337	19	17	2	–	–	–	–	–	1	1	3
6	Females	301	21	18	2	–	–	1	1	–	1	2	7
7	Hingham (town).	93											
8	Males	50	6	6	–	–	–	–	–	–	1	1	–
9	Females	43	2	2	–	–	–	–	–	–	1	–	–
10	Holyoke.	713											
11	Males	390	32	28	1	1	2	–	4	–	2	6	2
12	Females	323	29	27	–	1	–	1	1	1	1	1	6
13	Lawrence.	965											
14	Males	529	36	32	1	3	–	–	–	1	2	–	4
15	Females	436	31	31	–	–	–	–	1	2	6	1	3
16	Leominster.	240											
17	Males	125	14	14	–	–	–	–	–	–	–	2	1
18	Females	115	8	7	–	1	–	–	–	1	–	1	2
19	Lexington (town).	118											
20	Males	61	3	2	–	1	–	–	1	–	1	–	–
21	Females	57	2	2	–	–	–	–	–	–	–	–	–
22	Lowell.	1,173											
23	Males	619	39	31	6	1	–	1	2	–	3	10	7
24	Females	554	26	22	1	–	3	–	–	–	3	8	3
25	Lynn.	1,232											
26	Males	651	41	38	–	2	1	–	2	1	–	2	4
27	Females	581	30	25	5	–	–	–	2	3	3	1	4
28	Malden.	665											
29	Males	333	18	17	–	1	–	–	1	1	2	2	7
30	Females	332	17	14	–	2	1	–	2	1	1	2	3
31	Marblehead (town).	144											
32	Males	70	5	4	–	–	1	–	–	–	–	–	1
33	Females	74	3	3	–	–	–	–	–	–	–	1	1
34	Marlborough.	191											
35	Males	102	5	4	1	–	–	–	1	–	–	1	–
36	Females	89	6	3	2	–	–	1	1	–	–	–	4
37	Medford.	648											
38	Males	328	18	17	–	1	–	–	1	3	3	3	4
39	Females	320	21	19	–	–	1	1	1	1	–	3	2
40	Melrose.	321											
41	Males	157	10	9	–	–	–	1	–	–	–	–	1
42	Females	164	4	4	–	–	–	–	–	–	1	–	3
43	Methuen (town).	244											
44	Males	129	10	10	–	–	–	–	2	–	2	–	2
45	Females	115	2	1	–	–	1	–	–	–	–	–	–
46	Milford (town).	132											
47	Males	80	6	5	–	1	–	–	–	–	–	1	–
48	Females	52	4	1	2	1	–	–	–	–	–	–	1
49	Milton (town).	212											
50	Males	106	6	5	1	–	–	–	–	–	1	–	–
51	Females	106	3	3	–	–	–	–	1	1	–	1	–
52	Natick (town).	178											
53	Males	95	7	4	–	1	1	1	–	1	–	1	2
54	Females	83	4	4	–	–	–	–	–	1	1	–	–
55	Needham (town).	148											
56	Males	79	7	5	–	–	1	1	–	–	–	–	–
57	Females	69	3	2	–	–	–	1	–	–	–	–	–
58	New Bedford	1,345											
59	Males	702	41	37	2	–	1	1	–	2	6	3	11
60	Females	643	32	27	4	–	–	1	–	2	–	4	8
61	Newburyport.	205											
62	Males	100	9	8	–	–	–	1	–	–	–	2	–
63	Females	105	10	10	–	–	–	–	–	–	–	1	–
64	Newton.	791											
65	Males	409	18	15	2	–	1	–	2	3	3	5	7
66	Females	382	16	11	1	–	2	2	1	2	2	–	6
67	North Adams.	268											
68	Males	137	9	5	2	–	1	1	–	–	–	2	–
69	Females	131	3	3	–	–	–	–	1	–	–	–	1
70	North Attleborough (town).	126											
71	Males	75	11	9	1	1	–	–	1	2	1	–	–
72	Females	51	2	1	–	–	1	–	–	–	–	1	–
73	Northampton.	298											
74	Males	175	8	7	–	–	1	–	–	1	2	2	2
75	Females	123	5	4	1	–	–	–	1	–	–	1	–
76	Northbridge (town).	108											
77	Males	55	5	5	–	–	–	–	1	–	–	–	–
78	Females	53	5	5	–	–	–	–	–	–	1	2	–
79	Norwood (town).	180											
80	Males	103	10	8	1	–	1	–	–	–	–	2	1
81	Females	77	3	3	–	–	–	–	–	–	1	–	–

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1947—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	2	2	3	3	8	12	14	19	12	9	12	10	1	–	–	–
3	1	–	1	1	2	1	8	7	12	23	8	6	3	1	–	–
4																
5	1	4	7	11	22	37	36	37	53	51	27	19	6	2	–	–
6	4	3	1	9	11	14	25	49	41	38	36	26	10	2	–	–
7																
8	–	1	1	–	3	5	4	5	6	10	4	2	–	1	–	–
9	1	2	–	1	–	–	4	6	7	5	3	3	8	–	–	–
10																
11	3	9	19	28	28	34	41	41	60	41	22	15	2	1	–	–
12	4	6	9	13	15	19	22	36	60	42	29	19	8	1	1	–
13																
14	4	13	9	25	47	65	66	73	77	47	37	20	3	–	–	–
15	6	7	8	20	25	34	52	50	59	59	45	19	6	2	–	–
16																
17	2	–	5	4	13	13	11	21	17	5	10	4	2	1	–	–
18	3	2	3	6	3	5	6	16	14	17	13	8	6	1	–	–
19																
20	–	2	2	2	5	4	4	11	10	7	6	2	1	–	–	–
21	–	–	1	2	1	5	6	6	9	6	6	7	4	1	1	–
22																
23	11	15	10	27	34	62	63	95	101	66	42	24	7	1	–	–
24	4	5	15	18	26	44	50	86	72	85	59	30	16	3	1	–
25																
26	8	11	21	26	39	54	89	86	85	79	59	28	14	1	1	–
27	10	13	10	17	44	29	47	62	96	77	74	44	9	5	1	–
28																
29	5	5	8	16	22	35	44	57	34	41	20	8	4	2	1	–
30	1	4	8	11	11	21	28	33	56	55	43	23	11	1	–	–
31																
32	2	–	1	5	4	3	4	8	12	13	7	2	1	2	–	–
33	1	–	2	–	5	2	5	2	7	14	15	11	4	1	–	–
34																
35	–	4	–	5	12	9	15	15	14	11	7	3	–	–	–	–
36	2	1	–	1	1	4	4	9	17	12	12	12	2	1	–	–
37																
38	5	8	4	22	27	29	41	39	40	35	22	17	7	–	–	–
39	1	3	11	20	22	27	20	43	37	46	36	13	8	4	1	–
40																
41	1	7	5	7	10	12	14	19	21	23	18	9	–	–	–	–
42	3	–	4	6	9	9	11	10	35	32	15	9	10	3	–	–
43																
44	1	1	2	6	10	12	20	15	17	15	8	4	2	–	–	–
45	–	1	–	8	10	9	3	13	23	13	17	15	1	–	–	–
46																
47	1	1	–	4	2	7	9	11	10	15	8	5	–	–	–	–
48	–	–	–	1	2	3	7	8	3	9	4	8	1	1	–	–
49																
50	1	2	4	7	10	7	13	11	15	17	7	3	2	–	–	–
51	–	1	–	4	6	6	9	13	10	20	18	8	3	2	–	–
52																
53	–	1	3	5	11	7	7	6	14	14	9	6	1	–	–	–
54	–	1	2	4	4	4	11	8	9	14	10	5	4	1	–	–
55																
56	2	2	4	2	7	9	8	8	8	9	3	5	4	1	–	–
57	1	2	2	3	3	2	1	6	13	14	7	7	4	1	–	–
58																
59	8	11	17	34	44	72	74	101	105	92	54	19	7	1	–	–
60	15	8	13	22	36	53	65	77	114	76	60	38	15	3	2	–
61																
62	–	3	6	4	4	4	6	13	10	16	11	7	4	1	–	–
63	1	2	3	1	5	5	4	12	13	21	14	11	2	–	–	–
64																
65	11	6	14	19	24	35	39	49	63	40	38	27	5	–	1	–
66	3	3	7	9	18	13	40	36	49	53	54	46	20	3	1	–
67																
68	1	2	5	4	6	11	13	17	21	11	20	12	3	–	–	–
69	1	2	2	11	4	5	11	14	25	16	18	13	2	2	–	–
70																
71	1	–	1	3	2	6	7	12	13	2	9	4	–	–	–	–
72	1	1	–	3	2	–	6	8	6	8	6	3	3	1	–	–
73																
74	5	1	1	10	13	22	19	21	24	22	8	9	4	1	–	–
75	1	–	1	5	5	10	10	17	19	18	16	10	4	–	–	–
76																
77	–	–	3	2	3	3	7	10	10	6	2	2	1	–	–	–
78	–	–	–	–	–	4	6	6	8	8	9	2	2	–	–	–
79																
80	–	1	6	5	6	11	20	7	12	10	9	2	1	–	–	–
81	2	3	3	2	2	2	7	10	11	14	6	7	4	–	–	–

[2] Age at last birthday.

Line No.	Table 4 — Municipalities and Sex.	Allocated Deaths,[1] by Sex and Age,[2] in — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Peabody.	243											
2	Males	136	10	8	1	1	–	–	–	–	1	1	1
3	Females	107	12	9	–	1	2	–	–	–	–	–	4
4	Pittsfield.	578											
5	Males	325	21	19	1	–	–	1	2	1	1	4	2
6	Females	253	11	10	–	–	1	–	–	–	1	–	2
7	Plymouth (town).	189											
8	Males	115	8	8	–	–	–	–	–	1	1	3	3
9	Females	74	2	2	–	–	–	–	–	–	–	1	–
10	Quincy	831											
11	Males	440	36	33	1	–	–	2	3	2	2	2	7
12	Females	391	22	21	–	–	–	1	3	–	2	1	3
13	Reading (town).	124											
14	Males	63	9	9	–	–	–	–	1	1	–	1	–
15	Females	61	2	2	–	–	–	–	–	–	–	–	–
16	Revere.	337											
17	Males	180	15	14	–	1	–	–	2	–	2	1	–
18	Females	157	9	7	1	1	–	–	1	1	–	–	–
19	Salem.	517											
20	Males	264	11	11	–	–	–	–	–	–	1	2	3
21	Females	253	8	8	–	–	–	–	–	–	4	4	2
22	Saugus (town).	166											
23	Males	86	6	4	–	2	–	–	–	3	–	1	–
24	Females	80	6	5	–	–	1	–	1	–	1	–	–
25	Shrewsbury (town).	80											
26	Males	46	3	2	–	–	–	1	–	–	–	–	–
27	Females	34	3	2	–	1	–	–	–	–	–	–	–
28	Somerville.	1,137											
29	Males	574	44	39	2	–	2	1	2	3	7	3	12
30	Females	563	40	35	3	1	1	–	2	1	2	4	4
31	Southbridge (town).	166											
32	Males	86	4	4	–	–	–	–	–	1	–	–	1
33	Females	80	4	4	–	–	–	–	–	–	–	–	–
34	Springfield.	1,838											
35	Males	989	75	68	1	2	1	3	4	3	6	9	5
36	Females	849	56	51	1	–	2	2	1	–	2	9	10
37	Stoneham (town).	129											
38	Males	61	5	5	–	–	–	–	–	1	–	2	–
39	Females	68	5	4	–	–	–	1	–	–	–	–	–
40	Swampscott (town).	144											
41	Males	66	3	1	1	–	1	–	–	–	–	–	–
42	Females	78	3	3	–	–	–	–	–	–	–	1	–
43	Taunton.	395											
44	Males	236	13	13	–	–	–	–	–	–	5	2	4
45	Females	159	6	5	1	–	–	–	–	–	1	3	1
46	Wakefield (town).	174											
47	Males	80	4	3	–	–	1	–	–	–	–	–	–
48	Females	94	7	6	–	–	–	1	1	–	–	–	1
49	Waltham.	461											
50	Males	238	15	14	–	–	–	1	2	1	2	3	2
51	Females	223	20	16	1	1	2	–	–	–	–	2	5
52	Watertown (town).	323											
53	Males	169	17	15	–	–	2	–	3	–	2	1	2
54	Females	154	11	11	–	–	–	–	–	2	2	–	–
55	Webster (town).	137											
56	Males	82	7	7	–	–	–	–	–	1	–	2	2
57	Females	55	4	3	–	–	–	1	–	1	–	–	–
58	Wellesley (town).	155											
59	Males	76	7	6	–	–	–	1	–	1	3	–	1
60	Females	79	9	8	–	–	–	1	–	–	–	–	–
61	W. Springfield (town).	154											
62	Males	88	6	6	–	–	–	–	1	–	–	1	–
63	Females	66	4	4	–	–	–	–	–	1	–	–	–
64	Westfield.	220											
65	Males	125	10	10	–	–	–	–	–	–	–	1	–
66	Females	95	5	5	–	–	–	–	–	1	–	1	3
67	Weymouth (town).	303											
68	Males	163	18	16	1	–	–	1	–	1	2	2	1
69	Females	140	10	8	–	–	1	1	–	–	1	3	1
70	Winchester (town).	153											
71	Males	84	3	2	–	–	–	1	1	–	1	1	–
72	Females	69	3	3	–	–	–	–	–	–	–	–	–
73	Winthrop (town).	220											
74	Males	115	10	10	–	–	–	–	–	–	1	–	–
75	Females	105	6	6	–	–	–	–	–	–	1	–	2
76	Woburn.	228											
77	Males	114	7	6	1	–	–	–	–	–	1	1	1
78	Females	114	12	12	–	–	–	–	1	–	1	1	1
79	Worcester.	2,286											
80	Males	1,173	82	72	2	2	2	4	6	3	3	14	12
81	Females	1,113	61	56	2	1	2	–	5	1	5	10	10

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1947—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age Unknown.
1																
2	1	3	2	8	14	12	23	13	16	10	12	8	–	1	–	–
3	–	4	2	11	8	4	9	13	14	8	12	3	2	1	–	–
4																
5	3	8	9	15	16	29	40	38	46	50	28	8	3	1	–	–
6	3	5	3	9	13	21	24	24	31	41	29	22	10	3	1	–
7																
8	1	2	3	5	4	12	12	14	7	18	8	13	–	–	–	–
9	1	1	2	2	4	3	4	11	8	14	7	6	8	–	–	–
10																
11	3	13	12	21	37	43	53	46	51	46	33	26	4	–	–	–
12	4	11	5	12	23	28	29	42	48	52	50	40	12	3	1	–
13																
14	1	–	–	–	3	7	8	10	6	6	5	5	–	–	–	–
15	1	–	1	1	–	7	4	6	10	2	18	7	2	–	–	–
16																
17	3	5	6	6	16	28	17	23	19	22	9	5	–	1	–	–
18	2	3	5	13	7	12	12	25	21	21	17	6	2	–	–	–
19																
20	7	8	8	11	19	25	33	33	38	28	22	14	–	1	–	–
21	4	5	3	9	9	13	19	26	35	38	38	24	11	1	–	–
22																
23	1	2	6	2	8	9	9	7	14	7	6	3	1	1	–	–
24	1	2	2	4	6	8	5	9	7	9	12	3	3	1	–	–
25																
26	1	1	–	3	3	8	2	8	3	6	3	4	1	–	–	–
27	–	–	1	–	–	6	3	3	5	5	4	3	1	–	–	–
28																
29	7	20	18	31	39	54	59	73	68	64	42	21	4	3	–	–
30	5	10	15	20	25	32	56	70	78	71	64	41	19	4	–	–
31																
32	3	1	2	5	6	10	9	18	7	10	6	3	–	–	–	–
33	1	1	5	1	2	5	9	15	14	9	8	4	2	–	–	–
34																
35	23	17	32	50	68	109	116	131	119	97	69	40	13	3	–	–
36	7	8	21	45	40	69	57	88	113	107	111	76	23	6	–	–
37																
38	–	–	1	2	2	3	4	5	8	10	9	6	3	–	–	–
39	1	2	1	–	4	3	6	5	13	13	9	3	3	–	–	–
40																
41	–	2	1	2	5	9	7	8	11	8	5	3	1	1	–	–
42	–	–	–	1	4	5	5	10	10	15	11	9	3	1	–	–
43																
44	2	3	5	13	19	18	26	29	34	34	22	6	1	–	–	–
45	–	2	4	4	5	6	12	23	18	22	29	15	5	3	–	–
46																
47	2	1	4	4	4	8	6	9	9	13	7	8	1	–	–	–
48	–	4	1	4	2	4	8	6	12	11	17	8	4	3	1	–
49																
50	3	4	5	13	18	23	25	34	31	24	21	8	3	1	–	–
51	2	4	3	1	9	16	22	23	33	31	26	14	9	3	–	–
52																
53	4	2	1	10	10	13	22	20	19	13	20	9	1	–	–	–
54	1	4	2	6	5	13	16	13	24	24	18	11	2	–	–	–
55																
56	1	–	2	8	6	6	10	6	10	8	9	2	1	–	1	–
57	1	1	3	–	3	3	8	9	9	4	6	2	1	–	–	–
58																
59	2	5	2	4	7	6	4	7	8	9	6	4	–	–	–	–
60	–	1	1	3	8	2	3	6	11	11	17	3	4	–	–	–
61																
62	1	4	2	2	4	14	12	18	10	3	6	4	–	–	–	–
63	2	–	3	3	6	5	4	8	9	8	6	6	1	–	–	–
64																
65	3	3	7	4	6	15	10	15	14	13	13	8	3	–	–	–
66	–	1	1	4	3	5	7	9	11	9	19	9	6	1	–	–
67																
68	1	2	6	7	10	11	18	20	15	25	15	6	3	–	–	–
69	2	2	3	4	10	9	11	11	22	26	11	7	6	1	–	–
70																
71	1	2	5	1	5	10	8	6	14	8	11	7	–	–	–	–
72	1	1	2	3	3	2	6	7	6	10	12	5	7	1	–	–
73																
74	–	–	6	5	11	5	16	19	15	10	10	7	–	–	–	–
75	2	2	–	1	3	10	5	14	16	16	12	10	5	–	–	–
76																
77	2	2	2	7	10	11	14	22	10	8	9	6	1	–	–	–
78	–	2	2	5	3	3	9	15	18	19	14	7	1	–	–	–
79																
80	11	21	34	51	86	132	138	147	136	131	105	46	12	3	–	–
81	13	18	18	41	62	73	107	130	153	164	127	85	25	5	–	–

[2] Age at last birthday.

Table 5

Years.	Mortality[1] of Males and Females: 1923 to 1947. Deaths. Males.	Deaths. Females.	Deaths of males to 1,000 deaths of females.	Death rates[2] per 1,000 population. Males.	Females.	Excess of male rate.
1923	26,268	26,111	1,006	13.5	12.9	.6
1924	25,392	24,074	1,055	12.9	11.8	1.1
1925	*26,457*	*25,433*	*1,040*	–	–	–
1926	26,943	25,945	1,038	–	–	–
1927	25,233	24,091	1,047	–	–	–
1928	26,082	25,360	1,028	–	–	–
1929	26,461	25,710	1,029	–	–	–
1930	*25,242*	*24,261*	*1,041*	*12.2*	*11.1*	*1.1*
1931	25,021	23,722	1,055	–	–	–
1932	25,321	24,210	1,046	–	–	–
1933	26,131	24,701	1,058	–	–	–
1934	26,569	24,191	1,098	–	–	–
1935	*26,000*	*24,286*	*1,071*	–	–	–
1936	27,104	24,950	1,086	–	–	–
1937	27,395	24,892	1,101	–	–	–
1938	26,046	23,850	1,092	–	–	–
1939	26,340	24,567	1,072	–	–	–
1940	*26,572*	*24,708*	*1,075*	*12.6*	*11.2*	*1.4*
1941	26,803	24,238	1,106	–	–	–
1942	27,031	24,171	1,118	–	–	–
1943[3]	28,386	26,025	1,091	–	–	–
1944[3]	27,046	24,408	1,108	–	–	–
1945[3]	*26,942*	*23,821*	*1,131*	–	–	–
1946[3]	27,021	24,268	1,113	–	–	–
1947[3]	27,472	24,111	1,139	–	–	–

[1] Exclusive of stillbirths.
[2] Rates are calculated on census population except for the years 1923 and 1924, for which the estimated population is used. Male and female population not enumerated in State census of 1925, 1935 and 1945.
[3] Allocated.

Table 6

Age Periods.	Deaths[1] at Specified Ages: Census Years 1920 to 1945. 1945.	1940.	1935.	1930.	1925.	1920.
All Ages.	**50,763**[4]	**50,698**[4]	**49,634**[4]	**49,503**	**51,890**	**53,632**
Under 5 years	2,889	2,925	3,809	5,873	8,623	11,739
Under 1 year	2,433	2,450	3,014	4,440	6,294	8,382
5 to 9 years	233	245	513	742	922	1,129
10 to 14 years	200	281	461	479	678	689
15 to 19 years	333	444	616	705	891	957
20 to 29 years	990	1,151	1,627	1,956	2,498	3,282
30 to 39 years	1,633	1,774	2,405	2,959	3,161	3,916
40 to 49 years	3,696	3,994	4,488	4,278	4,521	4,554
50 to 59 years	7,500	7,092	7,001	6,989	6,838	6,154
60 to 69 years	11,250	11,571	11,083	9,881	9,186	7,784
70 to 79 years	13,291	12,996	10,964	9,637	8,882	8,049
80 years and over	8,748	8,225	6,667	6,003	5,685	5,370
Age unknown	–	–	–	1	5	9
	Death Rates per 1,000 Population[2] at Specified Ages.					
All Ages.	**11.3**	**11.7**	**11.4**	**11.6**	**12.5**	**13.9**
Under 5 years	–	10.4	–	16.8	–	30.4
Under 1 year	–	46.6	–	68.3	–	111.9
5 to 9 years	–	.8	–	1.9	–	3.1
10 to 14 years	–	.8	–	1.2	–	2.1
15 to 19 years	–	1.2	–	1.9	–	3.2
20 to 29 years	–	1.6	–	2.9	–	4.9
30 to 39 years	–	2.8	–	–[3]	–	6.4
40 to 49 years	–	6.6	–	–[3]	–	9.1
50 to 59 years	–	14.7	–	–[3]	–	17.2
60 to 69 years	–	34.3	–	–[3]	–	37.5
70 to 79 years	–	76.4	–	–[3]	–	85.5
80 years and over	–	177.3	–	–[3]	–	193.0

[1] Exclusive of stillbirths.
[2] Population by age groups not enumerated for 1925, 1935 and 1945.
[3] U. S. Census figures for 1930 not available.
[4] Allocated.

Table 7

Years.	Per Cent of Deaths[1] at Specified Ages—Both Sexes.			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1923	13.3	18.4	4.9	76.7
1924	12.5	16.9	4.9	78.2
1925	12.1	16.6	4.8	78.6
1926	11.6	16.1	4.4	79.5
1927	10.8	14.3	4.6	81.1
1928	10.0	13.6	4.3	82.1
1929	8.8	12.0	4.4	83.6
1930	9.0	11.9	3.9	84.2
1931	7.8	10.2	3.9	85.9
1932	7.3	9.7	3.7	86.6
1933	6.5	8.5	3.6	87.9
1934	6.2	8.0	3.5	88.5
1935[2]	6.1	7.7	3.3	89.0
1936[2]	5.5	7.1	3.2	89.7
1937[2]	5.2	6.5	3.0	90.5
1938[2]	4.9	6.2	2.9	90.9
1939[2]	4.6	5.7	2.5	91.8
1940[2]	4.8	5.8	2.3	91.9
1941[2]	4.9	5.8	2.3	91.9
1942[2]	5.2	6.2	2.6	91.2
1943[2]	5.4	6.4	2.2	91.4
1944[2]	5.0	6.0	2.1	91.9
1945[2]	4.8	5.7	1.9	92.4
1946[2]	5.8	6.7	2.0	91.3
1947[2]	5.9	6.6	1.8	91.6

[1] Exclusive of stillbirths. [2] Allocated.

Table 8

Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.				Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.			
	1947.[1]	1946.[1]	1945.[1]	1944.[1]		1947.[1]	1946.[1]	1945.[1]	1944.[1]
All Ages	**1,139**	**1,113**	**1,131**	**1,108**	**40 to 44 years**	**1,564**	**1,544**	**1,404**	**1,353**
Under 1 year	1,329	1,420	1,411	1,287	45 to 49 years	1,501	1,565	1,550	1,407
1 year	1,383	1,094	1,250	1,163	50 to 54 years	1,584	1,592	1,511	1,526
2 years	1,923	1,595	1,600	1,145	55 to 59 years	1,725	1,613	1,658	1,539
3 years	1,359	1,405	1,364	1,140	60 to 64 years	1,507	1,437	1,413	1,387
4 years	1,862	1,158	1,081	1,458	65 to 69 years	1,216	1,203	1,204	1,232
5 to 9 years	1,764	1,567	1,618	1,780	70 to 74 years	1,071	1,010	1,047	1,034
10 to 14 years	1,661	1,585	1,564	1,558	75 to 79 years	921	871	908	928
15 to 19 years	1,579	1,848	1,973	1,664	80 to 84 years	748	761	795	727
20 to 24 years	1,346	1,342	1,162	1,335	85 to 89 years	681	635	704	639
25 to 29 years	1,192	1,058	1,086	1,053	90 to 94 years	440	532	486	485
30 to 34 years	1,372	1,037	868	1,195	95 to 99 years	497	410	403	547
35 to 39 years	1,454	1,478	1,311	1,302	100 years and over	381	135	333	636

[1] Allocated.

Table 9

Age Periods and Years.	Deaths[1] of Males and Females at Specified Ages: 1938 to 1947.						
	Both sexes.		Males.		Females.		Female deaths per 1,000 male deaths.
	Number.	Per Cent distribution.	Number.	Per Cent distribution.	Number.	Per Cent distribution.	
All Ages.							
1938	49,285[2]	100.0	25,719	100.0	23,566	100.0	916
1939	50,292[2]	100.0	26,037	100.0	24,255	100.0	932
1940	50,698[2]	100.0	26,262	100.0	24,436	100.0	930
1941	50,456[2]	100.0	26,475	100.0	23,981	100.0	906
1942	50,523[2]	100.0	26,650	100.0	23,873	100.0	896
1943	54,411[2]	100.0	28,386	100.0	26,025	100.0	917
1944	51,454[2]	100.0	27,046	100.0	24,408	100.0	902
1945	50,763[2]	100.0	26,942	100.0	23,821	100.0	884
1946	51,289[2]	100.0	27,021	100.0	24,268	100.0	898
1947	51,583[2]	100.0	27,472	100.0	24,111	100.0	878
Under 1 Year.							
1938	2,439	4.9	1,367	5.3	1,072	4.5	783
1939	2,338	4.6	1,370	5.3	968	4.0	707
1940	2,450	4.8	1,395	5.3	1,055	4.3	756
1941	2,480	4.9	1,440	5.4	1,040	4.3	722
1942	2,651	5.2	1,498	5.6	1,153	4.8	770
1943	2,939	5.4	1,703	6.0	1,236	4.7	725
1944	2,582	5.0	1,453	5.4	1,129	4.6	777
1945	2,433	4.8	1,424	5.3	1,009	4.2	709
1946	2,996	5.8	1,758	6.5	1,238	5.1	704
1947	3,021	5.9	1,724	6.3	1,297	5.4	752
Under 5 Years.							
1938	3,033	6.2	1,687	6.5	1,346	5.7	798
1939	2,859	5.7	1,669	6.4	1,190	4.9	713
1940	2,925	5.8	1,663	6.3	1,262	5.2	759
1941	2,950	5.8	1,706	6.4	1,244	5.2	729
1942	3,118	6.2	1,770	6.6	1,348	5.6	762
1943	3,496	6.4	2,016	7.1	1,480	5.7	734
1944	3,078	6.0	1,722	6.4	1,356	5.5	787
1945	2,889	5.7	1,684	6.3	1,205	5.0	716
1946	3,454	6.7	2,014	7.4	1,440	5.9	715
1947	3,415	6.6	1,964	7.2	1,451	6.0	739
20 to 29 Years.							
1938	1,428	2.9	715	2.8	713	3.0	997
1939	1,277	2.5	673	2.6	604	2.5	897
1940	1,151	2.3	620	2.4	531	2.2	856
1941	1,140	2.3	608	2.3	532	2.2	875
1942	1,340	2.6	743	2.8	597	2.5	803
1943	1,201	2.2	643	2.3	558	2.1	865
1944	1,109	2.1	600	2.2	509	2.1	850
1945	990	1.9	523	1.9	467	2.0	893
1946	994	2.0	538	2.0	456	1.9	848
1947	947	1.8	528	1.9	419	1.7	794
All Other Ages.							
1938	44,824	90.9	23,317	90.7	21,507	91.3	922
1939	46,156	91.8	23,695	91.0	22,461	92.6	948
1940	46,622	91.9	23,979	91.3	22,643	92.6	944
1941	46,366	91.9	24,161	91.3	22,205	92.6	919
1942	46,065	91.2	24,137	90.6	21,928	91.9	908
1943	49,714	91.4	25,727	90.6	23,987	92.2	932
1944	47,267	91.9	24,724	91.4	22,543	92.4	912
1945	46,884	92.4	24,735	91.8	22,149	93.0	895
1946	46,841	91.3	24,469	90.6	22,372	92.2	914
1947	47,221	91.6	24,980	90.9	22,241	92.3	890

[1] Exclusive of stillbirths.
[2] Allocated.

Table 10

ALLOCATED DEATHS BY SEX, AGE, AND MARITAL CONDITION: 1947.

Age at Death.	Both Sexes.	Males. Total.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Total.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
The State. 15 Years and Over.	47,820[1]	25,288	4,211	14,426	6,025	577	49	22,532[1]	3,939	7,711	10,522	350	10
15 to 19 years	276	169	160	9	–	–	–	107	98	8	1	–	–
20 to 29 years	947	528	371	152	–	5	–	419	187	220	1	11	–
30 to 39 years	1,573	923	319	544	16	40	4	650	148	465	25	12	–
40 to 49 years	3,449	2,083	510	1,411	57	101	4	1,366	222	956	117	70	1
50 to 59 years	7,208	4,502	741	3,252	345	154	10	2,706	356	1,739	553	58	–
60 to 69 years	11,232	6,434	924	4,227	1,116	153	14	4,798	726	2,211	1,777	80	4
70 to 79 years	13,714	6,843	843	3,596	2,294	98	12	6,871	1,180	1,677	3,925	87	2
80 years and over	9,420	3,806	343	1,235	2,197	26	5	5,614	1,022	435	4,122	32	3
Boston 15 Years and Over	9,206	5,007	1,160	2,577	1,095	159	16	4,199	883	1,285	1,946	83	2
15 to 19 years	56	41	40	1	–	–	–	15	12	2	1	–	–
20 to 29 years	215	114	77	36	–	1	–	101	39	58	–	4	–
30 to 39 years	377	228	99	109	5	13	2	149	38	103	7	1	–
40 to 49 years	818	514	150	311	17	35	1	304	62	194	34	14	–
50 to 59 years	1,489	977	224	625	87	35	6	512	86	276	133	17	–
60 to 69 years	2,288	1,314	263	749	257	41	4	974	171	364	418	21	–
70 to 79 years	2,529	1,266	230	588	414	32	2	1,263	260	234	750	18	1
80 years and over	1,434	553	77	158	315	2	1	881	215	54	603	8	1

[1] Includes one unknown age.

Table 11

ALLOCATED DEATHS,[1] IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS, BY MONTHS: 1947.

Counties and Cities having over 50,000 Inhabitants in 1945. (Grouped in order of population).	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	51,583	5,024	4,256	4,666	4,632	4,336	4,141	3,853	4,015	3,714	4,198	4,120	4,628
Average daily number of deaths.	141	162	152	151	154	140	138	124	130	124	135	137	149
COUNTIES.													
Middlesex	10,856	1,002	919	1,005	991	947	909	769	809	785	846	878	996
Suffolk	11,008	1,116	916	1,004	1,040	899	863	824	850	777	904	846	969
Essex	6,130	611	517	547	531	525	507	474	463	443	488	464	560
Worcester	5,638	582	466	506	506	477	438	413	440	378	490	462	480
Bristol	4,343	432	347	379	388	365	349	315	343	335	340	352	398
Hampden	3,843	347	304	346	333	305	284	316	301	319	342	303	343
Norfolk	3,855	370	301	350	353	319	304	270	293	279	327	323	366
Plymouth	2,294	242	172	213	197	181	174	174	195	178	187	197	184
Berkshire	1,485	121	145	116	117	144	130	121	116	92	113	130	140
Hampshire	852	80	63	82	71	65	76	64	73	56	69	67	86
Franklin	631	66	46	64	54	53	46	60	60	33	52	51	46
Barnstable	506	38	47	44	41	45	49	40	61	32	29	34	46
Dukes	95	11	8	5	7	8	9	10	6	7	6	8	10
Nantucket	47	6	5	5	3	3	3	3	5	–	5	5	4
CITIES OVER 100,000.													
Boston	10,020	1,017	840	905	945	824	784	759	782	709	819	763	873
Worcester	2,286	248	189	224	203	176	177	164	171	165	185	180	204
Springfield	1,838	162	145	164	153	148	135	158	142	148	162	146	175
Fall River	1,388	144	127	108	121	106	120	91	113	116	108	106	128
Cambridge	1,360	124	131	133	141	127	110	87	95	89	93	112	118
New Bedford	1,345	128	114	112	130	123	98	99	110	97	102	117	115
Somerville	1,137	97	93	111	114	93	108	94	83	89	77	77	101
Lynn	1,232	133	113	120	95	90	103	95	94	94	105	83	107
Lowell	1,173	117	85	118	111	88	103	68	96	72	104	96	115
CITIES 50,000 TO 100,000.													
Lawrence	965	104	88	84	75	99	92	65	69	66	68	60	95
Quincy	831	81	80	67	74	77	54	54	58	61	66	71	88
Newton	791	72	58	66	73	80	65	64	59	57	70	62	65
Medford	648	54	54	60	58	55	60	50	54	49	43	52	59
Brockton	838	97	52	74	81	51	70	51	74	66	72	77	73
Malden	665	70	66	50	60	66	53	50	51	41	49	55	54
Holyoke	713	62	57	54	64	52	57	56	60	61	66	61	63
Pittsfield	578	48	53	42	43	55	55	49	44	38	42	54	55

[1] Exclusive of stillbirths.

Table 12	Deaths.[1]		Live Births.		Deaths Under 1 Year.		Deaths Under 1 Month.	
Years.	Number.	Per 1,000 population.	Number.	Per 1,000 population.	Number.	Per 1,000 live births.	Number.	Per 1,000 live births.
1900 . .	51,156	18.2	73,386	26.2	11,500	156.7	–	–
1901 . .	48,275	16.9	71,976	25.3	9,952	138.3	–	–
1902 . .	47,491	16.4	72,219	25.0	10,075	139.5	–	–
1903 . .	49,054	16.7	73,584	25.1	10,269	138.3	–	–
1904 . .	48,482	16.3	75,014	25.3	9,992	133.2	–	–
1905 . .	50,486	16.7	75,022	24.9	10,519	140.2	–	–
1906 . .	50,624	16.4	80,237	26.0	11,106	138.4	–	–
1907 . .	54,234	17.2	85,001	26.9	11,293	132.9	–	–
1908 . .	51,788	16.0	86,911	26.9	11,606	133.5	–	–
1909 . .	51,236	15.5	84,039	25.4	10,693	127.2	–	–
1910 . .	54,407	16.1	86,539	25.6	11,499	132.9	–	–
1911 . .	53,062	15.4	88,327	25.6	10,543	119.4	–	–
1912 . .	52,400	14.9	89,882	25.6	10,472	116.5	–	–
1913 . .	53,402	14.9	91,644	25.6	10,086	110.1	–	–
1914 . .	52,978	14.5	93,399	25.6	9,894	105.9	–	–
1915 . .	53,131	14.4	93,155	25.2	9,490	101.9	–	–
1916 . .	56,366	14.9	93,487	24.8	9,334	99.8	–	–
1917 . .	56,628	14.7	95,731	24.9	9,325	97.4	4,029	42
1918 . .	78,842	20.2	95,607	24.5	10,820	113.2	4,292	45
1919 . .	52,345	13.6	87,827	22.9	7,769	88.5	3,635	41
1920 . .	53,632	13.9	91,859	23.8	8,382	91.2	3,823	42
1921 . .	47,780	12.3	92,207	23.7	7,005	76.0	3,714	40
1922 . .	51,115	13.0	87,636	22.3	7,129	81.3	3,514	40
1923 . .	52,380	13.2	89,210	22.5	6,968	78.1	3,587	40
1924 . .	49,466	12.4	91,463	22.8	6,191	67.7	3,469	38
1925 . .	51,890	12.5	86,014	20.8	6,294	73.1	3,365	39
1926 . .	52,888	12.7 [2]	83,502	20.0	6,130	73.4	3,197	38
1927 . .	49,324	11.8 [2]	82,273	19.6	5,320	64.7	3,033	37
1928 . .	51,442	12.2 [2]	79,054	18.8	5,118	64.7	2,749	35
1929 . .	52,171	12.3 [2]	74,122	17.5	4,592	62.0	2,623	35
1930 . .	49,503	11.6	73,690	17.3	4,440	60.3	2,594	35
1931 . .	48,743	11.4	69,385	16.2	3,803	54.8	2,323	33
1932 . .	49,531	11.5	68,518	15.9	3,635	53.1	2,267	33
1933 . .	50,832	11.8	63,457	14.7	3,294	51.9	2,089	33
1934 . .	50,760	11.7	63,767	14.7	3,136	49.2	1,935	30
1935* . .	49,634	11.4	62,416	14.3	3,014	48.3	1,834	29
1936* . .	51,435	11.7	61,184	14.0	2,854	46.6	1,810	30
1937* . .	51,739	11.7	61,272	13.9	2,684	43.8	1,744	28
1938* . .	49,285	11.1	62,382	14.1	2,439	39.1	1,661	27
1939* . .	50,292	11.3	62,575	14.1	2,338	37.4	1,605	26
1940* . .	50,698	11.7	65,369	15.1	2,450	37.5	1,655	25
1941* . .	50,456	11.7	70,228	16.2	2,480	35.3	1,677	24
1942* . .	50,523	11.7	83,371	19.2	2,651	31.8	1,917	23
1943* . .	54,411	12.5	85,743	19.8	2,939	34.3	1,926	22
1944* . .	51,454	11.8	78,140	18.0	2,582	33.0	1,754	22
1945* . .	50,763	11.3	76,455	16.9	2,433	31.8	1,701	22
1946* . .	51,289	11.3	96,903	21.3	2,996	30.9	2,222	23
1947* . .	51,583	11.2	106,690	23.3	3,021	28.3	2,201	21

[1] Exclusive of stillbirths. *Allocated.
[2] Revised.

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: **1947.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	51,583	5,024	4,256	4,666	4,632	4,336	4,141	3,853	4,015	3,714	4,198	4,120	4,628
		M	27,472	2,617	2,292	2,462	2,440	2,354	2,281	2,075	2,144	2,007	2,174	2,141	2,485
		F	24,111	2,407	1,964	2,204	2,192	1,982	1,860	1,778	1,871	1,707	2,024	1,979	2,143
I.	INFECTIOUS AND PARASITIC DISEASES	T	2,067	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,389	126	109	146	143	138	128	120	109	85	97	95	93
		F	678	71	49	64	74	66	61	46	55	46	50	41	55
1	Typhoid fever	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	–	1	–	–	–	–	–
2	Paratyphoid fever	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Plague	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Cholera	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Undulant fever (brucellosis)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Cerebrospinal (meningococcus) meningitis	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	3	1	–	–	–	–	–	–	–	1	2
		F	4	–	2	–	2	–	–	–	–	–	–	–	–
7	Anthrax	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	1	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	1	–	–	–	–	–	–	–
9	Whooping cough	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	1	–	–	–	2	–	1	–	1	2
		F	6	1	1	–	–	1	–	1	1	–	–	–	1
10	Diphtheria	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	1	1	1	–	–	1	–	–	1	1
		F	4	–	–	1	–	–	1	1	1	–	–	–	–
11	Erysipelas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
12	Tetanus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
13–22	Tuberculosis (total)	T	1,584	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,093	89	85	110	116	110	103	103	85	68	76	79	69
		F	491	54	35	46	47	48	40	36	47	31	40	32	35
13	Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes)	T	1,495	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,051	85	84	106	112	108	97	98	81	64	73	77	66
		F	444	52	32	39	43	42	39	34	42	25	37	30	29
13*a*	With mention of occupational disease of the lungs	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	–	2	2	1	–	1	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13*b*	Without mention of occupational disease of the lungs	T	1,486	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,042	85	83	106	110	106	96	98	80	64	72	76	66
		F	444	52	32	39	43	42	39	34	42	25	37	30	29
13*c*	Tuberculosis of unspecified site	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
14	Tuberculosis of the meninges and central nervous system	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	–	1	–	2	1	1	–	–	–
		F	11	–	–	3	1	2	1	–	–	1	–	–	3
15	Tuberculosis of the intestines and peritoneum	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	1	–	1	1	1	–	1
		F	9	–	1	1	1	–	–	–	2	3	–	–	1
16	Tuberculosis of the vertebral column	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	3	1	–	1	–	–	1	2	1	–	–	1
		F	9	1	–	1	–	2	–	–	–	2	1	2	–
17	Tuberculosis of the bones and joints (except vertebral column)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	2	–	–	–	–	–	1
		F	4	–	1	–	1	–	–	–	1	–	1	–	–
17*a*	Bones	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	2	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
17*b*	Joints	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	4	–	1	–	1	–	–	–	1	–	1	–	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
18	Tuberculosis of the skin and subcutaneous cellular tissue	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric and retroperitoneal lymph nodes)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	1	–	–
		F	3	–	–	–	–	1	–	1	–	–	–	–	1
20	Tu erculosis of the genito-urinary system	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	–	2	3	1	1	2	–	–	1	2	–
		F	10	1	1	2	1	1	–	1	1	–	1	–	1
21	Tuberculosis of other organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
21a	Tuberculosis of the adrenal glands	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
21b	Tuberculosis of other organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Disseminated tuberculosis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
22a	Acute miliary tuberculosis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
22b	Other generalized tuberculosis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Leprosy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Septicemia and purulent infection (nonpuerperal)	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	–	1	1	2	1	–	–	1	–	–	–
		F	5	–	2	–	1	1	–	–	–	1	–	–	–
24a	Septicemia	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	–	1	2	1	–	–	1	–	–	–
		F	5	–	2	–	1	1	–	–	–	1	–	–	–
24b	Pyemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
24c	Gas bacillus gangrene	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
24d	Bacillus coli infection, generalized	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Gonococcus infection	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Other diseases due to bacteria (except dysentery)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	2	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
26a	Tularemia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	2	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
26b	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
27	Dysentery	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	3	3	–	–	–	–	1	4	1	–	2
		F	13	1	–	2	3	2	1	–	–	2	2	–	–
27a	Bacillary	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	2	1	–	–	–	–	1	4	1	–	1
		F	7	–	–	1	1	1	–	–	–	2	2	–	–
27b	Amebic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
27c	Other and unspecified forms of dysentery	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	1	2	–	–	–	–	–	–	–	–	1
		F	6	1	–	1	2	1	1	–	–	–	–	–	–
28	Malaria	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	1	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
29	Other diseases due to parasitic protozoa (except spirochetes)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
30	Syphilis	T	178	–	–	–	–	–	–	–	–	–	–	–	–
		M	132	19	12	9	12	13	14	7	11	9	9	8	9
		F	46	3	3	4	7	4	7	4	2	2	2	3	5
30a	Locomotor ataxia (tabes dorsalis)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	2	–	–	2	–	1	–	1	–	1	–
		F	2	1	–	–	–	–	1	–	–	–	–	–	–
30b	General paralysis of the insane	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	10	6	5	6	4	7	4	2	2	3	4	5
		F	15	2	2	2	3	1	–	2	1	1	1	–	–
30c	Other syphilis of the central nervous system	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	1	1	1	1	1	–	–	–	–	2
		F	4	–	–	–	–	1	–	1	–	–	–	2	–
30d	Aneurysm of the aorta	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	2	1	3	2	2	3	1	7	4	2	1	2
		F	10	–	–	–	1	–	4	1	–	1	1	–	2
30e	Other syphilis of the circulatory system	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	2	–	1	4	2	–	–	2	2	2	–
		F	5	–	–	1	1	–	–	–	1	–	–	–	2
30f	Congenital syphilis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–
30g	Other and unspecified forms of syphilis	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	4	1	–	2	–	–	–	2	–	2	–	–
		F	9	–	1	1	2	2	2	–	–	–	–	1	–
31	Relapsing fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
32	Other diseases due to spirochetes	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	4	–	–	1	1	1	–	–	–	–
		F	16	2	1	2	3	1	1	1	–	2	–	2	1
32a	Weil's disease	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	4	–	–	1	1	1	–	–	–	–
		F	15	2	1	1	3	1	1	1	–	2	–	2	1
32b	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
33	Influenza (grippe)	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	4	2	9	6	1	–	–	–	–	2	–	6
		F	25	1	1	2	8	4	3	1	1	–	–	–	4
33a	With respiratory complications specified	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	2	6	3	–	–	–	–	–	–	–	4
		F	15	1	–	2	3	2	1	1	1	–	–	–	4
33b	Without respiratory complications specified	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	3	–	3	3	1	–	–	–	–	2	–	2
		F	10	–	1	–	5	2	2	–	–	–	–	–	–
34	Smallpox	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
35	Measles	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	1	1	–	2	–	–	–	–	–	–
		F	7	3	–	–	1	3	–	–	–	–	–	–	–
36	Acute poliomyelitis and acute polioencephalitis	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	–	–	1	1	1	–	2	1	–
		F	5	1	1	–	–	–	–	–	–	2	1	–	–
37	Acute infectious encephalitis (lethargic)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	1	–	–	–
		F	3	1	1	1	–	–	–	–	–	–	–	–	–
37a	Acute infectious encephalitis (lethargic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
37b	Sequelae of encephalitis lethargica	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
37c	Encephalitis lethargica (unqualified)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	1	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
37d	Equine encephalomyelitis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Other diseases due to filtrable viruses	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	2	2	–	–	–	–	1	–
		F	3	–	1	–	–	–	–	–	–	1	–	–	1
38a	Yellow fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38b	Rabies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
38c	Herpes zoster	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	1	–	–	1
38d	German measles	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38e	Chickenpox	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	2	2	–	–	–	–	1	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
38f	Other diseases ascribed to viruses	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Typhus fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Hydatid disease	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
42	Other diseases caused by helminths	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
43	Mycoses	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	1	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	1	1	–	–
44	Other infectious and parasitic (communicable) diseases	T	88	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	5	–	6	5	4	1	5	9	1	7	2	2
		F	41	2	1	5	2	1	7	1	2	4	4	4	8
44a	Venereal diseases (except gonorrhea and syphilis)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
44b	Lymphogranulomatosis (Hodgkin's disease)	T	87	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	5	–	6	5	4	1	5	9	1	7	2	2
		F	40	2	1	4	2	1	7	1	2	4	4	4	8
44c	Mumps	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
44d	Other infectious and parasitic (communicable) diseases	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	CANCER AND OTHER TUMORS	T	8,283	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,969	341	315	364	343	345	326	314	322	317	320	317	345
		F	4,314	380	323	339	359	357	343	366	385	339	388	349	386
45–55	Cancer and other malignant tumors	T	8,091	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,878	328	310	355	335	344	316	303	317	311	313	311	335
		F	4,213	373	321	330	350	348	335	360	372	331	377	338	378
45	Cancer of the buccal cavity and pharynx	T	273	–	–	–	–	–	–	–	–	–	–	–	–
		M	221	17	18	20	13	21	17	14	17	22	28	21	13
		F	52	3	5	2	7	4	2	6	3	4	8	5	3
45a	Lip	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	3	4	–	2	2	1	1	1	3	1	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45b	Tongue	T	72	–	–	–	–	–	–	–	–	–	–	–	–
		M	55	7	3	1	3	6	7	5	3	5	4	5	6
		F	17	3	1	–	3	2	1	3	1	–	2	1	–
45c	Mouth	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	4	3	5	1	5	1	3	2	2	6	6	–
		F	9	–	1	1	–	1	–	–	1	1	3	1	–
45d	Jaw bone	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	–	1	5	3	2	2	1	5	3	4	3	2
		F	8	–	–	1	–	–	–	2	1	1	1	1	1
45e	Unspecified parts of the buccal cavity	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45f	Pharynx	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	75	4	8	5	6	6	5	4	6	11	11	6	3
		F	18	–	3	–	4	1	1	1	–	2	2	2	2
46	Cancer of the digestive organs and peritoneum	T	3,816	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,964	167	164	173	189	181	160	175	152	144	147	145	167
		F	1,852	177	146	140	161	161	145	154	168	157	155	138	150
46a	Esophagus	T	192	–	–	–	–	–	–	–	–	–	–	–	–
		M	146	13	12	14	13	13	9	18	12	8	14	10	10
		F	46	6	2	2	3	2	–	6	4	6	6	7	2
46b	Stomach	T	1,044	–	–	–	–	–	–	–	–	–	–	–	–
		M	617	50	54	57	55	56	51	55	46	45	41	42	65
		F	427	33	34	30	27	39	37	26	44	44	40	34	39

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
46c	Duodenum	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	2	–	–	1	1	–	2	–	2	1
		F	3	–	–	1	–	–	–	1	–	1	–	–	–
46d	Rectum and anus	T	568	–	–	–	–	–	–	–	–	–	–	–	–
		M	314	26	30	26	33	26	21	27	28	20	27	20	30
		F	254	25	11	20	28	24	14	26	22	21	20	20	23
46e	Intestines (except duodenum and rectum)	T	1,189	–	–	–	–	–	–	–	–	–	–	–	–
		M	491	46	39	46	42	50	44	38	43	41	33	38	31
		F	698	70	61	47	68	52	56	68	71	51	56	45	53
46f	Liver and biliary passages	T	396	–	–	–	–	–	–	–	–	–	–	–	–
		M	167	13	14	12	21	9	16	17	9	9	18	18	11
		F	229	20	16	27	19	23	17	18	15	18	23	14	19
46g	Pancreas	T	324	–	–	–	–	–	–	–	–	–	–	–	–
		M	173	16	12	12	21	23	14	16	13	12	11	8	15
		F	151	19	20	11	15	16	15	6	10	9	5	14	11
46h	Mesentery and peritoneum	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	2	–	3	3	3	2	2	1	6	1	4	3
		F	24	1	–	2	–	3	6	1	1	3	4	3	–
46m	Other and unspecified sites	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	2	1	1	1	2	1	–	1	2	3	1
		F	20	3	2	–	1	2	–	2	1	4	1	1	3
47	Cancer of the respiratory system	T	662	–	–	–	–	–	–	–	–	–	–	–	–
		M	535	40	38	54	36	43	40	43	51	39	55	49	47
		F	127	6	13	11	17	10	6	8	8	8	11	13	16
47a	Larynx	T	80	–	–	–	–	–	–	–	–	–	–	–	–
		M	71	5	7	8	6	4	4	6	6	8	5	5	7
		F	9	1	1	–	1	1	1	1	–	1	1	1	–
47b	Trachea	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	1	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47c	Bronchus	T	134	–	–	–	–	–	–	–	–	–	–	–	–
		M	123	11	8	11	5	12	11	10	13	8	16	10	8
		F	11	1	2	1	1	1	1	1	–	–	–	1	2
47d	Lung	T	423	–	–	–	–	–	–	–	–	–	–	–	–
		M	321	22	20	31	23	26	24	26	32	23	31	32	31
		F	102	4	10	9	13	8	4	6	8	7	8	11	14
47e	Pleura	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
47f	Mediastinum and unspecified sites	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	2	4	2	–	–	1	–	–	3	2	1
		F	4	–	–	1	2	–	–	–	–	–	1	–	–
48	Cancer of the uterus	T	602	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	602	49	40	40	54	54	48	72	45	40	59	51	50
48a	Cervix	T	255	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	255	23	15	17	27	23	12	28	22	21	25	23	19
48b	Other and unspecified sites	T	347	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	347	26	25	23	27	31	36	44	23	19	34	28	31
49	Cancer of other female genital organs	T	268	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	268	16	18	23	22	17	18	22	31	25	24	21	31
49a	Ovary	T	231	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	231	15	16	18	19	13	15	20	26	21	20	19	29
49b	Fallopian tube and parametrium	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
49c	Vagina	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	15	–	2	1	–	2	1	1	1	4	2	–	1
49d	Vulva	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	20	1	–	4	3	2	2	1	3	–	1	2	1
49e	Other and unspecified sites	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
50	Cancer of the breast	T	843	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	–	–	1	–	1	1	–	–	1	1	1
		F	835	81	62	64	55	64	74	61	69	64	74	77	90
51	Cancer of the male genital organs	T	426	–	–	–	–	–	–	–	–	–	–	–	–
		M	426	48	28	34	35	41	33	26	35	37	36	31	42
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51a	Scrotum	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: **1947.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
51b	Prostate	T	397	–	–	–	–	–	–	–	–	–	–	–	–
		M	397	44	26	33	33	35	33	25	33	34	31	29	41
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51c	Testes	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	3	1	–	–	3	–	–	1	1	4	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	Penis	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	–	1	2	3	–	1	1	2	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51e	Other and unspecified sites	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer of the urinary organs (male and female)	T	407	–	–	–	–	–	–	–	–	–	–	–	–
		M	281	16	22	29	22	22	26	24	27	20	14	27	32
		F	126	12	14	17	9	7	12	7	8	7	14	8	11
52a	Kidney	T	134	–	–	–	–	–	–	–	–	–	–	–	–
		M	92	3	6	9	10	3	10	9	10	8	8	5	11
		F	42	5	5	7	4	2	4	2	1	3	4	4	1
52b	Bladder	T	270	–	–	–	–	–	–	–	–	–	–	–	–
		M	186	13	16	19	12	19	16	15	17	12	6	20	21
		F	84	7	9	10	5	5	8	5	7	4	10	4	10
52c	Other and unspecified sites	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
53	Cancer of the skin (except vulva and scrotum)	T	95	–	–	–	–	–	–	–	–	–	–	–	–
		M	65	7	8	4	5	7	4	3	7	7	7	4	2
		F	30	3	4	1	1	3	1	4	4	1	4	3	1
54	Cancer of the brain and other parts of the central nervous system	T	137	–	–	–	–	–	–	–	–	–	–	–	–
		M	88	5	13	10	9	7	4	1	7	11	8	10	3
		F	49	2	1	4	2	6	5	2	6	7	6	2	6
54a	Glioma (not specified as benign)	T	66	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	3	4	6	2	4	1	1	3	8	5	4	1
		F	24	1	1	2	2	4	4	–	1	5	2	1	1
54b	Others	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	2	9	4	7	3	3	–	4	3	3	6	2
		F	25	1	–	2	–	2	1	2	5	2	4	1	5
55	Cancer of other and unspecified organs	T	562	–	–	–	–	–	–	–	–	–	–	–	–
		M	290	26	19	31	25	22	31	16	21	31	17	23	28
		F	272	24	18	28	22	22	24	24	30	18	22	20	20
55a	Adrenal gland	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	3	–	–	–	–	–	1	–	1
		F	4	1	–	1	–	–	–	–	1	1	–	–	–
55b	Bone (except jaw bone and accessory sinuses)	T	90	–	–	–	–	–	–	–	–	–	–	–	–
		M	45	5	3	5	4	3	7	1	4	3	2	2	6
		F	45	2	2	7	1	2	2	4	1	7	6	6	5
55c	Thyroid gland	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	–	1	1	–	3	2	2	2	–	–	–
		F	21	1	2	2	–	4	3	1	3	–	1	2	2
55d	Nasal cavity and accessory sinuses	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	1	–	–	–	–	–	–	1	1
		F	5	–	–	1	–	1	1	1	–	1	–	–	–
55e	Other and unspecified organs	T	420	–	–	–	–	–	–	–	–	–	–	–	–
		M	223	20	15	24	16	19	21	13	15	26	14	20	20
		F	197	20	14	17	21	15	18	18	25	9	15	12	13
56	Nonmalignant tumors (including dermoid cysts)	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	2	2	1	2	–	4	6	1	1	2	2	2
		F	49	3	1	6	3	4	2	4	6	2	4	10	4
56a	Ovary	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	9	1	–	1	2	1	–	1	1	–	1	1	–
56b	Uterus	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	23	1	1	3	1	2	2	2	3	–	2	2	4
56c	Other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
56d	Brain and other parts of the central nervous system	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	1	1	1	–	1	5	1	–	1	–	1
		F	7	–	–	1	–	–	–	–	–	2	1	3	–
56e	Other and unspecified organs	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	1	–	1	–	3	1	–	1	1	2	1
		F	10	1	–	1	–	1	–	1	2	–	–	4	–
57	Tumors of unspecified nature	T	118	–	–	–	–	–	–	–	–	–	–	–	–
		M	66	11	3	8	6	1	6	5	4	5	5	4	8
		F	52	4	1	3	6	5	6	2	7	6	7	1	4
57a	Ovary	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
57b	Uterus	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	–	–	–	–	–	1	1	–	–
57c	Other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
57d	Brain and other parts of the central nervous system	T	80	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	8	2	5	4	1	5	4	3	5	3	3	6
		F	31	2	1	3	3	3	3	2	4	4	4	1	1
57e	Other and unspecified organs	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	3	1	3	2	–	1	1	1	–	2	1	2
		F	18	1	–	–	3	2	3	–	3	1	2	–	3
III.	RHEUMATISM, DISEASES OF NUTRITION AND OF THE ENDOCRINE GLANDS, OTHER GENERAL DISEASES AND AVITAMINOSES	T	1,769	–	–	–	–	–	–	–	–	–	–	–	–
		M	593	61	33	55	46	54	55	48	35	45	55	48	58
		F	1,176	114	90	109	111	100	86	96	96	88	80	95	111
58	Acute rheumatic fever	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	1	–	–	1	–	–	1	2	1	–
		F	10	–	2	1	1	2	1	2	–	–	–	1	–
58a	Acute rheumatic pericarditis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
58b	Acute rheumatic endocarditis	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	3	–	1	1	1	–	–	–	–	–	–	–	–
58c	Acute rheumatic myocarditis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
58d	Other acute rheumatic heart diseases	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
58e	Other forms of acute rheumatic fever	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1	2	1	–
		F	7	–	1	–	–	2	1	2	–	–	–	1	–
58f	Rheumatism (not specified as acute or chronic)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
59	Chronic rheumatism and other rheumatic diseases	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	–	2	1	4	–	3	–	–	1	3	–
		F	22	2	2	1	3	–	3	5	–	2	1	2	1
59a	Rheumatoid arthritis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	1	–	–	1	–	–
		F	4	–	–	–	–	–	1	2	–	–	–	1	–
59b	Other chronic articular rheumatism	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	–	2	–	4	–	2	–	–	–	3	–
		F	18	2	2	1	3	–	2	3	–	2	1	1	1
59c	Other and unspecified forms of chronic rheumatism	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
60	Gout	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
61	Diabetes mellitus	T	1,643	–	–	–	–	–	–	–	–	–	–	–	–
		M	547	56	32	51	43	46	52	43	33	43	51	43	54
		F	1,096	109	85	103	102	97	77	84	91	81	75	87	95
62	Diseases of the pituitary gland	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	1	–	1	–	–
63	Diseases of the thyroid and parathyroid glands	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	1	–	–	–	–	–	–
		F	25	2	1	3	–	1	3	2	3	2	3	3	2
63a	Simple goiter	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
63b	Exophthalmic goiter	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	1	–	–	–	–	–	–
		F	18	–	1	3	–	1	3	1	2	1	2	2	2
63c	Myxedema and cretinism	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	1	–	–	–	–	–	1	1	1	1	–	–
63d	Other diseases of the thyroid glands	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
63e	Diseases of the parathyroid glands	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
64	Diseases of the thymus gland	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	–	–	–	1	–	–	2	1	–	–	3
		F	7	–	–	–	1	–	2	1	–	1	–	1	1
65	Diseases of the adrenal glands (not specified as tuberculous)	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	1	1	1	1	–	–	1	1	–
		F	9	1	–	1	3	–	–	–	1	2	–	1	–
65a	Addison's disease	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	1	1	1	1	–	–	1	1	–
		F	9	1	–	1	3	–	–	–	1	2	–	1	–
65b	Other diseases of the adrenal glands	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
66	Other general diseases	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
66a	Osteomalacia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
66b	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
67	Scurvy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
68	Beriberi	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	1	–	–	–	–	–
69	Pellagra (except alcoholic)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
70	Rickets	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
71	Other avitaminoses	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–
IV.	Diseases of the Blood and Blood-forming Organs	T	372	–	–	–	–	–	–	–	–	–	–	–	–
		M	187	10	13	21	12	14	15	13	15	14	24	13	23
		F	185	17	17	24	11	12	17	7	16	16	20	15	13
72	Hemorrhagic conditions	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	1	–	–	–	–	1	1	–	1	1
		F	6	–	1	1	–	–	1	1	1	–	–	1	–
72a	Primary purpuras	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	1	–	–	–	–	1	1	–	1	1
		F	6	–	1	1	–	–	1	1	1	–	–	1	–
72b	Hemophilia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
72c	Other hemorrhagic conditions	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
73	Anemias (except splenic anemia)	T	92	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	2	4	3	2	2	3	3	1	3	3	3	1
		F	62	4	5	6	2	7	7	2	6	5	10	4	4
73a	Pernicious anemia	T	69	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	3	1	–	1	3	–	1	1	3	2	1
		F	52	2	3	5	2	6	5	2	5	5	10	4	3
73b	Other hyperchromic anemias	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
73c	Hypochromic anemias	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
73d	Other and unspecified anemias	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	1	1	1	–	2	–	2	–	1	–
		F	8	2	2	1	–	–	1	–	1	–	–	–	1
74	Leukemias and aleukemias	T	251	–	–	–	–	–	–	–	–	–	–	–	–
		M	144	8	7	16	10	12	12	10	13	10	18	8	20
		F	107	13	10	15	8	5	8	4	8	9	10	10	7
74a	Leukemias	T	237	–	–	–	–	–	–	–	–	–	–	–	–
		M	140	8	7	16	10	11	12	10	12	10	17	8	19
		F	97	12	9	14	7	4	7	4	7	7	10	9	7
74b	Aleukemias	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	–	1	–	1	–	1
		F	10	1	1	1	1	1	1	–	1	2	–	1	–
75	Diseases of the spleen	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–	3	1	1
		F	5	–	–	2	–	–	–	–	1	1	–	–	1

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
75a	Splenic anemia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
75b	Splenomegaly (of undetermined nature)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–	2	1	1
		F	2	–	–	1	–	–	–	–	–	–	–	–	1
75c	Other diseases of the spleen	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	3	–	–	1	–	–	–	–	1	1	–	–	–
76	Other diseases of the blood and blood-forming organs	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	1	–	–	–	–	–	–	–	–	–
		F	5	–	1	–	1	–	1	–	–	1	–	–	1
76a	Agranulocytosis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
76b	Erythrocytosis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	1	–	–	1
76c	Hemoglobinemia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
76d	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	1	–	–	–	–	–	–
V.	CHRONIC POISONING AND INTOXICATION	T	117	–	–	–	–	–	–	–	–	–	–	–	–
		M	94	10	10	7	12	4	6	9	10	5	7	7	7
		F	23	2	4	2	2	2	1	2	–	3	3	1	1
77	Alcoholism (ethylism)	T	115	–	–	–	–	–	–	–	–	–	–	–	–
		M	93	9	10	7	12	4	6	9	10	5	7	7	7
		F	22	2	4	2	2	2	1	2	–	2	3	1	1
77a	Alcoholic pellagra	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77b	Other deficiency states associated with alcoholism	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77c	Acute alcoholism	T	66	–	–	–	–	–	–	–	–	–	–	–	–
		M	53	8	4	1	4	2	6	5	9	1	3	4	6
		F	13	2	2	2	–	1	1	–	–	2	2	1	–
77d	Chronic alcoholism	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	–	2	3	3	1	–	1	–	3	4	3	1
		F	5	–	1	–	1	–	–	2	–	–	–	–	1
77e	Other and unspecified alcoholism	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	1	4	3	5	1	–	3	1	1	–	–	–
		F	4	–	1	–	1	1	–	–	–	–	1	–	–
78	Lead poisoning	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
78a	Specified as occupational	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
78b	Not specified as occupational	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
79	Chronic poisoning by other mineral or organic substances	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
79a	Specified as occupational	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
79b	Not specified as occupational	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	T	4,995	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,266	207	192	180	213	183	211	174	199	182	182	157	186
		F	2,729	254	231	242	239	247	211	198	228	197	213	241	228
80	Encephalitis (nonepidemic)	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	2	–	1	2	1	1	–	–	1	1	2
		F	8	–	–	1	–	1	–	3	–	–	1	2	–
80a	Intracranial abscess	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	2	–	–	1	1	1	–	–	1	1	–
		F	4	–	–	1	–	–	–	2	–	–	–	1	–
80b	Others	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	1	–	–	–	–	–	–	2
		F	4	–	–	–	–	1	–	1	–	–	1	1	–
81	Meningitis (not due to meningococcus)	T	58	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	4	7	3	2	5	4	4	3	3	2	1	2
		F	18	1	2	2	–	2	1	2	2	2	1	1	2

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
81a	Simple meningitis	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	4	5	2	1	2	2	2	3	2	–	–	–
		F	8	–	1	2	–	–	–	2	1	1	–	–	1
81b	Acute cerebrospinal meningitis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	–	1	–	–	–	–	–	1	–
81c	Pneumococcic meningitis	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	–	2	1	1	3	2	2	–	1	2	1	2
		F	7	–	1	–	–	1	1	–	1	1	1	–	1
82	Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis)	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	3	3	4	6	–	3	4	7	2	3	1	3
		F	24	–	2	1	2	1	2	2	2	4	1	6	1
83	Intracranial lesions of vascular origin	T	4,655	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,054	193	167	165	188	162	189	154	181	169	168	145	173
		F	2,601	246	222	233	227	236	204	186	218	183	204	221	221
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	T	3,717	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,605	148	132	138	149	122	149	125	136	135	130	116	125
		F	2,112	190	186	189	191	192	166	148	175	153	168	178	176
83b	Cerebral embolism and thrombosis	T	910	–	–	–	–	–	–	–	–	–	–	–	–
		M	437	45	34	27	39	38	38	28	44	33	37	26	48
		F	473	56	34	43	36	42	37	36	39	29	36	42	43
83c	Cerebral softening	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	–	–	–	2	1	1	1	1	2	–
		F	10	–	1	1	–	1	1	1	2	–	–	1	2
83d	Hemiplegia and other paralysis of unspecified origin	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	2	–	–	–	–	–	1	–
		F	6	–	1	–	–	1	–	1	2	1	–	–	–
84	Mental diseases and deficiency (except general paralysis of the insane)	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	2	–	2	–	–	–	–	–	2	–	2
		F	6	2	–	1	–	1	–	–	–	–	1	1	–
84a	Mental deficiency	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	2	–	–	–	–	–	–	–	2	–	2
		F	3	1	–	–	–	1	–	–	–	–	–	1	–
84b	Schizophrenia (dementia praecox)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
84c	Manic-depressive psychosis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
84d	Other mental diseases	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	2	–	–	1	–	–	–	–	–	–	1	–	–
85	Epilepsy	T	66	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	1	5	2	7	6	4	7	2	6	3	4	3
		F	16	1	1	–	4	1	2	–	1	–	1	4	1
86	Convulsions (under 5 years of age)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	2	1	–	–	–	–	1	–	–	–	–	–	–
87	Other diseases of the nervous system	T	88	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	3	5	6	6	6	8	1	4	1	2	4	–
		F	42	3	4	4	4	4	1	5	4	5	3	3	2
87a	Chorea	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
87b	Neuritis (except rheumatic or alcoholic)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	1	–	–	–	–	–
		F	3	–	–	1	–	1	–	–	–	1	–	–	–
87c	Paralysis agitans (except result of encephalitis)	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	2	1	3	–	3	–	3	–	2	1	–
		F	11	1	–	2	3	1	1	–	1	–	–	1	1
87d	Disseminated sclerosis	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	–	–	5	3	3	4	–	1	1	–	3	–
		F	18	2	3	1	1	1	–	2	3	3	1	1	–
87e	Other diseases of the nervous system	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	2	–	–	3	1	–	–	–	–	–	–
		F	10	–	1	–	–	1	–	3	–	1	2	1	1
88	Diseases of the organs of vision	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	2	–	–	–	1	–
		F	3	–	–	–	–	1	–	–	–	1	–	1	–
89	Diseases of the ear and mastoid process	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	–	–	1	2	2	–	2	1	1	–	1
		F	9	–	–	–	2	–	–	–	1	2	1	2	1
89a	Otitis and other diseases of the ear	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	–	–	1	1	1	–	2	–	1	–	–
		F	7	–	–	–	2	–	–	–	1	1	1	1	1
89b	Diseases of the mastoid process	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	1	–	–	1	–	–	1
		F	2	–	–	–	–	–	–	–	–	1	–	1	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1947.

Detailed Int. List No.	Cause of Death	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
VII.	Diseases of the Circulatory System	T	21,179	–	–	–	–	–	–	–	–	–	–	–	–
		M	11,646	1,129	997	1,032	1,042	1,021	952	828	867	854	905	913	1,106
		F	9,533	990	774	864	881	758	748	631	711	653	827	811	885
90	Pericarditis (except acute rheumatic)	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	2	1	1	2	–	1	–	1	–	1	1
		F	4	–	–	–	–	–	1	1	–	1	1	–	–
90a	Chronic rheumatic pericarditis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
90b	Other pericarditis	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	2	1	1	2	–	1	–	1	–	1	–
		F	4	–	–	–	–	–	1	1	–	1	1	–	–
91	Acute endocarditis (except rheumatic)	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	1	2	2	1	3	1	3	1	1	1	1	3
		F	21	1	–	2	2	2	–	–	3	3	2	4	2
91a	Bacterial endocarditis (acute, subacute or unspecified)	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	1	1	1	3	1	3	1	1	1	1	2
		F	18	–	–	2	2	1	–	–	3	3	2	3	2
91b	Other acute or subacute endocarditis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
91c	Endocarditis (not specified as acute, chronic or rheumatic, under 45 years of age)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	1	–	–	–	–	–	–	–	–	1
		F	3	1	–	–	–	1	–	–	–	–	–	1	–
92	Chronic affections of the valves and endocardium	T	1,016	–	–	–	–	–	–	–	–	–	–	–	–
		M	467	48	32	42	36	52	38	30	36	42	35	35	41
		F	549	60	43	53	57	43	54	32	51	22	51	43	40
92a	Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	T	118	1	–	–	–	–	–	–	–	–	–	–	–
		M	66	4	–	4	3	11	7	4	7	7	6	9	4
		F	52	5	6	5	5	1	3	7	5	1	5	5	4
92b	Diseases of the mitral valve (whether or not specified as rheumatic)	T	451	–	–	–	–	–	–	–	–	–	–	–	–
		M	202	14	14	23	19	21	18	12	17	17	10	15	22
		F	249	19	14	26	30	20	26	14	18	11	23	25	23
92c	Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	3	–	–	2	3	1	3	–	1	1	1	1
		F	14	–	1	–	3	1	1	–	1	1	3	3	–
92d	Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	T	373	–	–	–	–	–	–	–	–	–	–	–	–
		M	167	26	15	14	10	15	12	8	11	17	16	9	14
		F	206	33	18	22	17	19	20	8	22	9	18	8	12
92e	Endocarditis (not specified as acute, chronic or rheumatic, 45 years of age and over)	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	3	1	2	2	–	3	1	–	2	1	–
		F	28	3	4	–	2	2	4	3	5	–	2	2	1
93	Diseases of the myocardium	T	11,177	–	–	–	–	–	–	–	–	–	–	–	–
		M	5,414	523	459	523	507	468	439	356	372	383	425	432	527
		F	5,763	583	474	539	528	458	444	386	417	407	493	503	531
93a	Acute myocarditis (except rheumatic)	T	112	–	–	–	–	–	–	–	–	–	–	–	–
		M	68	9	4	9	1	5	3	5	4	6	7	10	5
		F	44	6	3	5	4	7	1	–	3	3	4	4	4
93b	Myocarditis (not specified as acute, chronic or rheumatic, under 45 years of age)	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	–	–	–	2	–	2	–	1	–
		F	6	–	–	1	2	–	1	–	1	1	–	–	–
93c	Chronic myocarditis and myocardial degeneration, specified as rheumatic	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
93d	Chronic myocarditis and myocardial degeneration, not specified as rheumatic	T	9,868	–	–	–	–	–	–	–	–	–	–	–	–
		M	4,794	458	406	449	437	412	395	316	340	343	383	385	470
		F	5,074	513	414	471	455	401	404	342	370	359	436	441	468
93e	Other myocarditis (not specified as acute, chronic or rheumatic)	T	1,183	–	–	–	–	–	–	–	–	–	–	–	–
		M	545	56	49	64	69	50	41	33	28	32	35	36	52
		F	638	64	57	61	67	50	38	44	43	44	53	58	59
94	Diseases of the coronary arteries and angina pectoris	T	6,673	–	–	–	–	–	–	–	–	–	–	–	–
		M	4,597	438	415	371	403	403	376	349	355	353	335	365	434
		F	2,076	218	155	175	197	169	179	138	150	133	186	175	201
94a	Diseases of the coronary arteries	T	6,619	–	–	–	–	–	–	–	–	–	–	–	–
		M	4,572	438	413	366	401	400	374	348	354	350	331	364	433
		F	2,047	217	150	173	194	168	177	136	145	130	185	174	198
94b	Angina pectoris	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	–	2	5	2	3	2	1	1	3	4	1	1
		F	29	1	5	2	3	1	2	2	5	3	1	1	3
95	Other diseases of the heart	T	1,109	–	–	–	–	–	–	–	–	–	–	–	–
		M	604	64	52	56	48	52	51	49	48	43	52	41	48
		F	505	55	53	39	44	37	36	31	49	49	38	25	49

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
95a	Functional diseases of the heart (without mention of organic lesion)	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	2	1	1	1	3	3	4	1	–	2	3	2
		F	18	1	1	1	1	2	–	1	3	2	4	1	1
95b	Other diseases of the heart, specified as rheumatic	T	381	–	–	–	–	–	–	–	–	–	–	–	–
		M	174	20	20	20	11	13	20	14	11	9	16	11	9
		F	207	18	17	21	24	15	17	11	20	18	16	11	19
95c	Other diseases of the heart, not specified as rheumatic	T	687	–	–	–	–	–	–	–	–	–	–	–	–
		M	407	42	31	35	36	36	28	31	36	34	34	27	37
		F	280	36	35	17	19	20	19	19	26	29	18	13	29
96	Aneurysm (except of heart and aorta)	T	110	–	–	–	–	–	–	–	–	–	–	–	–
		M	72	6	5	6	6	4	7	3	4	2	11	5	13
		F	38	2	4	3	1	4	–	2	5	2	5	6	4
97	Arteriosclerosis (except coronary or renal sclerosis)	T	840	–	–	–	–	–	–	–	–	–	–	–	–
		M	364	34	23	27	34	28	33	31	40	25	33	24	32
		F	476	58	37	46	39	38	30	30	31	32	36	49	50
98	Gangrene	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	8	–	1	–	1	–	1	2	–	1	1	1	–
99	Other diseases of the arteries	T	82	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	6	3	3	4	3	3	1	7	3	8	6	2
		F	33	5	5	1	4	3	2	3	–	2	2	4	2
100	Diseases of the veins	T	82	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	7	4	–	–	5	3	4	3	1	4	3	4
		F	44	5	2	5	7	3	1	6	4	–	8	–	3
100a	Varices	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	3	–	–	3	1	1	1	–	–	3	1
		F	13	3	1	2	1	–	1	2	2	–	–	–	1
100b	Others	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	5	1	–	–	2	2	3	2	1	4	–	3
		F	31	2	1	3	6	3	–	4	2	–	8	–	2
101	Diseases of the lymphatic system	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	1	1	1	1
102	High blood pressure (idiopathic)	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	1	–	–	1	1	–	1	–	1
		F	9	1	–	1	1	1	–	–	1	–	2	–	2
103	Other diseases of the circulatory system	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	1	1	–	–	–	–	–	–	–
		F	3	2	–	–	–	–	–	–	–	–	1	–	–
VIII.	DISEASES OF THE RESPIRATORY SYSTEM	T	2,278	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,247	152	128	126	138	103	79	67	78	58	90	86	142
		F	1,031	152	96	129	126	87	54	62	43	58	86	64	74
104	Diseases of the nasal fossae and accessory sinuses	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	3	1	1	4	1	1	1	–	–	1	–	–
		F	8	1	–	2	1	–	–	–	–	1	2	1	–
104a	Diseases of the nasal fossae	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	1	1	4	1	1	1	–	–	1	–	–
		F	6	1	–	2	1	–	–	–	–	1	–	1	–
104b	Diseases of the accessory sinuses	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	2	–	–
105	Diseases of the larynx	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	1	1	–	–	–	1	1	1	–	3
		F	3	–	–	–	–	–	–	1	–	–	2	–	–
106	Bronchitis	T	90	–	–	–	–	–	–	–	–	–	–	–	–
		M	55	7	4	8	8	8	5	4	–	2	4	4	1
		F	35	7	3	1	5	3	–	2	2	1	3	5	3
106a	Acute	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	1	–	2	1	1	1	–	–	2	3	–
		F	14	4	–	–	1	3	–	1	2	–	1	2	–
106b	Chronic	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	4	2	6	5	5	3	3	–	2	2	–	1
		F	13	1	1	–	2	–	–	1	–	1	1	3	3
106c	Unspecified	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	2	1	2	1	–	–	–	–	1	–
		F	8	2	2	1	2	–	–	–	–	–	1	–	–
107	Bronchopneumonia (including capillary bronchitis)	T	1,264	–	–	–	–	–	–	–	–	–	–	–	–
		M	665	82	76	58	70	57	45	32	42	29	47	50	77
		F	599	95	58	69	73	49	36	36	22	36	50	33	42
108	Lobar pneumonia	T	500	–	–	–	–	–	–	–	–	–	–	–	–
		M	306	40	32	33	37	18	13	15	17	14	19	21	47
		F	194	29	13	33	32	16	8	11	9	10	9	10	14
109	Pneumonia (unspecified)	T	125	–	–	–	–	–	–	–	–	–	–	–	–
		M	63	8	6	9	8	4	4	4	5	4	4	3	4
		F	62	7	14	6	10	6	2	1	1	4	3	3	5
110	Pleurisy (not specified as tuberculous)	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	2	–	2	2	1	1	3	1	1	2	1	2
		F	14	2	–	–	1	1	4	–	1	2	–	1	2

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
110a	Empyema	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	2	1	1	–	3	–	–	–	–	–
		F	6	1	–	–	1	1	1	–	1	–	–	–	1
110b	Other and unspecified forms of pleurisy	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	–	–	1	–	1	–	1	1	2	1	2
		F	8	1	–	–	–	–	3	–	–	2	–	1	1
111	Hemorrhagic infarction, thrombosis, edema and chronic congestion of the lungs	T	90	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	–	4	5	4	5	2	2	2	3	2	3	2
		F	56	7	6	3	4	6	3	5	4	–	10	5	3
111a	Hemorrhagic infarction and thrombosis of the lungs	T	57	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	–	1	3	3	4	1	2	1	2	1	3	2
		F	34	5	5	1	2	3	1	4	2	–	6	3	2
111b	Acute edema of the lungs	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	1	–	–	–	1	–	–
		F	2	1	–	–	–	–	–	–	–	–	1	–	–
111c	Chronic and unspecified congestion of the lungs	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	2	2	1	1	–	–	1	1	–	–	–
		F	20	1	1	2	2	3	2	1	2	–	3	2	1
112	Asthma	T	91	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	6	3	4	2	2	5	4	5	4	7	2	5
		F	42	3	–	8	–	4	1	6	2	4	5	4	5
113	Pulmonary emphysema	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114	Other diseases of the respiratory system (except tuberculosis)	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	2	2	4	2	7	3	2	5	–	3	2	1
		F	18	1	2	7	–	2	–	–	2	–	2	2	–
114a	Silicosis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114b	Other and unspecified forms of pneumoconioses	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114c	Gangrene of lung	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114d	Abscess of lung	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	1	1	1	4	2	1	1	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
114e	Other and unspecified diseases of the respiratory system	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	1	1	2	1	3	1	–	4	–	3	2	1
		F	16	1	2	7	–	2	–	–	1	–	2	1	–
IX.	DISEASES OF THE DIGESTIVE SYSTEM	T	2,086	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,224	123	105	134	96	83	87	108	97	98	101	109	83
		F	862	73	72	89	78	59	77	83	67	65	69	69	61
115	Diseases of the buccal cavity, pharynx, tonsils, and adnexa	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	2	–	–	1	1	1	1	–
		F	14	2	1	2	3	1	–	–	1	–	1	1	2
115a	Diseases of the teeth and gums	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	–	–	1	–	–	–	–
115b	Septic sore throat	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	–	2	–	–	1	–	1	–	–
		F	2	1	–	1	–	–	–	–	–	–	–	–	–
115c	Diseases of the pharynx and tonsils	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	–	1	–
		F	9	1	–	1	3	1	–	–	–	–	1	–	2
115d	Diseases of other and unspecified parts of the buccal cavity and adnexa	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
116	Diseases of the esophagus	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	–	–	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Ulcer of stomach or duodenum	T	294	–	–	–	–	–	–	–	–	–	–	–	–
		M	242	22	13	26	22	17	17	22	16	20	18	25	24
		F	52	6	3	2	3	8	7	5	3	4	3	4	4
117a	Stomach	T	170	–	–	–	–	–	–	–	–	–	–	–	–
		M	138	14	6	17	13	11	8	10	13	8	9	16	13
		F	32	2	2	2	2	5	5	3	2	3	3	2	1
117b	Duodenum	T	124	–	–	–	–	–	–	–	–	–	–	–	–
		M	104	8	7	9	9	6	9	12	3	12	9	9	11
		F	20	4	1	–	1	3	2	2	1	1	–	2	3
118	Other diseases of the stomach (except cancer)	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	3	2	–	2	–	1	1	–	–	–	–	–
		F	11	1	2	–	1	1	–	2	–	1	1	2	–
119	Diarrhea, enteritis and ulceration of the intestines (under 2 years of age)	T	157	–	–	–	–	–	–	–	–	–	–	–	–
		M	94	10	17	24	12	7	3	5	2	1	4	3	6
		F	63	5	3	10	11	2	4	9	3	4	2	3	7

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
119a	Diarrhea and enteritis	T	157	–	–	–	–	–	–	–	–	–	–	–	–
		M	94	10	17	24	12	7	3	5	2	1	4	3	6
		F	63	5	3	10	11	2	4	9	3	4	2	3	7
119b	Ulceration of the intestines (except duodenum)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
120	Diarrhea, enteritis and ulceration of the intestines (2 years of age and over)	T	105	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	5	2	6	2	3	5	2	2	3	1	2	4
		F	68	6	7	12	6	6	8	4	5	2	6	2	4
120a	Diarrhea and enteritis	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	4	2	3	–	–	2	2	2	1	1	2	3
		F	39	4	4	8	4	4	5	1	4	1	2	–	2
120b	Ulceration of the intestines (except duodenum)	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	–	3	2	3	3	–	–	2	–	–	1
		F	29	2	3	4	2	2	3	3	1	1	4	2	–
121	Appendicitis	T	138	–	–	–	–	–	–	–	–	–	–	–	2
		M	89	7	10	5	4	7	6	11	12	7	6	11	3
		F	49	2	5	4	6	7	1	6	5	–	6	6	1
122	Hernia and intestinal obstruction	T	304	–	–	–	–	–	–	–	–	–	–	–	–
		M	179	28	22	15	15	9	13	17	16	12	12	15	5
		F	125	9	11	14	10	8	15	16	10	9	5	10	8
122a	Hernia	T	155	–	–	–	–	–	–	–	–	–	–	–	–
		M	106	15	10	8	10	7	7	11	10	8	8	10	2
		F	49	5	3	7	5	5	6	3	2	4	2	2	5
122b	Intestinal obstruction	T	149	–	–	–	–	–	–	–	–	–	–	–	–
		M	73	13	12	7	5	2	6	6	6	4	4	5	3
		F	76	4	8	7	5	3	9	13	8	5	3	8	3
123	Other diseases of the intestines	T	68	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	1	3	7	–	–	–	4	3	5	–	5	1
		F	39	4	2	7	4	2	5	1	5	1	5	1	2
124	Cirrhosis of the liver	T	651	–	–	–	–	–	–	–	–	–	–	–	–
		M	406	37	25	38	31	27	34	29	33	34	47	37	34
		F	245	20	23	21	15	14	19	21	22	22	26	24	18
124a	With mention of alcoholism	T	142	–	–	–	–	–	–	–	–	–	–	–	–
		M	101	8	3	9	3	5	14	5	13	5	12	11	13
		F	41	4	4	2	3	–	4	3	4	7	4	3	3
124b	Without mention of alcoholism	T	509	–	–	–	–	–	–	–	–	–	–	–	–
		M	305	29	22	29	28	22	20	24	20	29	35	26	21
		F	204	16	19	19	12	14	15	18	18	15	22	21	15
125	Other diseases of the liver	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	1	2	4	1	2	3	6	4	3	2	5	2
		F	32	5	4	3	2	–	4	3	3	3	3	1	1
125a	Acute yellow atrophy of the liver (nonpuerperal)	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	1	–	–	1	1	–	1	–	–
		F	18	3	1	1	1	–	3	3	2	2	2	–	–
125b	Others	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	1	2	3	–	2	3	5	3	3	1	5	2
		F	14	2	3	2	1	–	1	–	1	1	1	1	1
126	Biliary calculi	T	136	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	1	6	4	4	2	4	6	3	9	2	2	4
		F	89	7	7	9	10	4	7	8	5	9	7	8	8
127	Other diseases of the gall-bladder and biliary ducts	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	–	1	3	2	3	–	1	2	1	5	2	–
		F	42	4	3	3	4	4	4	4	3	7	1	4	1
127a	Cholecystitis (without mention of biliary calculus)	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	–	3	2	2	–	1	1	1	5	1	–
		F	32	2	3	2	3	3	4	3	2	6	1	2	1
127b	Others	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	1	–	–	1	–	–	1	–
		F	10	2	–	1	1	1	–	1	1	1	–	2	–
128	Diseases of the pancreas (except diabetes mellitus)	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	4	1	1	1	3	–	4	3	–	2	–	–
		F	22	–	1	1	2	2	1	3	1	2	1	3	5
129	Peritonitis (cause not stated)	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	3	1	1	–	–	1	–	–	1	1	–	–
		F	11	2	–	1	1	–	2	1	1	1	2	–	–
X.	Diseases of the Genito-urinary System	T	2,396	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,303	135	108	119	113	115	113	86	100	85	108	108	113
		F	1,093	102	113	126	94	83	84	72	79	59	76	82	123
130	Acute nephritis	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	1	–	3	3	2	5	–	2	–	4	3	2
		F	18	1	2	–	3	–	4	2	–	1	2	1	2
131	Chronic nephritis	T	1,903	–	–	–	–	–	–	–	–	–	–	–	–
		M	972	100	88	87	84	83	83	65	76	68	70	81	87
		F	931	90	101	102	79	76	69	57	69	51	68	63	106
131a	Chronic interstitial nephritis and arteriosclerotic kidney	T	960	–	–	–	–	–	–	–	–	–	–	–	–
		M	487	51	42	39	41	40	48	31	36	34	33	46	46
		F	473	45	54	52	45	39	30	28	34	27	30	40	49

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
131b	Other chronic nephritis	T	943	–	–	–	–	–	–	–	–	–	–	–	–
		M	485	49	46	48	43	43	35	34	40	34	37	35	41
		F	458	45	47	50	34	37	39	29	35	24	38	23	57
132	Nephritis unspecified (10 years of age and over)	T	57	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	1	4	3	3	1	4	1	2	1	4	2	3
		F	28	2	3	6	2	–	1	2	4	–	1	5	2
133	Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth or the puerperium)	T	140	–	–	–	–	–	–	–	–	–	–	–	–
		M	78	14	5	7	5	7	8	3	2	8	9	5	5
		F	62	7	4	5	7	4	6	7	3	4	3	7	5
133a	Pyelitis, pyelonephritis and pyelocystitis	T	105	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	9	4	6	5	4	7	3	1	7	8	2	2
		F	47	6	3	4	5	3	5	4	3	4	2	5	3
133b	Others	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	5	1	1	–	3	1	–	1	1	1	3	3
		F	15	1	1	1	2	1	1	3	–	–	1	2	2
134	Calculi of the urinary passages	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	3	1	2	2	–	–	1	1	–	2	3	–
		F	14	1	3	1	1	1	1	–	–	2	1	1	2
134a	Kidneys and ureters	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	1	2	2	–	–	1	–	–	1	2	–
		F	12	1	3	1	1	1	1	–	–	2	1	–	1
134b	Bladder	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	–	–	1	–	1	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1
134c	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
135	Diseases of the urinary bladder	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	–	1	–	1	–	2	2	1	1	1	1
		F	5	1	–	2	–	–	–	1	1	–	–	–	–
135a	Cystitis	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	1	–	1	1	1	–	1	1
		F	4	1	–	2	–	–	–	–	1	–	–	–	–
135b	Others	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	–	1	1	–	1	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
136	Diseases of the urethra (except calculus)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	–	–	1	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
136a	Stricture of the urethra	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	–	–	1	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
136b	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	170	–	–	–	–	–	–	–	–	–	–	–	–
		M	170	16	10	16	14	21	13	14	15	6	18	13	14
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137a	Hypertrophy of the prostate	T	154	–	–	–	–	–	–	–	–	–	–	–	–
		M	154	16	9	14	13	18	13	13	12	6	16	11	13
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137b	Others	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	1	2	1	3	–	1	3	–	2	2	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
138	Diseases of other male genital organs (not specified as venereal)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	35	–	–	10	2	2	3	3	2	1	1	5	6
139a	Ovaries, fallopian tubes and parametria	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	–	–	–	–	–	1	1
139b	Uterus	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	28	–	–	8	2	2	3	3	1	1	1	4	3
139c	Others	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	1	–	–	–	–	1	–	–	–	2
XI.	Diseases of Pregnancy, Childbirth and the Puerperium	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	102	12	11	10	9	10	6	5	7	10	6	10	6
140	Abortion, with mention of infection	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	1	–	–	2	–	1	2	–

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1947.

Detailed Int. List No.,	Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				MONTHS.											
140a	Spontaneous, therapeutic or of unspecified origin, with mention of pyelitis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
140b	Spontaneous, therapeutic, or of unspecified origin, with mention of other infection	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	2	–	1	1	–
140c	Self-induced	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
140d	Induced by other persons, for reasons other than therapeutic	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	–	–	–	–	1	–
141	Abortion without mention of infection	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	2	1	1	–	–	1	–	–	–	–	–	–
141a	Spontaneous, therapeutic, or of unspecified origin, with mention of hemorrhage, trauma or shock and toxemia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
141b	Spontaneous, therapeutic, or of unspecified origin, with mention of hemorrhage, trauma or shock (but not toxemia)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
141c	Spontaneous, therapeutic, or of unspecified origin, with mention of toxemia (but not hemorrhage, trauma or shock)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
141d	Spontaneous, therapeutic, or of unspecified origin, without mention of hemorrhage, trauma or shock, or toxemia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	2	–	–	–	–	–	–	–	–	–	–	–
141e	Self-induced	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
141f	Induced by other persons, for reasons other than therapeutic	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	1	–	–	–	–	–	–	–	–	–
142	Ectopic gestation	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	1	–	–	–	–	–	2	–	1	1
142a	With mention of infection	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
142b	Without mention of infection	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	1	–	–	–	–	–	2	–	–	1
143	Hemorrhage of pregnancy (death before delivery)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
143a	Placenta praevia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
143b	Premature separation of placenta	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
143c	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
144	Toxemias of pregnancy (death before delivery)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	7	2	–	1	1	–	–	–	–	–	2	–	1
144a	Eclampsia of pregnancy	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	1	–	1	1	–	–	–	–	–	1	–	–
144b	Albuminuria and nephritis of pregnancy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
144c	Acute yellow atrophy of liver (during pregnancy)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
144d	Others	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	–	–	–	–	–	–	1	–	1

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
145	Other diseases and accidents of pregnancy (death before delivery)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	1	–	–	–	–	2
145a	Infection of pregnancy	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	1	–	–	–	–	2
145b	Accidents of pregnancy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
146	Hemorrhage of childbirth and the puerperium	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	14	3	1	2	1	2	1	1	1	1	–	1	–
146a	Placenta praevia (with childbirth)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
146b	Premature separation of placenta (with childbirth)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	1	1	2	1	–	–	–	–	–	–	1	–
146c	Others	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	7	2	–	–	–	1	1	1	1	1	–	–	–
147	Infection during childbirth and the puerperium	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	24	–	3	3	2	4	2	2	1	2	1	3	1
147a	Puerperal pyelitis and pyelonephritis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
147b	General or local puerperal infection (except pyelitis)	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	12	–	2	1	1	2	–	1	–	2	1	1	1
147c	Puerperal thrombophlebitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
147d	Puerperal embolism and sudden death	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	11	–	1	2	1	1	2	1	1	–	–	2	–
148	Puerperal toxemias (excluding death before delivery)	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	12	4	2	–	–	1	1	–	–	3	–	1	–
148a	Puerperal eclampsia	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	9	2	2	–	–	1	1	–	–	2	–	1	–
148b	Puerperal albuminuria and nephritis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
148c	Acute yellow atrophy of liver (puerperal)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
148d	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
149	Other accidents and specified conditions of childbirth	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	15	1	1	2	2	1	–	1	1	2	1	2	1
149a	Laceration, rupture or other trauma of pelvic organs and tissue	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	1	–	–	–	–	–	1	–	–	–	–
149b	Other specified conditions	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	12	–	–	2	2	1	–	1	–	2	1	2	1
150	Other and unspecified conditions of childbirth and the puerperium	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	11	–	3	–	3	1	1	–	2	–	1	–	–
150a	Infection of breast during lactation	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
150b	Psychosis of the puerperium	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
150c	Others	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	11	–	3	–	3	1	1	–	2	–	1	–	–
XII.	Diseases of the Skin and Cellular Tissue	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	1	–	1	2	2	1	3	2	2	–	3	1
		F	30	5	5	2	4	1	1	5	3	3	–	–	1
151	Carbuncle and furuncle	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
152	Phlegmon and acute abscess	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	1	2	–	–	–	–	–	–	–
		F	4	–	1	–	1	–	–	–	1	–	–	–	1
153	Other diseases of the skin and cellular tissue	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	–	1	1	–	1	3	2	2	–	3	1
		F	25	5	4	2	3	–	1	5	2	3	–	–	–
XIII.	DISEASES OF THE BONES AND ORGANS OF MOVEMENT	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	3	1	1	3	2	3	2	–	–	1	–	–
		F	9	1	–	–	2	1	–	–	–	2	–	1	2
154	Osteomyelitis and periostitis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
154*a*	Acute	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
154*b*	Chronic or unspecified	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
155	Other diseases of the bones (except tuberculosis)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	1	2	1	1	–	–	1	–	–
		F	2	1	–	–	–	–	–	–	–	–	–	1	–
156	Diseases of the joints and other organs of movement	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	1	–	2	–	1	1	–	–	–	–	–
		F	6	–	–	–	2	1	–	–	–	1	–	–	2
156*a*	Diseases of the joints (except tuberculosis and rheumatism)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
156*b*	Diseases of other and unspecified organs of movement	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	2	1	–	1	–	1	1	–	–	–	–	–
		F	6	–	–	–	2	1	–	–	–	1	–	–	2
XIV.	CONGENITAL MALFORMATIONS	T	587	–	–	–	–	–	–	–	–	–	–	–	–
		M	309	32	26	23	24	31	24	24	26	21	24	28	26
		F	278	26	19	25	26	21	15	23	23	23	20	32	25
157	Congenital malformations (stillbirths not included)	T	587	–	–	–	–	–	–	–	–	–	–	–	–
		M	309	32	26	23	24	31	24	24	26	21	24	28	26
		F	278	26	19	25	26	21	15	23	23	23	20	32	25
157*a*	Congenital hydrocephalus	T	116	–	–	–	–	–	–	–	–	–	–	–	–
		M	59	9	7	6	2	3	4	2	5	5	5	4	7
		F	57	5	4	5	4	4	2	7	2	6	4	11	3
157*b*	Spina bifida and meningocele	T	65	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	4	–	–	–	3	1	3	4	1	1	3	4
		F	41	2	4	2	5	2	1	5	6	2	5	2	5
157*c*	Anencephalus	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	2	1	–	–	–	1	–	–	–
		F	16	3	–	–	4	1	2	2	2	–	1	–	1
157*d*	Other congenital malformations of the central nervous system	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	2	–	1	1	1	–	1	–	1	1	–
		F	8	–	–	–	–	–	–	1	1	2	1	3	–
157*e*	Congenital malformations of the heart	T	244	–	–	–	–	–	–	–	–	–	–	–	–
		M	129	11	13	7	11	17	11	12	9	9	9	11	9
		F	115	10	8	13	11	11	8	4	11	7	8	11	13
157*f*	Other congenital malformations of the cardiovascular system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
157*g*	Congenital malformations of the digestive system	T	76	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	4	2	7	6	3	4	3	3	4	3	6	4
		F	27	5	1	4	1	1	1	3	1	3	1	3	3
157*h*	Congenital malformations of the genito-urinary system	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	1	1	–	2	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
157*m*	Other and unspecified congenital malformations	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	4	2	1	1	1	3	2	4	1	5	2	2
		F	13	1	2	1	1	2	1	1	–	2	–	2	–
XV.	DISEASES PECULIAR TO THE FIRST YEAR OF LIFE	T	1,760	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,016	111	75	86	84	82	84	70	87	87	81	80	89
		F	744	71	50	72	63	58	63	68	60	56	67	62	54
158	Congenital debility (cause not stated)	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	–	–	–	1	1	–	–	2	2	1
		F	7	1	–	–	1	–	1	1	1	–	–	1	1
159	Premature birth (cause not stated)	T	1,222	–	–	–	–	–	–	–	–	–	–	–	–
		M	698	82	58	58	60	48	55	47	62	61	48	53	66
		F	524	48	39	43	44	37	48	49	46	39	47	41	43
160	Injury at birth	T	173	–	–	–	–	–	–	–	–	–	–	–	–
		M	107	16	4	9	8	9	12	8	11	7	8	10	5
		F	66	9	3	9	2	8	5	4	4	10	4	6	2
160*a*	Intracranial or spinal hemorrhage	T	143	–	–	–	–	–	–	–	–	–	–	–	–
		M	91	14	3	9	6	7	11	7	10	5	6	9	4
		F	52	8	1	7	2	7	4	4	4	6	4	4	1

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
160b	Other intracranial or spinal injuries	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	1	–	2	–	1	–	1	1	2	1	1
		F	9	1	2	2	–	1	–	–	–	2	–	1	–
160c	Other injuries at birth	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	–	2	–	1	–	1	–	–	–
		F	5	–	–	–	–	–	1	–	–	2	–	1	1
161	Other diseases peculiar to the first year of life	T	349	–	–	–	–	–	–	–	–	–	–	–	–
		M	202	12	12	19	16	25	16	14	14	19	23	15	17
		F	147	13	8	20	16	13	9	14	9	7	16	14	8
161a	Asphyxia (cause not specified), atelectasis	T	242	–	–	–	–	–	–	–	–	–	–	–	–
		M	140	7	6	16	14	19	10	8	6	14	16	12	12
		F	102	10	5	13	9	8	8	11	7	7	7	11	6
161b	Infection of the umbilicus; pemphigus and other infections (nonsyphilitic)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
161c	Other specified diseases peculiar to the first year of life	T	104	–	–	–	–	–	–	–	–	–	–	–	–
		M	59	5	6	2	2	6	6	6	8	5	6	3	4
		F	45	3	3	7	7	5	1	3	2	–	9	3	2
XVI.	SENILITY	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	1	1	1	–	–	2	2	–	2	1	1
		F	27	5	3	1	1	3	–	2	2	3	–	1	6
162	Senility	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	1	1	1	–	–	2	2	–	2	1	1
		F	27	5	3	1	1	3	–	2	2	3	–	1	6
162a	With mention of senile dementia	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	–	–	1
		F	6	1	1	–	–	2	–	–	2	–	–	–	–
162b	Without mention of senile dementia	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	1	1	–	–	2	2	–	2	1	–
		F	21	4	2	1	1	1	–	2	–	3	–	1	6
XVII.	VIOLENT OR ACCIDENTAL DEATHS	T	3,377	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,107	172	168	161	164	170	194	197	187	150	172	167	205
		F	1,270	131	105	102	111	113	91	110	94	84	119	101	109
163, 164	Suicide	T	508	–	–	–	–	–	–	–	–	–	–	–	–
		M	368	32	27	36	20	35	22	33	31	35	31	31	35
		F	140	11	11	8	10	14	11	8	7	15	20	17	8
163	Suicide by solid or liquid poisons or by poisonous gases	T	181	–	–	–	–	–	–	–	–	–	–	–	–
		M	106	12	6	6	6	9	7	4	8	9	9	14	16
		F	75	6	8	5	7	5	7	6	4	7	10	6	4
163a	Arsenic and compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163b	Barbituric acid and derivatives	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	1	–	1	–	4	1	1
		F	22	2	1	2	2	3	5	3	–	1	–	2	1
163c	Cresol compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
163d	Mercury and compounds	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
163e	Nux vomica and strychnine	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163f	Carbolic acid and phenol	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163g	Other solid or liquid poisons	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	2	–	2	–	1	1	2	–	1	–	2
		F	6	–	1	–	–	–	–	–	–	2	2	–	1
163h	Illuminating gas	T	94	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	7	3	6	3	4	5	1	4	6	1	4	7
		F	43	4	6	3	4	1	2	2	4	4	8	3	2
163m	Motor-vehicle exhaust gas	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	3	1	–	1	4	–	2	1	3	3	7	6
		F	2	–	–	–	–	1	–	–	–	–	–	1	–
163o	Other carbon monoxide gas	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163x	Other poisonous gases	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164	Suicide by other means	T	327	–	–	–	–	–	–	–	–	–	–	–	–
		M	262	20	21	30	14	26	15	29	23	26	22	17	19
		F	65	5	3	3	3	9	4	2	3	8	10	11	4
164a	Suicide by hanging or strangulation	T	144	–	–	–	–	–	–	–	–	–	–	–	–
		M	113	9	13	15	7	12	5	13	8	11	8	6	6
		F	31	4	2	2	–	4	2	–	1	3	4	6	3

Table 13

Allocated Deaths (exclusive of Stillbirths) from Each Cause and Class of Causes, according to the Detailed International List, by Months and Sex: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
164*b*	Suicide by drowning	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	–	3	2	2	4	1	1	4	2	3	2	2
		F	12	–	–	–	1	2	1	1	–	3	3	1	–
164*c*	Suicide by firearms and explosives	T	106	–	–	–	–	–	–	–	–	–	–	–	–
		M	97	8	3	11	3	9	7	10	9	11	10	7	9
		F	9	–	–	–	1	2	–	–	1	1	1	2	1
164*d*	Suicide by cutting or piercing instruments	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	2	1	–	–	–	2	–	2	1	1	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
164*e*	Suicide by jumping from high places	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	–	–	2	1	–	2	2	–	–	1	2
		F	10	–	1	–	1	1	1	1	1	1	2	1	–
164*f*	Suicide by crushing	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	2	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164*g*	Suicide by other or unspecified means	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	–	–	1	–
165–168	Homicide	T	66	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	4	3	3	1	6	4	3	4	1	4	5	4
		F	24	1	1	2	1	7	–	5	1	3	3	–	–
165	Infanticide (homicide of infants under 1 year of age)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	1	–	–	–	–	–	1	–
		F	2	1	–	–	–	1	–	–	–	–	–	–	–
166	Homicide by firearms	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	2	–	2	1	–	–	–	1	3	–
		F	9	–	–	1	–	4	–	2	–	1	1	–	–
167	Homicide by cutting or piercing instruments	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	–	–	–	1	1	1	–	1	–	1
		F	2	–	–	–	–	–	–	2	–	–	–	–	–
168	Homicide by other means	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	1	1	1	3	2	2	3	1	2	1	3
		F	11	–	1	1	1	2	–	1	1	2	2	–	–
169–198	Accidental deaths	T	2,803	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,697	136	138	122	143	129	168	161	152	114	137	131	166
		F	1,106	119	93	92	100	92	80	97	86	66	96	84	101
169	Railway accidents (except collisons with motor vehicles)	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	1	5	1	6	3	4	5	–	2	2	2	6
		F	3	–	–	1	–	–	1	–	–	–	1	–	–
170	Motor-vehicle accidents	T	547	–	–	–	–	–	–	–	–	–	–	–	–
		M	425	31	24	33	33	27	42	31	36	41	46	37	44
		F	122	6	12	7	7	8	11	8	15	13	10	14	11
170*a*	Collisions between automobiles and trains	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	1	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
170*b*	Collisons between automobiles and street cars	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
170	Automobile accidents (except collisions with trains or street cars)	T	526	–	–	–	–	–	–	–	–	–	–	–	–
		M	407	30	24	32	31	24	41	28	34	39	44	37	43
		F	119	6	12	7	7	7	10	7	15	13	10	14	11
170*d*	Motorcycle accidents (except collisions with automobiles)	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	–	1	1	3	1	3	1	1	2	–	1
		F	2	–	–	–	–	1	1	–	–	–	–	–	–
171	Street car and other road-transport accidents	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	–	1	1	3	2	1	–	1	–	2	2
		F	7	–	2	1	–	–	–	1	–	1	–	–	2
171*a*	Street car accidents (except collisions with trains or motor vehicles)	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	1	1	–	–	–	1	–	1	1
		F	5	–	1	1	–	–	–	1	–	1	–	–	1
171*b*	Other and unspecified road-transport accidents	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	2	2	1	–	–	–	1	1
		F	2	–	1	–	–	–	–	–	–	–	–	–	1
172	Water-transport accidents	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	2	–	3	6	4	6	7	5	2	–	2	1
		F	3	–	–	–	–	–	2	–	1	–	–	–	–
172*a*	Drowning	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	1	–	2	6	4	5	7	5	2	–	1	1
		F	3	–	–	–	–	–	2	–	1	–	–	–	–
172*b*	Other water-transport accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	–	–	1	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
173	Air-transport accidents	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	–	2	4	1	5	2	2	2	2	–	–
		F	3	–	–	–	–	–	–	1	2	–	–	–	–
174	Accidents in mines and quarries	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: **1947.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
175	Agricultural and forestry accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	–	1	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175a	Accidents involving agricultural machinery and vehicles	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	1	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175b	Injury by animals, in agriculture	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175c	Other agricultural accidents	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175d	Accidents involving forestry machinery and vehicles	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175e	Other forestry accidents	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
176	Other accidents involving machinery	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	2	7	2	1	5	3	4	1	2	4	–	3
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
177	Food poisoning	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	84	–	–	–	–	–	–	–	–	–	–	–	–
		M	52	6	4	1	8	3	–	1	4	2	10	5	8
		F	32	5	4	2	2	3	1	1	1	–	3	–	10
178a	Illuminating gas	T	69	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	6	2	1	6	3	–	1	3	1	8	2	8
		F	28	5	3	1	2	2	1	1	1	–	3	–	9
178b	Motor-vehicle exhaust gas	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	2	–	2	–	–	–	–	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178c	Other carbon monoxide gas	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	1	1	–	1	–
		F	4	–	1	1	–	1	–	–	–	–	–	–	1
178x	Other poisonous gases	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179	Acute accidental poisoning by solids or liquids	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	3	1	2	6	1	6	2	1	1	3	2	1
		F	30	2	2	3	2	7	1	1	1	5	2	1	3
179a	Arsenic and compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
179b	Barbituric acid and derivatives	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	–	2	1	1	–	–	2	–
		F	15	1	–	2	1	5	–	1	–	1	2	1	1
179c	Cresol compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179d	Mercury and compounds	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179e	Nux vomica and strychnine	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
179f	Carbolic acid and phenol	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179g	Lye and potash	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	1	–	–	–	–	–	–
179h	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179m	Narcotics	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179o	Methanol and other alcohols	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	–	1	–	1	–	–	1	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	–	1
179x	Other and unspecified substances	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	1	1	5	1	3	1	–	–	3	–	–
		F	9	1	1	1	1	1	–	–	–	3	–	–	1
180	Conflagration	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	7	4	8	3	2	–	–	–	1	2	3	8
		F	22	5	4	5	2	1	–	1	–	–	2	–	2

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: **1947.**

Detailed Int. List No.	Cause of Death	Sex.	Total.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
181	Accidental burns (except conflagration)	T	103	–	–	–	–	–	–	–	–	–	–	–	–
		M	62	7	10	5	6	6	3	7	5	1	3	2	7
		F	41	5	6	7	5	3	1	2	1	1	1	3	6
182	Accidental mechanical suffocation . . .	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	3	2	5	–	8	6	3	2	3	5	3	2
		F	18	2	3	2	2	–	2	–	2	–	1	1	3
183	Accidental drowning (excepting water-transport accidents) . . .	T	166	–	–	–	–	–	–	–	–	–	–	–	–
		M	146	5	15	5	7	15	27	21	30	10	3	6	2
		F	20	1	2	–	2	1	4	4	4	–	2	–	–
184	Accidental injury by firearms	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	2	2	1	3	–	2	5	2	–	2	7	6
		F	2	–	–	–	–	–	–	1	–	1	–	–	–
185	Accidental injury by cutting or piercing instruments .	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	1	–	–	1	–	–	1	1
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
186	Accidental injury by fall or crushing . . .	T	1,259	–	–	–	–	–	–	–	–	–	–	–	–
		M	530	45	47	41	38	38	46	53	38	36	41	46	61
		F	729	85	54	58	69	62	50	74	50	42	66	60	59
186*a*	Fall	T	1,257	–	–	–	–	–	–	–	–	–	–	–	–
		M	528	44	46	41	38	38	46	53	38	36	41	46	61
		F	729	85	54	58	69	62	50	74	50	42	66	60	59
186*b*	Crushing	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Cataclysm (all deaths attributed to a cataclysm, regardless of their nature) .	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	–	1	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
189	Hunger or thirst . .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Excessive cold . . .	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	4	1	–	–	–	–	–	–	–	2	4
		F	4	–	1	1	–	–	–	–	–	–	–	–	2
191	Excessive heat . . .	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	2	–	7	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
192	Lightning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	2	1	–	–	–	2	2	–	4	–	–
		F	3	–	–	–	–	–	–	–	1	–	1	1	–
194	Poisoning by venomous animals (not occurring in the course of agricultural and forestry operations) .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195	Other accidents . . .	T	207	–	–	–	–	–	–	–	–	–	–	–	–
		M	143	15	10	9	19	9	14	14	14	8	10	11	10
		F	64	8	3	5	9	7	7	3	7	2	6	4	3
195*a*	Sequelae of preventive immunization, inoculation or vaccination . .	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195*b*	Other accidents due to medical or surgical intervention	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	–	–	–	2	–	1	–	1
		F	3	–	–	–	1	–	–	1	1	–	–	–	–
195*c*	Lack of care of the newborn	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195*d*	Obstruction, suffocation or puncture by ingested objects	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	4	1	2	3	4	2	4	1	–	3	2	6
		F	27	2	2	–	2	5	1	2	2	1	5	3	2
195*e*	Others	T	140	–	–	–	–	–	–	–	–	–	–	–	–
		M	106	11	9	7	15	5	12	10	11	8	6	9	3
		F	34	6	1	5	6	2	5	1	4	1	1	1	1
196	Deaths of military personnel during operations of war .	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Deaths of civilians due to operations of war . .	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
198	Legal executions . .	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	2	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: **1947.**

Detailed Int. List No.	Cause of Death.	Sex.	Total.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
XVIII	ILL-DEFINED AND UNKNOWN CAUSES	T	103	–	–	–	–	–	–	–	–	–	–	–	–
		M	76	3	11	5	4	7	3	10	8	4	5	9	7
		F	27	1	2	4	1	4	2	2	2	2	–	4	3
199	Sudden death . . .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
200	Ill-defined and unknown causes	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	75	3	10	5	4	7	3	10	8	4	5	9	7
		F	27	1	2	4	1	4	2	2	2	2	–	4	3
200*a*	Ill-defined . . .	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	2	6	4	1	3	2	4	4	2	2	6	5
		F	14	1	1	1	1	1	1	–	2	1	–	3	2
200*b*	Found dead (cause unknown) . . .	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
200*c*	Unknown or unspecified cause	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	1	4	1	3	4	1	6	4	2	3	3	2
		F	13	–	1	3	–	3	1	2	–	1	–	1	1

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
	All Causes.	T	51,583	3,021	143	76	92	83	199	149	276	434
		M	27,472	1,724	83	50	53	54	127	93	169	249
		F	24,111	1,297	60	26	39	29	72	56	107	185
I.	Infectious and Parasitic Diseases	T	2,067	–	–	–	–	–	–	–	–	–
		M	1,389	28	9	9	6	5	8	5	19	38
		F	678	16	5	4	4	3	6	8	30	55
1	Typhoid fever	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
2	Paratyphoid fever	T	2	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
3	Plague	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
4	Cholera	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
5	Undulant fever (brucellosis)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
6	Cerebrospinal (meningococcus) meningitis	T	12	–	–	–	–	–	–	–	–	–
		M	8	2	2	–	–	–	1	1	–	–
		F	4	–	–	–	1	–	–	–	1	–
7	Anthrax	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	T	4	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	1	–
		F	2	–	–	–	–	–	–	–	1	–
9	Whooping cough	T	15	–	–	–	–	–	–	–	–	–
		M	9	8	1	–	–	–	–	–	–	–
		F	6	5	–	1	–	–	–	–	–	–
10	Diphtheria	T	12	–	–	–	–	–	–	–	–	–
		M	8	–	–	3	–	–	1	–	–	–
		F	4	–	–	–	–	1	–	–	1	–
11	Erysipelas	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
12	Tetanus	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
13–22	Tuberculosis (total)	T	1,584	–	–	–	–	–	–	–	–	–
		M	1,093	3	2	2	2	1	1	2	12	31
		F	491	2	1	–	1	1	1	5	23	47
13	Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes)	T	1,495	–	–	–	–	–	–	–	–	–
		M	1,051	3	–	1	1	1	–	2	10	29
		F	444	1	1	–	–	1	–	3	20	43
13*a*	With mention of occupational disease of the lungs	T	9	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
13*b*	Without mention of occupational disease of the lungs	T	1,486	–	–	–	–	–	–	–	–	–
		M	1,042	3	–	1	1	1	–	2	10	29
		F	444	1	1	–	–	1	–	3	20	43
13*c*	Tuberculosis of unspecified site	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
14	Tuberculosis of the meninges and central nervous system	T	17	–	–	–	–	–	–	–	–	–
		M	6	–	2	1	1	–	–	–	–	–
		F	11	1	–	–	1	–	1	2	1	1
15	Tuberculosis of the intestines and peritoneum	T	14	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	1	–	–	1
		F	9	–	–	–	–	–	–	–	–	2
16	Tuberculosis of the vertebral column	T	19	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	2	–
		F	9	–	–	–	–	–	–	–	2	–
17	Tuberculosis of the bones and joints (except vertebral column)	T	8	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
17*a*	Bones	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
17*b*	Joints	T	5	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
18	Tuberculosis of the skin and subcutaneous cellular tissue	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over	Unknown.
	513	638	935	1,313	2,136	3,052	4,156	5,174	6,058	7,121	6,593	5,054	3,058	1,047	232	29	1
	279	369	554	801	1,282	1,871	2,631	3,110	3,324	3,682	3,161	2,162	1,239	320	77	8	-
I.	234	269	381	512	854	1,181	1,525	2,064	2,734	3,439	3,432	2,892	1,819	727	155	21	1
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	51	70	100	131	150	160	183	140	118	85	42	23	8	1	-	-	-
	70	52	68	50	44	47	48	45	35	38	22	16	8	4	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13–22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	47	64	86	114	130	124	151	103	92	72	30	20	4	-	-	-	-
	66	45	55	44	35	35	28	30	21	24	15	9	2	1	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	47	60	84	112	127	121	147	100	89	65	29	19	4	-	-	-	-
	64	41	52	40	32	33	24	28	19	20	11	9	1	1	-	-	-
13*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	3	1	1	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	47	60	84	112	127	121	145	97	88	64	28	18	4	-	-	-	-
	64	41	52	40	32	33	24	28	19	20	11	9	1	1	-	-	-
13*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	1	1	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2	1	-	1	-	-	1	2	-	-	-	-	-	-	-
	-	1	2	1	-	-	1	-	-	1	-	-	1	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-
	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-
17*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
19	Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric and retroperitoneal lymph nodes)	T	5	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
20	Tuberculosis of the genito-urinary system	T	23	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	1
		F	10	–	–	–	–	–	–	–	–	–
21	Tuberculosis of other organs	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
21a	Tuberculosis of the adrenal glands	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
21b	Tuberculosis of other organs	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
22	Disseminated tuberculosis	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1
22a	Acute miliary tuberculosis	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1
22b	Other generalized tuberculosis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
23	Leprosy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
24	Septicemia and purulent infection (nonpuerperal)	T	13	–	–	–	–	–	–	–	–	–
		M	8	4	1	–	1	–	–	–	–	–
		F	5	2	–	2	–	–	1	–	–	–
24a	Septicemia	T	12	–	–	–	–	–	–	–	–	–
		M	7	4	1	–	1	–	–	–	–	–
		F	5	2	–	2	–	–	1	–	–	–
24b	Pyemia	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
24c	Gas bacillus gangrene	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
24d	Bacillus coli infection, generalized	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
25	Gonococcus infection	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
26	Other diseases due to bacteria (except dysentery)	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
26a	Tularemia	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
26b	Others	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
27	Dysentery	T	28	–	–	–	–	–	–	–	–	–
		M	15	–	–	1	1	1	3	1	–	–
		F	13	2	1	–	–	–	–	–	–	1
27a	Bacillary	T	17	–	–	–	–	–	–	–	–	–
		M	10	–	–	1	1	1	3	–	–	–
		F	7	1	1	–	–	–	–	–	–	1
27b	Amebic	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
27c	Other and unspecified forms of dysentery	T	11	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	1	–	–
		F	6	1	–	–	–	–	–	–	–	–
28	Malaria	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
29	Other diseases due to parasitic protozoa (except spirochetes)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
30	Syphilis	T	178	–	–	–	–	–	–	–	–	–
		M	132	–	–	–	–	–	–	–	–	1
		F	46	–	–	–	–	–	–	–	–	1
30a	Locomotor ataxia (tabes dorsalis)	T	9	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	1	1	–	4	2	–	2	–	–	–	–	–	–	–
	–	–	–	1	–	2	2	–	1	3	1	–	–	–	–	–	–
21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	1	2	2	–	2	–	–	–	–
	–	–	–	–	–	–	2	1	–	1	1	1	3	–	–	–	–
27a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–
	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–
27b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	6	6	11	25	23	23	18	9	8	–	1	–	–	–	–
	1	1	4	1	5	4	8	6	8	4	2	–	1	–	–	–	–
30a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	2	1	1	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
30b	General paralysis of the insane	T	73	-	-	-	-	-	-	-	-	-
		M	58	-	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-
30c	Other syphilis of the central nervous system	T	12	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	1
		F	4	-	-	-	-	-	-	-	-	-
30d	Aneurysm of the aorta	T	40	-	-	-	-	-	-	-	-	-
		M	30	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-
30e	Other syphilis of the circulatory system	T	22	-	-	-	-	-	-	-	-	-
		M	17	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-
30f	Congenital syphilis	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
30g	Other and unspecified forms of syphilis	T	20	-	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	1
31	Relapsing fever	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	T	24	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	1	-	-	-	-	1
		F	16	-	-	-	-	-	2	-	-	1
32a	Weil's disease	T	23	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	1	-	-	-	-	1
		F	15	-	-	-	-	-	2	-	-	-
32b	Others	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1
33	Influenza (grippe)	T	55	-	-	-	-	-	-	-	-	-
		M	30	5	2	2	1	1	-	-	1	-
		F	25	4	2	-	-	1	-	-	-	-
33a	With respiratory complications specified	T	31	-	-	-	-	-	-	-	-	-
		M	16	-	1	-	-	-	-	-	1	-
		F	15	-	2	-	-	-	-	-	-	-
33b	Without respiratory complications specified	T	24	-	-	-	-	-	-	-	-	-
		M	14	5	1	2	1	1	-	-	-	-
		F	10	4	-	-	-	1	-	-	-	-
34	Smallpox	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
35	Measles	T	12	-	-	-	-	-	-	-	-	-
		M	5	1	-	1	-	1	-	1	-	1
		F	7	-	1	1	2	-	2	1	-	-
36	Acute poliomyelitis and acute polioencephalitis	T	12	-	-	-	-	-	-	-	-	-
		M	7	1	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	2	2	-
37	Acute infectious encephalitis (lethargic)	T	5	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
37a	Acute infectious encephalitis (lethargic)	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
37b	Sequelae of encephalitis lethargica	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
37c	Encephalitis lethargica (unqualified)	T	3	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
37d	Equine encephalomyelitis	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
38	Other diseases due to filtrable viruses	T	8	-	-	-	-	-	-	-	-	-
		M	5	2	1	-	-	-	2	-	-	-
		F	3	1	-	-	-	-	-	-	-	-
38a	Yellow fever	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
38b	Rabies	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
38c	Herpes zoster	T	2	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
38d	German measles	T	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
30*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	6	1	8	13	12	7	9	2	–	–	–	–	–	–	–
	1	–	2	–	3	1	3	–	2	1	1	–	1	–	–	–	–
30*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	2	–	2	–	1	1	–	–	–	–	–	–
	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
30*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	8	3	7	2	3	4	–	–	–	–	–	–
	–	1	–	–	–	1	3	3	1	–	1	–	–	–	–	–	–
30*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	1	5	2	4	1	1	–	1	–	–	–	–
	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–	–	–
30*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	1	2	3	2	1	–	–	–	–	–	–	–
	–	–	1	1	–	1	1	2	1	1	–	–	–	–	–	–	–
31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	1	2	–	–	–	1	–	–	–	–	–	–	–
	1	2	–	3	1	–	–	2	2	1	1	–	–	–	–	–	–
32*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	1	2	–	–	–	1	–	–	–	–	–	–	–
	1	2	–	3	1	–	–	2	2	1	1	–	–	–	–	–	–
32*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	1	1	2	3	1	1	2	3	1	1	–	–	–
	–	–	1	–	–	1	1	2	–	4	1	4	2	2	–	–	–
33*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	1	–	2	2	1	–	2	3	–	1	–	–	–
	–	–	1	–	–	1	–	2	–	4	–	2	2	1	–	–	–
33*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–	–
34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
37*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
37*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
37*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
38*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
38*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
38e	Chickenpox	T	6	–	–	–	–	–	–	–	–	–
		M	5	2	1	–	–	–	2	–	–	–
		F	1	1	–	–	–	–	–	–	–	–
38f	Other diseases ascribed to viruses	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
39	Typhus fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
40	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
41	Hydatid disease	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
42	Other diseases caused by helminths	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
43	Mycoses	T	4	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
44	Other infectious and parasitic (communicable) diseases	T	88	–	–	–	–	–	–	–	–	–
		M	47	–	–	–	–	–	–	–	4	4
		F	41	–	–	–	–	–	–	–	2	5
44a	Venereal diseases (except gonorrhea and syphilis)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
44b	Lymphogranulomatosis (Hodgkin's disease)	T	87	–	–	–	–	–	–	–	–	–
		M	47	–	–	–	–	–	–	–	4	4
		F	40	–	–	–	–	–	–	–	1	5
44c	Mumps	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–
44d	Other infectious and parasitic (communicable) diseases	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
II.	Cancer and Other Tumors	T	8,283	–	–	–	–	–	–	–	–	–
		M	3,969	2	3	3	4	4	8	10	16	17
		F	4,314	4	2	2	4	1	2	9	12	9
45–55	Cancer and other malignant tumors	T	8,091	–	–	–	–	–	–	–	–	–
		M	3,878	2	3	2	2	4	7	8	13	14
		F	4,213	2	2	1	3	1	2	6	8	6
45	Cancer of the buccal cavity and pharynx	T	273	–	–	–	–	–	–	–	–	–
		M	221	–	–	–	–	–	–	1	–	1
		F	52	–	–	–	–	–	–	–	–	–
45a	Lip	T	22	–	–	–	–	–	–	–	–	–
		M	22	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
45b	Tongue	T	72	–	–	–	–	–	–	–	–	–
		M	55	–	–	–	–	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	–	–
45c	Mouth	T	47	–	–	–	–	–	–	–	–	–
		M	38	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
45d	Jaw bone	T	39	–	–	–	–	–	–	–	–	–
		M	31	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
45e	Unspecified parts of the buccal cavity	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
45f	Pharynx	T	93	–	–	–	–	–	–	–	–	–
		M	75	–	–	–	–	–	–	1	–	1
		F	18	–	–	–	–	–	–	–	–	–
46	Cancer of the digestive organs and peritoneum	T	3,816	–	–	–	–	–	–	–	–	–
		M	1,964	–	–	–	–	–	1	–	2	1
		F	1,852	–	–	–	2	–	–	1	1	–
46a	Esophagus	T	192	–	–	–	–	–	–	–	–	–
		M	146	–	–	–	–	–	–	–	–	–
		F	46	–	–	–	–	–	–	–	–	–
46b	Stomach	T	1,044	–	–	–	–	–	–	–	–	–
		M	617	–	–	–	–	–	–	–	–	–
		F	427	–	–	–	–	–	–	–	–	–
46c	Duodenum	T	13	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
46d	Rectum and anus	T	568	–	–	–	–	–	–	–	–	–
		M	314	–	–	–	–	–	–	–	1	–
		F	254	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
38e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	3	8	4	3	6	7	5	–	–	–	–	–	–	–	–
	1	3	7	2	2	6	3	4	3	2	1	–	–	–	–	–	–
44a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	3	8	4	3	6	7	5	–	–	–	–	–	–	–	–
	1	3	7	2	2	6	3	4	3	2	1	–	–	–	–	–	–
44c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	20	23	41	86	172	299	469	602	614	632	495	308	115	19	6	1	–
	24	46	103	159	282	385	399	528	614	646	529	334	179	34	5	2	–
45–55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16	19	38	80	166	288	456	592	606	625	492	306	113	19	6	1	–
	22	41	99	150	271	370	392	520	608	639	522	330	177	34	5	2	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	2	7	12	21	30	35	49	24	32	2	1	1	–	–
	–	–	2	–	2	2	3	6	7	12	10	5	3	–	–	–	–
45a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	4	3	3	3	8	–	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	3	1	7	10	11	9	4	8	–	1	–	–	–
	–	–	–	–	–	–	1	1	3	3	5	3	1	–	–	–	–
45c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	2	7	4	4	10	5	4	1	–	–	–	–
	–	–	1	–	–	–	–	1	1	2	3	–	1	–	–	–	–
45d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	2	1	3	7	8	4	3	1	–	–	–	–
	–	–	–	–	–	1	–	–	1	3	–	2	1	–	–	–	–
45e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	2	7	6	9	10	19	8	9	–	–	–	–	–
	–	–	1	–	2	1	2	4	2	4	2	–	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	7	18	35	85	135	241	306	323	335	252	150	59	8	1	–	–
	3	12	22	43	71	119	140	215	320	332	282	187	85	15	2	–	–
46a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	6	8	8	13	33	28	22	18	5	3	–	–	–	–
	–	–	–	2	1	3	3	4	9	12	4	7	1	–	–	–	–
46b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	3	9	24	55	95	98	109	103	60	41	16	1	1	–	–
	–	2	3	7	7	26	35	44	87	79	66	49	18	3	1	–	–
46c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	3	3	1	1	1	–	–	–	–	–
	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
46d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	1	3	17	19	41	47	37	52	61	20	11	1	–	–	–
	1	4	3	7	9	24	20	29	39	38	36	30	11	3	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
46e	Intestines (except duodenum and rectum)	T	1,189	–	–	–	–	–	–	–	–	–
		M	491	–	–	–	–	–	–	–	1	–
		F	698	–	–	–	1	–	–	–	–	–
46f	Liver and biliary passages	T	396	–	–	–	–	–	–	–	–	–
		M	167	–	–	–	–	–	–	–	–	–
		F	229	–	–	–	–	–	–	–	1	–
46g	Pancreas	T	324	–	–	–	–	–	–	–	–	–
		M	173	–	–	–	–	–	–	–	–	–
		F	151	–	–	–	–	–	–	–	–	–
46h	Mesentery and peritoneum	T	54	–	–	–	–	–	–	–	–	–
		M	30	–	–	–	–	–	1	–	–	1
		F	24	–	–	–	1	–	–	–	–	–
46m	Other and unspecified sites	T	36	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	–	–	–	–
		F	20	–	–	–	–	–	–	1	–	–
47	Cancer of the respiratory system	T	662	–	–	–	–	–	–	–	–	–
		M	535	–	–	–	–	–	–	2	1	1
		F	127	–	–	–	–	–	–	–	–	–
47a	Larynx	T	80	–	–	–	–	–	–	–	–	–
		M	71	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
47b	Trachea	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
47c	Bronchus	T	134	–	–	–	–	–	–	–	–	–
		M	123	–	–	–	–	–	–	–	–	1
		F	11	–	–	–	–	–	–	–	–	–
47d	Lung	T	423	–	–	–	–	–	–	–	–	–
		M	321	–	–	–	–	–	–	2	1	–
		F	102	–	–	–	–	–	–	–	–	–
47e	Pleura	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
47f	Mediastinum and unspecified sites	T	21	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
48	Cancer of the uterus	T	602	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	602	–	–	–	–	–	–	–	–	–
48a	Cervix	T	255	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	255	–	–	–	–	–	–	–	–	–
48b	Other and unspecified sites	T	347	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	347	–	–	–	–	–	–	–	–	–
49	Cancer of other female genital organs	T	268	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	268	–	–	–	–	–	–	1	2	2
49a	Ovary	T	231	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	231	–	–	–	–	–	–	1	2	2
49b	Fallopian tube and parametrium	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
49c	Vagina	T	15	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–	–
49d	Vulva	T	20	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	20	–	–	–	–	–	–	–	–	–
49e	Other and unspecified sites	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
50	Cancer of the breast	T	843	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	835	–	–	–	–	–	–	–	–	–
51	Cancer of the male genital organs	T	426	–	–	–	–	–	–	–	–	–
		M	426	–	–	–	–	–	–	–	–	3
		F	–	–	–	–	–	–	–	–	–	–
51a	Scrotum	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
51b	Prostate	T	397	–	–	–	–	–	–	–	–	–
		M	397	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
51c	Testes	T	15	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	3
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
46e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	6	10	17	26	51	66	89	88	63	46	20	4	–	–	–
	–	3	12	21	40	42	46	79	104	120	118	67	40	4	1	–	–
46f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	6	13	19	26	31	31	20	14	3	1	–	–	–
	–	1	1	3	8	11	16	35	52	38	28	21	11	3	–	–	–
46g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	5	7	9	19	26	20	34	24	19	6	1	–	–	–
	–	2	1	2	3	11	14	20	26	35	25	10	1	1	–	–	–
46h	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	–	6	3	3	5	3	2	1	–	–	–	–	–	–
	2	–	1	1	3	–	4	3	2	3	1	1	1	1	–	–	–
46m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	2	3	2	4	4	–	–	–	–	–
	–	–	–	–	–	2	1	1	1	6	4	2	2	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	5	23	29	70	83	117	91	53	36	18	3	–	–	–	–
	–	–	1	4	7	13	19	15	26	23	11	6	2	–	–	–	–
47a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	3	2	11	5	11	12	12	10	3	1	–	–	–	–
	–	–	–	1	–	–	–	1	3	3	1	–	–	–	–	–	–
47b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	5	7	13	22	29	18	13	8	4	1	–	–	–	–
	–	–	–	1	–	–	4	1	1	1	2	1	–	–	–	–	–
47d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	2	14	18	44	52	72	60	27	16	10	1	–	–	–	–
	–	–	1	2	7	13	15	13	20	18	7	4	2	–	–	–	–
47e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
47f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	2	1	4	5	1	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–
48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	8	23	27	57	80	74	95	75	57	62	23	16	2	–	–	–
48a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	7	14	19	32	36	31	41	27	17	20	6	3	–	–	–	–
48b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	9	8	25	44	43	54	48	40	42	17	13	2	–	–	–
49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	3	9	15	31	38	26	34	27	36	19	13	7	2	1	–	–
49a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	3	9	14	31	37	20	32	23	24	16	10	4	–	1	–	–
49b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
49c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	4	–	3	3	1	1	1	1	–	–	–
49d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	2	1	8	2	2	2	1	–	–	–
49e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	2	–	1	1	2	–	–	–	1	–	–
	6	15	31	41	80	83	81	105	89	106	85	56	47	7	2	1	–
51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	2	2	7	4	21	31	72	79	102	60	32	3	2	1	–
51a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
51b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	4	4	17	29	70	77	100	59	31	3	2	1	–
51c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	2	2	2	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
51d	Penis	T	13	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
51e	Other and unspecified sites	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
52	Cancer of the urinary organs (male and female)	T	407	–	–	–	–	–	–	–	–	–
		M	281	2	1	–	1	1	–	–	–	–
		F	126	–	–	–	–	–	–	–	–	–
52a	Kidney	T	134	–	–	–	–	–	–	–	–	–
		M	92	1	1	–	1	–	–	–	–	–
		F	42	–	–	–	–	–	–	–	–	–
52b	Bladder	T	270	–	–	–	–	–	–	–	–	–
		M	186	1	–	–	–	1	–	–	–	–
		F	84	–	–	–	–	–	–	–	–	–
52c	Other and unspecified sites	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
53	Cancer of the skin (except vulva and scrotum)	T	95	–	–	–	–	–	–	–	–	–
		M	65	–	1	–	–	–	–	–	1	–
		F	30	–	–	1	–	–	–	1	–	–
54	Cancer of the brain and other parts of the central nervous system	T	137	–	–	–	–	–	–	–	–	–
		M	88	–	1	1	1	1	2	2	4	3
		F	49	1	–	–	1	1	–	–	–	1
54a	Glioma (not specified as benign)	T	66	–	–	–	–	–	–	–	–	–
		M	42	–	–	1	–	–	1	–	3	1
		F	24	–	–	–	1	–	–	–	–	1
54b	Others	T	71	–	–	–	–	–	–	–	–	–
		M	46	–	1	–	1	1	1	2	1	2
		F	25	1	–	–	–	1	–	–	–	–
55	Cancer of other and unspecified organs	T	562	–	–	–	–	–	–	–	–	–
		M	290	–	–	1	–	2	4	3	5	5
		F	272	1	2	–	–	–	2	3	5	3
55a	Adrenal gland	T	11	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	1	–	–	–
		F	4	–	–	–	–	–	–	–	1	1
55b	Bone (except jaw bone and accessory sinuses)	T	90	–	–	–	–	–	–	–	–	–
		M	45	–	–	–	–	–	–	1	4	1
		F	45	–	–	–	–	–	2	2	3	1
55c	Thyroid gland	T	32	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	1	–	–	–
		F	21	–	–	–	–	–	–	–	–	–
55d	Nasal cavity and accessory sinuses	T	9	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
55e	Other and unspecified organs	T	420	–	–	–	–	–	–	–	–	–
		M	223	–	–	1	–	2	2	2	1	4
		F	197	1	2	–	–	–	–	1	1	1
56	Nonmalignant tumors (including dermoid cysts)	T	74	–	–	–	–	–	–	–	–	–
		M	25	–	–	1	–	–	–	–	1	2
		F	49	–	–	1	–	–	–	1	1	2
56a	Ovary	T	9	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	1	–
56b	Uterus	T	23	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	23	–	–	–	–	–	–	–	–	1
56c	Other female genital organs	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
56d	Brain and other parts of the central nervous system	T	20	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	1
		F	7	–	–	–	–	–	–	–	–	–
56e	Other and unspecified organs	T	22	–	–	–	–	–	–	–	–	–
		M	12	–	–	1	–	–	–	–	1	1
		F	10	–	–	1	–	–	–	1	–	1
57	Tumors of unspecified nature	T	118	–	–	–	–	–	–	–	–	–
		M	66	–	–	–	2	–	1	2	2	1
		F	52	2	–	–	1	–	–	2	3	1
57a	Ovary	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
57b	Uterus	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
57e	Other female genital organs	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
51*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	2	2	2	2	2	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	3	13	19	32	49	36	50	39	20	9	3	–	–	–
	–	–	–	5	3	5	13	15	25	22	19	10	7	2	–	–	–
52*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	8	5	16	23	9	12	7	4	1	1	–	–	–
	–	–	–	4	1	4	6	8	7	5	6	1	–	–	–	–	–
52*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	4	14	16	26	27	37	31	16	8	2	–	–	–
	–	–	–	1	2	1	7	7	18	17	13	9	7	2	–	–	–
52*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	5	4	5	7	10	10	12	4	2	1	–	–
	–	–	–	1	–	1	1	2	2	7	2	5	3	4	–	–	–
54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	5	4	8	10	20	15	5	1	1	–	–	–	–	–	–
	3	1	4	5	3	7	10	4	5	1	1	–	1	–	–	–	–
54*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	3	3	3	7	10	8	1	–	–	–	–	–	–	–	–
	–	–	3	3	2	3	5	3	3	–	–	–	–	–	–	–	–
54*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	2	1	5	3	10	7	4	1	1	–	–	–	–	–	–
	3	1	1	2	1	4	5	1	2	1	1	–	1	–	–	–	–
55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	7	4	10	14	33	32	39	36	47	26	14	4	2	–	–	–
	5	2	7	9	17	22	25	29	32	43	31	25	6	2	–	1	–
55*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	2	1	–	–	1	–	–	1	–	–	–	–
	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
55*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	2	2	2	6	8	1	7	4	4	1	1	–	–	–
	1	–	2	–	2	2	6	3	6	7	5	1	2	–	–	–	–
55*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	1	2	2	1	–	–	–	1	–	–	–
	–	1	–	–	1	1	3	2	4	5	2	2	–	–	–	–	–
55*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–	–	–
	–	–	1	–	–	–	1	–	1	1	–	1	–	–	–	–	–
55*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	6	4	6	11	27	24	29	32	38	21	9	2	–	–	–	–
	4	1	4	9	13	19	14	24	21	30	24	21	4	2	–	1	–
56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	–	2	2	5	3	1	2	2	–	–	1	–	–	–	–
	1	3	3	3	6	12	2	6	1	2	3	1	1	–	–	–	–
56*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	1	1	–	1	–	2	1	1	–	–	–	–	–
56*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	2	3	11	1	1	–	–	–	–	1	–	–	–	–
56*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
56*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	1	–	4	2	–	1	2	–	–	–	–	–	–	–
	–	–	1	–	2	–	1	3	–	–	–	–	–	–	–	–	–
56*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	2	1	1	1	1	–	–	–	1	–	–	–	–
	1	1	–	1	–	–	–	1	1	–	2	–	–	–	–	–	–
57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	3	4	4	6	10	9	6	5	3	2	1	–	–	–	–
	1	2	1	6	5	3	5	2	5	5	4	3	1	–	–	–	–
57*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
57*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
57*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
57d	Brain and other parts of the central nervous system	T	80	–	–	–	–	–	–	–	–	–
		M	49	–	–	–	2	–	1	2	2	1
		F	31	1	–	–	–	–	–	2	3	1
57e	Other and unspecified organs	T	35	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	–	–	–
		F	18	1	–	–	1	–	–	–	–	–
III.	Rheumatism, Diseases of Nutrition and of the Endocrine Glands, Other General Diseases, and Avitaminoses	T	1,769	–	–	–	–	–	–	–	–	–
		M	593	7	2	2	–	1	2	1	1	4
		F	1,176	6	–	–	–	3	2	2	4	5
58	Acute rheumatic fever	T	17	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	1	–	–	1
		F	10	–	–	–	–	–	2	–	–	2
58a	Acute rheumatic pericarditis	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
58b	Acute rheumatic endocarditis	T	4	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	1
58c	Acute rheumatic myocarditis	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
58d	Other acute rheumatic heart diseases	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
58e	Other forms of acute rheumatic fever	T	11	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1
		F	7	–	–	–	–	–	2	–	–	1
58f	Rheumatism (not specified as acute or chronic)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
59	Chronic rheumatism and other rheumatic diseases	T	37	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	–
		F	22	–	–	–	–	–	–	–	–	–
59a	Rheumatoid arthritis	T	7	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
59b	Other chronic articular rheumatism	T	30	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–	–
59c	Other and unspecified forms of chronic rheumatism	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
60	Gout	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
61	Diabetes mellitus	T	1,643	–	–	–	–	–	–	–	–	–
		M	547	1	–	1	–	–	–	1	1	3
		F	1,096	–	–	–	–	–	–	2	4	3
62	Diseases of the pituitary gland	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
63	Diseases of the thyroid and parathyroid glands	T	28	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	25	–	–	–	–	1	–	–	–	–
63a	Simple goiter	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
63b	Exophthalmic goiter	T	21	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–	–
63c	Myxedema and cretinism	T	5	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	1	–	–	–	–
63d	Other diseases of the thyroid glands	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
63e	Diseases of the parathyroid glands	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
64	Diseases of the thymus gland	T	16	–	–	–	–	–	–	–	–	–
		M	9	6	1	1	–	–	1	–	–	–
		F	7	6	–	–	–	1	–	–	–	–
65	Diseases of the adrenal glands (not specified as tuberculous)	T	16	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
65a	Addison's disease	T	15	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
57d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	3	4	4	3	7	8	5	2	1	–	–	–	–	–	–
	1	2	1	4	3	3	4	1	1	2	1	–	1	–	–	–	–
57e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	3	3	1	1	3	2	2	1	–	–	–	–
	–	–	–	1	1	–	1	1	4	3	2	3	–	–	–	–	–
III.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	4	6	16	21	29	67	71	95	99	87	43	22	5	1	–	–
	7	15	16	11	22	61	123	162	203	228	168	93	33	12	–	–	–
58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
58a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
58c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	2	–	2	3	2	1	2	1	1	–	–
	–	–	–	–	–	–	1	1	2	3	9	4	2	–	–	–	–
59a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
59b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	2	3	1	1	2	1	1	–	–
	–	–	–	–	–	–	1	–	1	3	8	4	1	–	–	–	–
59c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	4	13	19	27	64	71	92	95	84	41	19	4	–	–	–
	4	11	9	7	22	56	117	152	199	224	158	88	31	9	–	–	–
62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	1	1	3	1	–	3	3	7	2	–	–	–	–	3	–	–	–
63a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
63b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	1	1	3	1	–	3	2	5	–	–	–	–	–	2	–	–	–
63c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	1	–	–	–	–	1	–	–	–
63d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
63e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–
	1	–	1	1	–	2	1	2	–	1	–	–	–	–	–	–	–
65a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–
	1	–	1	1	–	2	1	2	–	1	–	–	–	–	–	–	–

Detailed Int. List No	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years): Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
65b	Other diseases of the adrenal glands	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
66	Other general diseases	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–
66a	Osteomalacia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
66b	Others	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–
67	Scurvy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
68	Beriberi	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
69	Pellagra (except alcoholic)	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
70	Rickets	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
71	Other avitaminoses	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
IV.	Diseases of the Blood and Blood-forming Organs	T	372	–	–	–	–	–	–	–	–	–
		M	187	7	2	4	4	2	6	6	4	4
		F	185	3	2	–	1	2	5	8	4	6
72	Hemorrhagic conditions	T	12	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	1	–	–	–
		F	6	–	–	–	–	–	–	–	–	2
72a	Primary purpuras	T	12	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	1	–	–	–
		F	6	–	–	–	–	–	–	–	–	2
72b	Hemophilia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
72c	Other hemorrhagic conditions	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
73	Anemias (except splenic anemia)	T	92	–	–	–	–	–	–	–	–	–
		M	30	5	–	–	1	–	–	–	–	1
		F	62	2	–	–	–	–	–	1	1	1
73a	Pernicious anemia	T	69	–	–	–	–	–	–	–	–	–
		M	17	1	–	–	1	–	–	–	–	–
		F	52	1	–	–	–	–	–	1	1	1
73b	Other hyperchromic anemias	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–
73c	Hypochromic anemias	T	2	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
73d	Other and unspecified anemias	T	18	–	–	–	–	–	–	–	–	–
		M	10	3	–	–	–	–	–	–	–	1
		F	8	–	–	–	–	–	–	–	–	–
74	Leukemias and aleukemias	T	251	–	–	–	–	–	–	–	–	–
		M	144	1	2	4	3	2	5	6	4	3
		F	107	1	2	–	1	2	5	6	2	3
74a	Leukemias	T	237	–	–	–	–	–	–	–	–	–
		M	140	1	2	4	3	2	5	6	4	3
		F	97	1	1	–	1	2	5	6	2	2
74b	Aleukemias	T	14	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	10	–	1	–	–	–	–	–	–	1
75	Diseases of the spleen	T	10	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	1	–	–
75a	Splenic anemia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
75b	Splenomegaly (of undetermined nature)	T	6	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–
75c	Other diseases of the spleen	T	4	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
65b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
66a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
66b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
IV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	13	5	10	12	9	15	15	14	35	7	9	3	–	–	–	–
	2	6	5	5	13	10	13	16	25	22	16	17	3	1	–	–	–
72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–
	–	1	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
72a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–
	–	1	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
72b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
72c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	2	–	1	2	–	2	5	4	5	1	–	–	–	–
	–	–	1	–	1	1	6	5	9	12	10	12	–	–	–	–	–
73a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	–	1	1	–	1	2	4	3	1	–	–	–	–
	–	–	1	–	–	1	5	5	8	11	7	10	–	–	–	–	–
73b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
73c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
73d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	1	–	–	2	–	2	–	–	–	–	–
	–	–	–	–	1	–	1	–	1	1	3	1	–	–	–	–	–
74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	12	4	8	10	6	11	13	11	29	3	4	2	–	–	–	–
	2	5	4	4	9	7	6	10	15	9	6	5	2	1	–	–	–
74a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	12	4	8	8	6	10	13	11	28	3	4	2	–	–	–	–
	2	4	4	4	9	6	6	9	12	9	4	5	2	1	–	–	–
74b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–
	–	1	–	–	–	1	–	1	3	–	2	–	–	–	–	–	–
75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–
75a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
75b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
75c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
76	Other diseases of the blood and blood-forming organs	T	7	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	1	–
76a	Agranulocytosis	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
76b	Erythrocytosis	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
76c	Hemoglobinemia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
76d	Others	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–
V.	Chronic Poisoning and Intoxication	T	117	–	–	–	–	–	–	–	–	–
		M	94	–	–	–	–	–	–	–	–	–
		F	23	–	–	–	–	–	–	–	–	–
77	Alcoholism (ethylism)	T	115	–	–	–	–	–	–	–	–	–
		M	93	–	–	–	–	–	–	–	–	–
		F	22	–	–	–	–	–	–	–	–	–
77a	Alcoholic pellagra	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
77b	Other deficiency states associated with alcoholism	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
77c	Acute alcoholism	T	66	–	–	–	–	–	–	–	–	–
		M	53	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–	–
77d	Chronic alcoholism	T	26	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
77e	Other and unspecified alcoholism	T	23	–	–	–	–	–	–	–	–	–
		M	19	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
78	Lead poisoning	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
78a	Specified as occupational	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
78b	Not specified as occupational	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
79	Chronic poisoning by other mineral or organic substances	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
79a	Specified as occupational	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
79b	Not specified as occupational	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and Sense Organs	T	4,995	–	–	–	–	–	–	–	–	–
		M	2,266	28	6	1	–	4	8	9	15	17
		F	2,729	10	4	4	1	1	6	3	2	10
80	Encephalitis (nonepidemic)	T	19	–	–	–	–	–	–	–	–	–
		M	11	2	1	–	–	–	1	1	1	–
		F	8	2	2	–	–	–	1	–	–	1
80a	Intracranial abscess	T	11	–	–	–	–	–	–	–	–	–
		M	7	2	–	–	–	–	–	1	–	–
		F	4	1	–	–	–	–	–	–	–	1
80b	Others	T	8	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	1	–	1	–
		F	4	1	2	–	–	–	1	–	–	–
81	Meningitis (not due to meningococcus)	T	58	–	–	–	–	–	–	–	–	–
		M	40	16	–	1	–	–	–	1	–	1
		F	18	4	–	–	–	1	–	–	–	1
81a	Simple meningitis	T	31	–	–	–	–	–	–	–	–	–
		M	23	8	–	1	–	–	–	1	–	1
		F	8	2	–	–	–	1	–	–	–	1
81b	Acute cerebrospinal meningitis	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
81c	Pneumococcus meningitis	T	24	–	–	–	–	–	–	–	–	–
		M	17	8	–	–	–	–	–	–	–	–
		F	7	2	–	–	–	–	–	–	–	–
82	Diseases of the spinal cord (except locomotor-ataxia and disseminated sclerosis)	T	63	–	–	–	–	–	–	–	–	–
		M	39	–	–	–	–	–	–	1	1	2
		F	24	–	–	–	–	–	2	–	–	2

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
76a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
76b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
76c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	6	13	14	18	12	13	7	7	3	1	-	-	-	-	-	-
	-	3	1	4	4	4	4	2	1	-	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	6	12	14	18	12	13	7	7	3	1	-	-	-	-	-	-
	-	3	1	4	4	4	3	2	1	-	-	-	-	-	-	-	-
77a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	5	5	10	9	7	9	3	3	2	-	-	-	-	-	-	-
	-	2	1	3	4	3	-	-	-	-	-	-	-	-	-	-	-
77d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	5	4	4	1	2	3	1	-	1	-	-	-	-	-	-
	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-
77e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2	-	5	4	2	1	3	1	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
79a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
79b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16	21	21	33	74	106	186	260	326	364	356	246	126	38	4	1	-
	14	12	22	36	77	135	188	228	327	423	508	385	225	90	18	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
80a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
80b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	3	1	-	2	2	3	2	2	2	2	-	-	-	-	-	-
	-	1	-	1	-	2	1	2	1	1	2	1	-	-	-	-	-
81a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	1	-	-	1	2	-	2	2	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-
81b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
81c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	2	1	1	2	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-
82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	2	3	6	6	2	6	2	4	1	-	2	-	-	-
	1	-	-	-	2	5	2	3	1	2	3	1	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
83	Intracranial lesions of vascular origin	T	4,655	–	–	–	–	–	–	–	–	–
		M	2,054	2	2	–	–	1	3	1	4	8
		F	2,601	–	–	–	–	–	–	1	1	2
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	T	3,717	–	–	–	–	–	–	–	–	–
		M	1,605	2	1	–	–	1	3	1	3	7
		F	2,112	–	–	–	–	–	–	1	1	2
83b	Cerebral embolism and thrombosis	T	910	–	–	–	–	–	–	–	–	–
		M	437	–	1	–	–	–	–	–	–	1
		F	473	–	–	–	–	–	–	–	–	–
83c	Cerebral softening	T	19	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	1	–
		F	10	–	–	–	–	–	–	–	–	–
83d	Hemiplegia and other paralysis of unspecified origin	T	9	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
84	Mental diseases and deficiency (except general paralysis of the insane)	T	15	–	–	–	–	–	–	–	–	–
		M	9	2	1	–	–	–	–	–	1	–
		F	6	1	1	1	–	–	–	–	–	–
84a	Mental deficiency	T	10	–	–	–	–	–	–	–	–	–
		M	7	2	1	–	–	–	–	–	1	–
		F	3	1	1	1	–	–	–	–	–	–
84b	Schizophrenia (dementia praecox)	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
84c	Manic-depressive psychosis	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
84d	Other mental diseases	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
85	Epilepsy	T	66	–	–	–	–	–	–	–	–	–
		M	50	1	–	–	–	1	2	4	6	6
		F	16	–	–	1	–	–	2	1	–	2
86	Convulsions (under 5 years of age)	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–
		F	2	–	1	1	–	–	–	–	–	–
87	Other diseases of the nervous system	T	88	–	–	–	–	–	–	–	–	–
		M	46	–	1	–	–	2	1	–	2	–
		F	42	1	–	1	1	–	–	1	1	1
87a	Chorea	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
87b	Neuritis (except rheumatic or alcoholic)	T	5	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
87c	Paralysis agitans (except result of encephalitis)	T	27	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	–
87d	Disseminated sclerosis	T	38	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	1	–	–	–	–
		F	18	–	–	–	–	–	–	–	1	–
87e	Other diseases of the nervous system	T	18	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	–	1	1	–	2	–
		F	10	1	–	1	1	–	–	1	–	1
88	Diseases of the organs of vision	T	7	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
89	Diseases of the ear and mastoid process	T	21	–	–	–	–	–	–	–	–	–
		M	12	5	–	–	–	–	1	1	–	–
		F	9	2	–	–	–	–	1	–	–	1
89a	Otitis and other diseases of the ear	T	15	–	–	–	–	–	–	–	–	–
		M	8	5	–	–	–	–	–	–	–	–
		F	7	2	–	–	–	–	1	–	–	–
89b	Diseases of the mastoid process	T	6	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	1	–	–
		F	2	–	–	–	–	–	–	–	–	1
VII.	Diseases of the Circulatory System	T	21,179	–	–	–	–	–	–	–	–	–
		M	11,646	5	–	1	–	–	5	5	18	23
		F	9,533	2	–	1	–	1	7	7	12	18
90	Pericarditis (except acute rheumatic)	T	14	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	1	–
		F	4	1	–	–	–	–	–	–	–	–
90a	Chronic rheumatic pericarditis	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
90b	Other pericarditis	T	13	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	1	–
		F	4	1	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List, by Age and Sex: 1947.

Detailed Int. List No.	Age of decedents (years). 25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	9	14	25	61	89	170	245	314	350	344	238	126	36	4	1	–
	7	8	13	31	69	123	180	218	320	418	495	382	225	90	18	–	–
83a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	8	13	22	48	77	145	196	242	264	265	178	89	30	4	1	–
	7	8	10	30	68	102	167	173	250	330	408	306	171	67	11	–	–
83b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	3	13	11	25	48	71	83	78	59	35	6	–	–	–
	–	–	3	1	1	19	13	41	69	85	83	75	54	22	7	–	–
83c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	–	1	1	–	1	1	2	–	–	–	–
	–	–	–	–	–	2	–	4	1	1	1	–	–	1	–	–	–
83d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–	–
84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	–	1	–	–	2	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
84a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
84b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
84c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
84d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	3	1	3	3	2	3	3	2	4	1	–	–	–	–	–	–
	2	–	2	2	2	2	–	–	–	–	–	–	–	–	–	–	–
86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	3	1	2	4	6	3	6	1	5	3	4	–	–	–	–	–
	2	1	7	2	3	1	3	4	5	–	8	–	–	–	–	–	–
87a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
87b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
87c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	2	1	5	3	4	–	–	–	–	–
	–	–	–	–	1	–	–	1	2	–	7	–	–	–	–	–	–
87d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	1	2	4	4	1	4	–	–	–	–	–	–	–	–	–
	2	1	5	2	1	1	3	1	–	–	1	–	–	–	–	–	–
87e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	2	–	–	–	–	1	2	–	–	–	–	–	–	–	–
88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
	1	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–
89a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
89b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
VII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	41	60	153	233	513	846	1,173	1,466	1,601	1,843	1,601	1,143	678	185	48	5	–
	31	33	57	112	210	331	498	755	1,138	1,568	1,669	1,542	1,003	429	96	13	–
90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	1	1	1	–	2	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
90a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
90b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	1	1	1	–	1	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
91	Acute endocarditis (except rheumatic)	T	41	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	–	–	–	–	4
		F	21	–	–	–	–	–	–	–	2	3
91a	Bacterial endocarditis (acute, subacute or unspecified)	T	35	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	–	–	3
		F	18	–	–	–	–	–	–	–	2	3
91b	Other acute or subacute endocarditis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
91c	Endocarditis (not specified as acute, chronic or rheumatic, under 45 years of age)	T	6	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1
		F	3	–	–	–	–	–	–	–	–	–
92	Chronic affections of the valves and endocardium	T	1,016	–	–	–	–	–	–	–	–	–
		M	467	–	–	–	–	–	2	1	4	4
		F	549	–	–	–	–	1	1	1	3	6
92a	Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	T	118	–	–	–	–	–	–	–	–	–
		M	66	–	–	–	–	–	–	–	–	1
		F	52	–	–	–	–	–	–	–	–	–
92b	Diseases of the mitral valve (whether or not specified as rheumatic)	T	451	–	–	–	–	–	–	–	–	–
		M	202	–	–	–	–	–	–	1	4	2
		F	249	–	–	–	–	1	1	1	2	5
92c	Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic	T	30	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	–	1
92d	Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	T	373	–	–	–	–	–	–	–	–	–
		M	167	–	–	–	–	–	2	–	–	1
		F	206	–	–	–	–	–	–	–	1	–
92e	Endocarditis (not specified as acute, chronic or rheumatic, 45 years of age and over)	T	44	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	–	–	–	–
		F	28	–	–	–	–	–	–	–	–	–
93	Diseases of the myocardium	T	11,177	–	–	–	–	–	–	–	–	–
		M	5,414	3	–	–	–	–	–	–	1	4
		F	5,763	–	–	1	–	–	3	1	2	2
93a	Acute myocarditis (except rheumatic)	T	112	–	–	–	–	–	–	–	–	–
		M	68	–	–	–	–	–	–	–	1	1
		F	44	–	–	–	–	–	–	1	–	1
93b	Myocarditis (not specified as acute, chronic or rheumatic, under 45 years of age)	T	12	–	–	–	–	–	–	–	–	–
		M	6	2	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	1	–	–	–
93c	Chronic myocarditis and myocardial degeneration, specified as rheumatic	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
93d	Chronic myocarditis and myocardial degeneration, not specified as rheumatic	T	9,868	–	–	–	–	–	–	–	–	–
		M	4,794	–	–	–	–	–	–	–	–	1
		F	5,074	–	–	–	–	–	2	–	2	1
93e	Other myocarditis (not specified as acute, chronic or rheumatic)	T	1,183	–	–	–	–	–	–	–	–	–
		M	545	1	–	–	–	–	–	–	–	2
		F	638	–	–	1	–	–	–	–	–	–
94	Diseases of the coronary arteries and angina pectoris	T	6,673	–	–	–	–	–	–	–	–	–
		M	4,597	–	–	–	–	–	–	–	–	2
		F	2,076	–	–	–	–	–	–	1	–	1
94a	Diseases of the coronary arteries	T	6,619	–	–	–	–	–	–	–	–	–
		M	4,572	–	–	–	–	–	–	–	–	2
		F	2,047	–	–	–	–	–	–	–	–	1
94b	Angina pectoris	T	54	–	–	–	–	–	–	–	–	–
		M	25	–	–	–	–	–	–	–	–	–
		F	29	–	–	–	–	–	–	1	–	–
95	Other diseases of the heart	T	1,109	–	–	–	–	–	–	–	–	–
		M	604	2	–	1	–	–	3	4	11	9
		F	505	–	–	–	–	–	–	3	4	5
95a	Functional diseases of the heart (without mention of organic lesion)	T	41	–	–	–	–	–	–	–	–	–
		M	23	–	–	–	–	–	–	–	1	–
		F	18	–	–	–	–	–	–	–	–	–
95b	Other diseases of the heart, specified as rheumatic	T	381	–	–	–	–	–	–	–	–	–
		M	174	–	–	–	–	–	2	3	7	5
		F	207	–	–	–	–	–	–	1	4	4
95c	Other diseases of the heart, not specified as rheumatic	T	687	–	–	–	–	–	–	–	–	–
		M	407	2	–	1	–	–	1	1	3	4
		F	280	–	–	–	–	–	–	2	–	1
96	Aneurysm (except of heart and aorta)	T	110	–	–	–	–	–	–	–	–	–
		M	72	–	–	–	–	–	–	–	–	–
		F	38	–	–	–	–	–	–	–	–	–
97	Arteriosclerosis (except coronary or renal sclerosis)	T	840	–	–	–	–	–	–	–	–	–
		M	364	–	–	–	–	–	–	–	–	–
		F	476	–	–	–	–	–	–	–	–	–
98	Gangrene	T	9	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	2	2	4	2	1	2	1	-	-	-	-	-	-	-
	3	1	-	3	3	-	3	1	1	-	1	-	-	-	-	-	-
91a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	2	4	2	1	2	1	-	-	-	-	-	-	-
	1	1	-	2	3	-	3	1	1	-	1	-	-	-	-	-	-
91b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
91c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12	9	14	18	44	33	45	47	57	52	60	38	19	6	2	-	-
	5	10	17	22	29	35	28	42	66	67	81	65	49	17	4	-	-
92a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	1	5	7	5	7	11	8	8	7	4	-	-	-	-	-
	1	-	1	-	-	3	-	2	9	11	10	10	5	-	-	-	-
92b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	6	10	6	21	19	22	13	20	20	24	14	9	2	1	-	-
	2	8	14	16	19	18	18	21	22	24	28	20	15	11	3	-	-
92c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	3	1	-	3	2	3	-	2	-	-	-	-	-	-
	-	2	-	2	-	3	1	1	2	-	2	-	-	-	-	-	-
92d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	3	4	15	9	13	16	24	20	27	19	7	3	1	-	-
	2	-	2	4	8	11	8	18	30	25	33	30	27	6	1	-	-
92e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	5	2	4	-	1	3	1	-	-	-
	-	-	-	-	2	-	1	-	3	7	8	5	2	-	-	-	-
93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	12	30	40	102	213	405	576	735	989	957	746	437	122	32	3	-
	3	8	17	22	72	143	231	405	657	956	1,093	1,091	699	288	60	9	-
93a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	3	2	1	3	9	4	7	7	12	9	4	3	1	-	-
	-	-	1	-	1	3	4	3	3	5	5	6	7	4	-	-	-
93b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
93c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
93d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	9	19	34	84	193	351	520	653	880	865	656	390	105	25	3	-
	1	8	14	16	61	125	202	367	576	858	970	973	594	249	47	8	-
93e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	6	4	17	17	45	52	75	101	80	81	43	14	6	-	-
	2	-	1	2	10	15	25	35	78	92	118	112	98	35	13	1	-
94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	27	80	143	309	530	627	714	694	659	427	232	121	21	5	-	-
	3	5	6	29	54	102	170	227	330	424	333	204	137	42	7	1	-
94a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	27	80	143	307	529	621	711	692	653	426	229	120	21	5	-	-
	3	5	6	28	54	102	167	225	327	419	329	199	132	42	7	1	-
94b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	2	1	6	3	2	6	1	3	1	-	-	-	-
	-	-	-	1	-	-	3	2	3	5	4	5	5	-	-	-	-
95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13	9	23	23	46	46	71	79	68	60	59	44	23	6	3	1	-
	14	7	16	31	41	43	44	48	45	48	61	56	22	11	5	1	-
95a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	2	-	1	3	-	2	5	2	4	2	-	-	-	-
	-	-	-	-	-	-	3	1	2	3	4	2	2	1	-	-	-
95b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	5	14	15	29	21	23	20	12	4	3	-	-	-	1	-	-
	10	6	14	23	28	26	20	26	17	11	8	6	3	-	-	-	-
95c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	3	9	6	17	24	45	59	54	51	54	40	21	6	2	1	-
	4	1	2	8	13	17	21	21	26	34	49	48	17	10	5	1	-
96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	2	1	7	9	16	12	12	7	3	2	-	-	-	-
	2	-	-	1	5	1	3	3	2	7	8	3	2	1	-	-	-
97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	6	7	13	22	54	79	74	72	28	6	1	-
	-	-	-	-	1	3	10	13	26	52	84	109	89	68	19	2	-
98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	3	4	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
99	Other diseases of the arteries	T	82	–	–	–	–	–	–	–	–	–
		M	49	–	–	–	–	–	–	–	–	–
		F	33	–	–	–	–	–	1	1	1	–
100	Diseases of the veins	T	82	–	–	–	–	–	–	–	–	–
		M	38	–	–	–	–	–	–	–	–	–
		F	44	1	–	–	–	–	1	–	–	–
100*a*	Varices	T	28	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–	–
100*b*	Others	T	54	–	–	–	–	–	–	–	–	–
		M	23	–	–	–	–	–	–	–	–	–
		F	31	1	–	–	–	–	1	–	–	–
101	Diseases of the lymphatic system	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	1	–	–	–
102	High blood pressure (idiopathic)	T	16	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
103	Other diseases of the circulatory system	T	6	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	–	1
VIII.	Diseases of the Respiratory System	T	2,278	–	–	–	–	–	–	–	–	–
		M	1,247	179	27	10	8	11	7	9	7	7
		F	1,031	157	14	5	8	4	4	1	6	10
104	Diseases of the nasal fossae and accessory sinuses	T	21	–	–	–	–	–	–	–	–	–
		M	13	9	1	–	–	1	–	–	–	–
		F	8	4	–	–	–	–	–	–	–	–
104*a*	Diseases of the nasal fossae	T	18	–	–	–	–	–	–	–	–	–
		M	12	9	1	–	–	1	–	–	–	–
		F	6	3	–	–	–	–	–	–	–	–
104*b*	Diseases of the accessory sinuses	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	–
105	Diseases of the larynx	T	13	–	–	–	–	–	–	–	–	–
		M	10	2	4	–	1	1	–	–	–	–
		F	3	1	1	–	–	1	–	–	–	–
106	Bronchitis	T	90	–	–	–	–	–	–	–	–	–
		M	55	7	4	3	3	1	1	1	–	–
		F	35	6	1	–	2	2	1	–	–	–
106*a*	Acute	T	27	–	–	–	–	–	–	–	–	–
		M	13	3	1	3	–	–	1	–	–	–
		F	14	3	1	–	1	2	–	–	–	–
106*b*	Chronic	T	46	–	–	–	–	–	–	–	–	–
		M	33	1	–	–	1	–	–	1	–	–
		F	13	–	–	–	–	–	–	–	–	–
106*c*	Unspecified	T	17	–	–	–	–	–	–	–	–	–
		M	9	3	3	–	2	1	–	–	–	–
		F	8	3	–	–	1	–	1	–	–	–
107	Bronchopneumonia (including capillary bronchitis)	T	1,264	–	–	–	–	–	–	–	–	–
		M	665	117	10	4	1	4	2	5	4	2
		F	599	103	7	2	3	1	2	–	2	6
108	Lobar pneumonia	T	500	–	–	–	–	–	–	–	–	–
		M	306	24	4	1	3	3	–	1	1	3
		F	194	19	3	1	1	–	1	–	2	–
109	Pneumonia (unspecified)	T	125	–	–	–	–	–	–	–	–	–
		M	63	15	1	1	–	1	3	–	2	1
		F	62	19	1	1	2	–	–	–	1	–
110	Pleurisy (not specified as tuberculous)	T	32	–	–	–	–	–	–	–	–	–
		M	18	–	1	–	–	–	1	–	–	–
		F	14	–	1	–	–	–	–	1	–	1
110*a*	Empyema	T	13	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	6	–	1	–	–	–	–	1	–	1
110*b*	Other and unspecified forms of pleurisy	T	19	–	–	–	–	–	–	–	–	–
		M	11	–	1	–	–	–	1	–	–	–
		F	8	–	–	–	–	–	–	–	–	–
111	Hemorrhagic infarction, thrombosis, edema and chronic congestion of the lungs	T	90	–	–	–	–	–	–	–	–	–
		M	34	1	–	–	–	–	–	–	–	–
		F	56	1	–	–	–	–	–	–	–	–
111*a*	Hemorrhagic infarction and thrombosis of the lungs	T	57	–	–	–	–	–	–	–	–	–
		M	23	–	–	–	–	–	–	–	–	–
		F	34	1	–	–	–	–	–	–	–	–
111*b*	Acute edema of the lungs	T	5	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
111*c*	Chronic and unspecified congestion of the lungs	T	28	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	–	–	–	–	–	–
		F	20	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS)																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	1	3	2	3	9	8	8	4	3	4	1	–	–	–
	1	–	1	2	–	–	3	6	2	5	3	4	2	–	1	–	–
100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	3	4	2	8	2	5	8	3	–	1	–	–	–
	–	–	–	2	4	2	6	8	6	8	2	2	1	1	–	–	–
100*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	1	2	2	3	1	2	1	1	–	–	–	–	–
	–	–	–	–	–	–	1	3	2	4	1	2	–	–	–	–	–
100*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	2	–	5	1	3	7	2	–	1	–	–	–
	–	–	–	2	4	2	5	5	4	4	1	–	1	1	–	–	–
101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	1	1	–	1	–	–	2	–	–	–	–	–	–	–
	–	1	–	–	1	2	–	1	–	–	–	3	1	–	–	–	–
103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
VIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	24	33	32	50	63	99	115	91	134	135	100	66	19	6	1	–
	13	13	12	26	35	35	44	65	3	113	124	106	104	52	12	4	1
104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–	–	–
104*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
104*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	2	1	2	4	6	2	7	4	2	–	1	–	–	–
	–	1	–	2	2	1	–	–	–	4	1	5	3	3	1	–	–
106*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	–	1	1	2	1	–	–	–
106*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	1	1	1	4	6	2	6	3	2	–	1	–	–	–
	–	1	–	1	1	1	–	–	–	4	–	2	1	2	–	–	–
106*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	9	10	15	22	22	36	50	48	76	89	66	50	13	5	1	–
	3	6	7	9	20	14	20	34	30	66	81	71	70	33	7	2	–
108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	10	9	12	13	24	34	32	25	35	28	25	10	4	1	–	–
	4	4	3	5	2	7	8	20	15	25	28	17	18	10	1	–	–
109	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	3	1	1	2	5	6	3	5	5	2	2	–	–	–	–
	–	1	–	1	2	3	3	1	2	6	3	5	6	2	3	–	–
110	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	–	1	3	1	1	3	2	1	–	1	–	–	–	–
	–	–	–	–	–	2	1	2	1	2	1	1	1	–	–	–	–
110*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	–	–	2	–	–	1	1	1	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
110*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	1	1	1	2	1	–	–	1	–	–	–	–
	–	–	–	–	–	1	–	2	1	2	–	1	1	–	–	–	–
111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	4	2	5	3	5	3	5	2	2	1	–	–	–
	3	–	–	2	1	5	5	2	4	6	8	7	5	4	–	2	1
111*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	4	2	3	2	3	3	3	1	–	1	–	–	–
	3	–	–	2	1	3	2	2	3	6	5	2	2	2	–	–	–
111*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
111*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	1	–	1	1	2	–	–	–	–
	–	–	–	–	–	–	3	–	1	–	3	5	3	2	–	2	1

Detailed Int. List No.	Table 14 — Cause of Death	Sex.	Allocated Deaths (exclusive of stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
112	Asthma	T	91	–	–	–	–	–	–	–	–	–
		M	49	–	2	1	–	–	–	1	–	1
		F	42	1	–	–	–	–	–	–	1	3
113	Pulmonary emphysema	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
114	Other diseases of the respiratory system (except tuberculosis)	T	51	–	–	–	–	–	–	–	–	–
		M	33	4	–	–	–	–	–	1	–	–
		F	18	3	–	1	–	–	–	–	–	–
114*a*	Silicosis	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
114*b*	Other and unspecified forms of pneumoconioses	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
114*c*	Gangrene of lung	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
114*d*	Abscess of lung	T	13	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
114*e*	Other and unspecified diseases of the respiratory system	T	35	–	–	–	–	–	–	–	–	–
		M	19	4	–	–	–	–	–	–	–	–
		F	16	3	–	1	–	–	–	1	–	–
IX.	Diseases of the Digestive System	T	2,086	–	–	–	–	–	–	–	–	–
		M	1,224	110	4	2	4	2	4	5	5	8
		F	862	71	7	2	4	4	9	1	5	8
115	Diseases of the buccal cavity, pharynx, tonsils and adnexa	T	21	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	–	–	–	–	–
		F	14	1	–	–	2	1	1	–	–	–
115*a*	Diseases of the teeth and gums	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
115*b*	Septic sore throat	T	7	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	–	–	–
115*c*	Diseases of the pharynx and tonsils	T	11	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	9	1	–	–	1	1	1	–	–	–
115*d*	Diseases of other and unspecified parts of the buccal cavity and adnexa	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
116	Diseases of the esophagus	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
117	Ulcer of stomach or duodenum	T	294	–	–	–	–	–	–	–	–	–
		M	242	–	–	–	–	–	–	–	–	–
		F	52	–	–	–	–	–	–	–	–	–
117*a*	Stomach	T	170	–	–	–	–	–	–	–	–	–
		M	138	–	–	–	–	–	–	–	–	–
		F	32	–	–	–	–	–	–	–	–	–
117*b*	Duodenum	T	124	–	–	–	–	–	–	–	–	–
		M	104	–	–	–	–	–	–	–	–	–
		F	20	–	–	–	–	–	–	–	–	–
118	Other diseases of the stomach (except cancer)	T	20	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	11	3	–	–	–	1	1	–	–	–
119	Diarrhea, enteritis and ulceration of the intestines (under 2 years of age)	T	157	–	–	–	–	–	–	–	–	–
		M	94	90	4	–	–	–	–	–	–	–
		F	63	58	5	–	–	–	–	–	–	–
119*a*	Diarrhea and enteritis	T	157	–	–	–	–	–	–	–	–	–
		M	94	90	4	–	–	–	–	–	–	–
		F	63	58	5	–	–	–	–	–	–	–
119*b*	Ulceration of the intestines (except duodenum)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
120	Diarrhea, enteritis and ulceration of the intestines (2 years of age and over)	T	105	–	–	–	–	–	–	–	–	–
		M	37	–	–	–	–	–	–	1	–	3
		F	68	–	–	1	–	–	2	–	1	2
120*a*	Diarrhea and enteritis	T	61	–	–	–	–	–	–	–	–	–
		M	22	–	–	–	–	–	–	1	–	–
		F	39	–	–	1	–	–	2	–	–	–
120*b*	Ulceration of the intestines (except duodenum)	T	44	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	3
		F	29	–	–	–	–	–	–	–	1	2
121	Appendicitis	T	138	–	–	–	–	–	–	–	–	–
		M	89	–	–	–	3	1	3	2	4	3
		F	49	1	1	1	1	1	3	1	1	2

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
112	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	3	1	6	3	8	10	4	4	1	2	1	–	–	–	–
	2	1	1	4	6	2	5	5	10	–	1	–	–	–	–	–	–
113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	1	2	5	6	4	1	2	2	–	–	–	–	–	–
	1	–	1	1	2	–	2	1	1	4	1	–	–	–	–	–	–
114*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	1	1	–	1	3	2	–	1	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
114*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	1	3	3	2	1	1	1	–	–	–	–	–	–
	1	–	1	–	2	–	2	1	1	3	1	–	–	–	–	–	–
1X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	26	43	67	90	120	140	150	138	111	86	55	37	3	–	–	–
	13	29	32	45	60	64	66	89	104	94	68	52	23	9	2	1	–
115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–
	–	3	1	–	–	1	1	–	–	1	–	2	–	–	–	–	–
115*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
115*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
115*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	–	2	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
115*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	8	12	22	25	45	48	24	22	14	14	2	–	–	–	–
	–	1	3	4	2	8	3	9	5	6	6	2	2	1	–	–	–
117*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	7	9	10	14	25	28	15	15	6	6	1	–	–	–	–
	–	1	3	3	2	2	1	7	4	5	1	1	1	1	–	–	–
117*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	1	3	12	11	20	20	9	7	8	8	1	–	–	–	–
	–	–	–	1	–	6	2	2	1	1	5	1	1	–	–	–	–
118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	1	2	1	2	1	–	–	–	1	–	–	–	–
	1	–	–	–	–	–	–	–	1	3	–	–	1	–	–	–	–
119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	3	1	5	3	5	3	2	6	1	3	–	–	–	–
	2	4	2	1	6	6	2	3	7	5	9	7	3	4	1	–	–
120*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	4	2	3	2	–	5	–	3	–	–	–	–
	–	–	–	1	–	2	1	2	4	5	8	5	3	4	1	–	–
120*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	1	1	1	2	1	2	1	1	–	–	–	–	–
	2	4	2	–	6	4	1	1	3	–	1	2	–	–	–	–	–
121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	5	4	2	6	8	6	11	12	7	6	1	–	–	–	–	–
	5	3	2	2	2	3	3	5	3	2	4	2	–	–	–	1	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
122	Hernia and intestinal obstruction	T	304	–	–	–	–	–	–	–	–	–
		M	179	11	–	–	1	1	–	2	–	–
		F	125	4	–	–	–	1	1	–	2	2
122a	Hernia	T	155	–	–	–	–	–	–	–	–	–
		M	106	3	–	–	1	–	–	1	–	–
		F	49	–	–	–	–	–	–	–	–	–
122b	Intestinal obstruction	T	149	–	–	–	–	–	–	–	–	–
		M	73	8	–	–	–	1	–	1	–	–
		F	76	4	–	–	–	1	1	–	2	2
123	Other diseases of the intestines	T	68	–	–	–	–	–	–	–	–	–
		M	29	1	–	–	–	–	–	–	–	–
		F	39	1	–	–	–	–	–	–	–	–
124	Cirrhosis of the liver	T	651	–	–	–	–	–	–	–	–	–
		M	406	–	–	–	–	–	–	–	–	1
		F	245	–	–	–	–	–	–	–	1	2
124a	With mention of alcoholism	T	142	–	–	–	–	–	–	–	–	–
		M	101	–	–	–	–	–	–	–	–	–
		F	41	–	–	–	–	–	–	–	–	–
124b	Without mention of alcoholism	T	509	–	–	–	–	–	–	–	–	–
		M	305	–	–	–	–	–	–	–	–	1
		F	204	–	–	–	–	–	–	–	1	2
125	Other diseases of the liver	T	67	–	–	–	–	–	–	–	–	–
		M	35	3	–	2	–	–	–	–	1	1
		F	32	2	–	–	–	–	–	–	–	–
125a	Acute yellow atrophy of the liver (nonpuerperal)	T	23	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	1	–
		F	18	–	–	–	–	–	–	–	–	–
125b	Others	T	44	–	–	–	–	–	–	–	–	–
		M	30	3	–	2	–	–	–	–	–	1
		F	14	2	–	–	–	–	–	–	–	–
126	Biliary calculi	T	136	–	–	–	–	–	–	–	–	–
		M	47	–	–	–	–	–	–	–	–	–
		F	89	–	–	–	–	–	–	–	–	–
127	Other diseases of the gallbladder and biliary ducts	T	62	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	–	–	–	–	–
		F	42	–	–	–	–	–	–	–	–	–
127a	Cholecystitis (without mention of biliary calculus)	T	48	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	–	–	–	–
		F	32	–	–	–	–	–	–	–	–	–
127b	Others	T	14	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–	–
128	Diseases of the pancreas (except diabetes mellitus)	T	41	–	–	–	–	–	–	–	–	–
		M	19	3	–	–	–	–	–	–	–	–
		F	22	–	1	–	1	–	–	–	–	–
129	Peritonitis (cause not stated)	T	19	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	–	–	1	–	–	–
		F	11	1	–	–	–	–	1	–	–	–
X.	Diseases of the Genito-urinary System	T	2,396	–	–	–	–	–	–	–	–	–
		M	1,303	2	2	2	–	–	4	3	6	11
		F	1,093	–	–	1	1	–	4	2	3	12
130	Acute nephritis	T	43	–	–	–	–	–	–	–	–	–
		M	25	–	–	–	–	–	1	1	3	–
		F	18	–	–	–	–	–	2	1	1	3
131	Chronic nephritis	T	1,903	–	–	–	–	–	–	–	–	–
		M	972	–	–	2	–	–	2	1	3	10
		F	931	–	–	1	–	–	2	1	1	3
131a	Chronic interstitial nephritis and arteriosclerotic kidney	T	960	–	–	–	–	–	–	–	–	–
		M	487	–	–	–	–	–	–	–	–	–
		F	473	–	–	–	–	–	–	–	–	1
131b	Other chronic nephritis	T	943	–	–	–	–	–	–	–	–	–
		M	485	–	–	2	–	–	2	1	3	10
		F	458	–	–	1	–	–	2	1	1	2
132	Nephritis unspecified (10 years of age and over)	T	57	–	–	–	–	–	–	–	–	–
		M	29	–	–	–	–	–	–	–	–	–
		F	28	–	–	–	–	–	–	–	–	1
133	Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth or the puerperium)	T	140	–	–	–	–	–	–	–	–	–
		M	78	2	2	–	–	–	1	1	–	1
		F	62	–	–	–	1	–	–	–	1	3
133a	Pyelitis, pyelonephritis and pyelocystitis	T	105	–	–	–	–	–	–	–	–	–
		M	58	2	1	–	–	–	–	1	–	1
		F	47	–	–	–	1	–	–	–	–	3
133b	Others	T	35	–	–	–	–	–	–	–	–	–
		M	20	–	1	–	–	–	1	–	–	–
		F	15	–	–	–	–	–	–	–	1	–
134	Calculi of the urinary passages	T	29	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	2	4	9	11	15	19	21	21	21	23	13	2	–	–	–
	1	1	2	2	6	5	13	9	16	23	19	12	6	–	–	–	–
122a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	4	6	8	10	19	12	14	15	10	2	–	–	–
	–	–	1	–	3	3	8	2	9	7	8	7	1	–	–	–	–
122b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	4	5	5	7	9	2	9	7	8	3	–	–	–	–
	1	1	1	2	3	2	5	7	7	16	11	5	5	–	–	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	3	2	2	5	5	6	1	–	2	–	–	–	–
	–	1	1	–	2	7	–	2	11	8	3	1	1	1	–	–	–
124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	10	23	35	40	52	55	49	56	41	25	8	7	1	–	–	–
	3	12	16	23	28	24	24	28	31	24	11	11	6	1	–	–	–
124a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	10	11	16	17	15	13	6	6	3	–	–	–	–	–	–
	2	5	2	9	8	3	6	2	3	1	–	–	–	–	–	–	–
124b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	7	13	24	24	35	40	36	50	35	22	8	7	1	–	–	–
	1	7	14	14	20	21	18	26	28	23	11	11	6	1	–	–	–
125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	2	2	4	2	3	5	–	2	1	3	–	–	–	–
	1	2	4	1	3	1	4	4	2	4	2	1	1	–	–	–	–
125a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–
	–	1	2	–	1	1	3	3	2	3	1	1	–	–	–	–	–
125b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	2	1	4	2	2	5	–	2	1	2	–	–	–	–
	1	1	2	1	2	–	1	1	–	1	1	–	1	–	–	–	–
126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	3	4	4	7	2	4	7	5	5	3	–	–	–	–
	–	–	–	5	6	5	7	16	20	13	7	7	2	–	1	–	–
127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	1	1	2	4	1	3	2	1	3	–	–	–	–
	–	–	–	5	4	2	3	7	5	3	5	6	1	1	–	–	–
127a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	–	1	2	3	1	2	2	1	2	–	–	–	–
	–	–	–	5	3	1	2	6	4	1	4	5	–	1	–	–	–
127b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–
	–	–	–	–	1	1	1	1	1	2	1	1	1	–	–	–	–
128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	3	–	6	–	–	2	1	2	–	–	–	–	–	–
	–	1	–	2	1	1	5	4	3	1	1	1	–	–	–	–	–
129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	1	2	–	–	1	–	–	–	–	–
	–	1	1	–	–	1	1	2	–	1	1	–	–	1	–	–	–
X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10	16	20	30	37	84	108	113	146	207	228	131	115	23	5	–	–
	8	8	13	20	47	53	91	104	124	163	166	160	80	26	7	–	–
130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	3	1	1	5	2	–	1	1	1	–	–	1	–	–	–
	–	–	1	1	1	–	2	2	–	2	1	1	–	–	–	–	–
131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	10	11	23	25	66	89	90	114	153	172	91	88	12	4	–	–
	3	5	5	12	36	37	73	93	110	141	156	148	73	24	7	–	–
131a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	1	9	10	32	41	38	62	82	104	43	51	10	2	–	–
	1	1	5	4	14	16	21	44	53	72	89	92	41	14	5	–	–
131b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	8	10	14	15	34	48	52	52	71	68	48	37	2	2	–	–
	2	4	–	8	22	21	52	49	57	69	67	56	32	10	2	–	–
132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	1	3	2	2	1	4	5	4	2	1	1	–	–	–
	1	1	1	1	3	1	3	2	5	4	1	3	1	–	–	–	–
133	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	3	3	7	4	6	8	5	13	7	5	3	2	1	–	–
	–	1	4	2	2	6	9	6	5	10	5	4	2	1	–	–	–
133a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	3	3	4	4	7	5	9	5	4	3	2	1	–	–
	–	1	3	2	1	4	3	5	4	9	5	4	1	1	–	–	–
133b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	1	–	4	–	2	1	–	4	2	1	–	–	–	–	–
	–	–	1	–	1	2	6	1	1	1	–	–	1	–	–	–	–
134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	2	1	1	3	–	2	1	1	1	1	–	–	–	–
	–	–	–	1	–	2	3	1	1	2	–	3	1	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
134a	Kidneys and ureters	T	23	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	–
134b	Bladder	T	6	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
134c	Others	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
135	Diseases of the urinary bladder	T	15	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
135a	Cystitis	T	10	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
135b	Others	T	5	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
136	Diseases of the urethra (except calculus)	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
136a	Stricture of the urethra	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
136b	Others	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	170	–	–	–	–	–	–	–	–	–
		M	170	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
137a	Hypertrophy of the prostate	T	154	–	–	–	–	–	–	–	–	–
		M	154	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
137b	Others	T	16	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
138	Diseases of other male genital organs (not specified as venereal)	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs	T	35	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	35	–	–	–	–	–	–	–	–	2
139a	Ovaries, fallopian tubes and parametria	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
139b	Uterus	T	28	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	28	–	–	–	–	–	–	–	–	2
139c	Others	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperium	T	102	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	102	–	–	–	–	–	–	–	1	22
140	Abortion, with mention of infection	T	6	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	2
140a	Spontaneous, therapeutic or of unspecified origin, with mention of pyelitis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
140b	Spontaneous, therapeutic, or of unspecified origin, with mention of other infection	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	2
140c	Self-induced	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
140d	Induced by other persons, for reasons other than therapeutic	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
141	Abortion without mention of infection	T	5	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	1	1
141a	Spontaneous, therapeutic, or of unspecified origin, with mention of hemorrhage, trauma or shock, and toxemia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
141b	Spontaneous, therapeutic, or of unspecified origin, with mention of hemorrhage, trauma or shock (but not toxemia)	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
134a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	2	1	1	2	-	2	-	-	-	1	-	-	-	-
	-	-	-	1	-	2	2	1	1	2	-	2	1	-	-	-	-
134b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
134c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	3	-	1	1	1	1	2	1	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	1	-	2	1	-	-	-
135a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	1	-	1	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
135b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	5	12	19	32	42	30	21	7	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	4	12	18	29	38	28	20	5	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	1	-	1	3	4	2	1	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	1	2	3	5	6	1	-	3	4	2	1	1	-	-	-	-
139a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
139b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	1	2	2	4	4	1	-	2	4	2	1	-	-	-	-	-
139c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25	24	21	8	1	-	-	-	-	-	-	-	-	-	-	-	-
140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
141c	Spontaneous, therapeutic, or of unspecified origin, with mention of toxemia (but not hemorrhage, trauma or shock)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
141d	Spontaneous, therapeutic, or of unspecified origin, without mention of hemorrhage, trauma or shock, or toxemia	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–
141e	Self-induced	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
141f	Induced by other persons, for reasons other than therapeutic	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
142	Ectopic gestation	T	5	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
142a	With mention of infection	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
142b	Without mention of infection	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
143	Hemorrhage of pregnancy (death before delivery)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
143a	Placenta praevia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
143b	Premature separation of placenta	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
143c	Others	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
144	Toxemias of pregnancy (death before delivery)	T	7	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	1
144a	Eclampsia of pregnancy	T	4	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
144b	Albuminuria and nephritis of pregnancy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
144c	Acute yellow atrophy of liver (during pregnancy)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
144d	Others	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	1
145	Other diseases and accidents of pregnancy (death before delivery)	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
145a	Infection of pregnancy	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
145b	Accidents of pregnancy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
146	Hemorrhage of childbirth and the puerperium	T	14	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	–	2
146a	Placenta praevia (with childbirth)	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
146b	Premature separation of placenta (with childbirth)	T	6	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	1
146c	Others	T	7	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	–	–	–	–	–	1
147	Infection during childbirth and the puerperium	T	24	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	–	8
147a	Puerperal pyelitis and pyelonephritis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
147b	General or local puerperal infection (except pyelitis)	T	12	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	4

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
141c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
141d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
141e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
141f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
142	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
142a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
142b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
143a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
143b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
143c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
144a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
144b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
145	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
145a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
145b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
146a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
146b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
146c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
147	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
147a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
147b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
147c	Puerperal thrombophlebitis	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
147d	Puerperal embolism and sudden death	T	11	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	4
148	Puerperal toxemias (excluding death before delivery)	T	12	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	3
148a	Puerperal eclampsia	T	9	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	3
148b	Puerperal albuminuria and nephritis	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
148c	Acute yellow atrophy of liver (puerperal)	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
148d	Others	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
149	Other accidents and specified conditions of childbirth	T	15	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–	4
149a	Laceration, rupture or other trauma of pelvic organs and tissue	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	1
149b	Other specified conditions	T	12	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	3
150	Other and unspecified conditions of childbirth and the puerperium	T	11	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	1
150a	Infection of breast during lactation	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
150b	Psychosis of the puerperium	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
150c	Others	T	11	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	1
XII.	Diseases of the Skin and Cellular Tissue	T	48	–	–	–	–	–	–	–	–	–
		M	18	3	–	–	–	–	–	–	–	1
		F	30	4	–	–	–	–	–	–	1	1
151	Carbuncle and furuncle	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
152	Phlegmon and acute abscess	T	8	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	–	–	–	–
		F	4	1	–	–	–	–	–	–	–	–
153	Other diseases of the skin and cellular tissue	T	39	–	–	–	–	–	–	–	–	–
		M	14	2	–	–	–	–	–	–	–	1
		F	25	3	–	–	–	–	–	–	1	1
XIII.	Diseases of the Bones and Organs of Movement	T	25	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	–	–	1	2
		F	9	–	–	–	–	–	–	–	1	1
154	Osteomyelitis and periostitis	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
154a	Acute	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
154b	Chronic or unspecified	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
155	Other diseases of the bones (except tuberculosis)	T	9	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	–	–
156	Diseases of the joints and other organs of movement	T	13	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	1	1
		F	6	–	–	–	–	–	–	–	1	1
156a	Diseases of the joints (except tuberculosis and rheumatism)	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
156b	Diseases of other and unspecified organs of movement	T	12	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	1	1
		F	6	–	–	–	–	–	–	–	1	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
147c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
147d	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
148	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
148a	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
148b	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
148c	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
148d	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
149	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
149a	3	1	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
149b	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150	3	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150a	2	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII.	2	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
151	1	–	–	1	2	1	2	–	2	2	2	–	1	–	–	–	–
	–	3	2	1	3	–	2	5	–	2	3	2	1	–	–	–	–
152	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
153	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
XIII.	1	–	–	1	2	1	2	–	1	1	1	–	1	–	–	–	–
	–	3	2	1	3	–	1	3	–	2	3	2	–	–	–	–	–
154	1	–	1	2	1	2	–	2	1	2	–	1	–	–	–	–	–
	1	–	–	–	2	–	1	–	2	–	–	–	1	–	–	–	–
154a	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
154b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
155	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
156	–	–	–	–	–	–	–	2	1	2	–	1	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
156a	1	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
156b	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
XIV.	Congenital Malformations	T	587	–	–	–	–	–	–	–	–	–
		M	309	285	9	3	2	2	3	2	1	–
		F	278	244	14	1	5	3	5	3	–	1
157	Congenital malformations (stillbirths not included)	T	587	–	–	–	–	–	–	–	–	1
		M	309	285	9	3	2	2	3	2	1	1
		F	278	244	14	1	5	3	5	3	–	1
157a	Congenital hydrocephalus	T	116	–	–	–	–	–	–	–	–	–
		M	59	49	5	1	–	1	1	–	1	1
		F	57	47	8	–	1	1	–	–	–	–
157b	Spina bifida and meningocele	T	65	–	–	–	–	–	–	–	–	–
		M	24	24	–	–	–	–	–	–	–	–
		F	41	40	–	–	–	1	–	–	–	–
157c	Anencephalus	T	21	–	–	–	–	–	–	–	–	–
		M	5	5	–	–	–	–	–	–	–	–
		F	16	16	–	–	–	–	–	–	–	–
157d	Other congenital malformations of the central nervous system	T	16	–	–	–	–	–	–	–	–	–
		M	8	7	–	–	–	–	1	–	–	–
		F	8	4	1	–	2	–	1	–	–	–
157e	Congenital malformations of the heart	T	244	–	–	–	–	–	–	–	–	–
		M	129	120	3	2	2	–	–	2	–	–
		F	115	99	3	1	2	1	3	3	–	1
157f	Other congenital malformations of the cardiovascular system	T	2	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
157g	Congenital malformations of the digestive system	T	76	–	–	–	–	–	–	–	–	–
		M	49	48	1	–	–	–	–	–	–	–
		F	27	24	2	–	–	–	1	–	–	–
157h	Congenital malformations of the genito-urinary system	T	6	–	–	–	–	–	–	–	–	–
		M	5	4	–	–	–	1	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–
157m	Other and unspecified congenital malformations	T	41	–	–	–	–	–	–	–	–	–
		M	28	27	–	–	–	–	1	–	–	–
		F	13	13	–	–	–	–	–	–	–	–
XV.	Diseases Peculiar to the First Year of Life	T	1,760	–	–	–	–	–	–	–	–	–
		M	1,016	1,016	–	–	–	–	–	–	–	–
		F	744	744	–	–	–	–	–	–	–	–
158	Congenital debility (cause not stated)	T	16	–	–	–	–	–	–	–	–	–
		M	9	9	–	–	–	–	–	–	–	–
		F	7	7	–	–	–	–	–	–	–	–
159	Premature birth (cause not stated)	T	1,222	–	–	–	–	–	–	–	–	–
		M	698	698	–	–	–	–	–	–	–	–
		F	524	524	–	–	–	–	–	–	–	–
160	Injury at birth	T	173	–	–	–	–	–	–	–	–	–
		M	107	107	–	–	–	–	–	–	–	–
		F	66	66	–	–	–	–	–	–	–	–
160a	Intracranial or spinal hemorrhage	T	143	–	–	–	–	–	–	–	–	–
		M	91	91	–	–	–	–	–	–	–	–
		F	52	52	–	–	–	–	–	–	–	–
160b	Other intracranial or spinal injuries	T	20	–	–	–	–	–	–	–	–	–
		M	11	11	–	–	–	–	–	–	–	–
		F	9	9	–	–	–	–	–	–	–	–
160c	Other injuries at birth	T	10	–	–	–	–	–	–	–	–	–
		M	5	5	–	–	–	–	–	–	–	–
		F	5	5	–	–	–	–	–	–	–	–
161	Other diseases peculiar to the first year of life	T	349	–	–	–	–	–	–	–	–	–
		M	202	202	–	–	–	–	–	–	–	–
		F	147	147	–	–	–	–	–	–	–	–
161a	Asphyxia (cause not specified), atelectasis	T	242	–	–	–	–	–	–	–	–	–
		M	140	140	–	–	–	–	–	–	–	–
		F	102	102	–	–	–	–	–	–	–	–
161b	Infection of the umbilicus; pemphigus and other infections (nonsyphilitic)	T	3	–	–	–	–	–	–	–	–	–
		M	3	3	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
161c	Other specified diseases peculiar to the first year of life	T	104	–	–	–	–	–	–	–	–	–
		M	59	59	–	–	–	–	–	–	–	–
		F	45	45	–	–	–	–	–	–	–	–
XVI.	Senility	T	39	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	27	–	–	–	–	–	–	–	–	–
162	Senility	T	39	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	27	–	–	–	–	–	–	–	–	–
162a	With mention of senile dementia	T	8	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
162b	Without mention of senile dementia	T	31	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	21	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
157	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
157a	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157f	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
157g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157h	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	2	3	4	-	-	-
162	-	-	-	-	-	-	-	-	-	1	4	2	7	13	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162a	-	-	-	-	-	-	-	-	-	1	2	2	3	4	-	-	-
	-	-	-	-	-	-	-	-	-	1	4	2	7	13	-	-	-
162b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	2	2	3	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	2	6	10	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
XVII.	Violent or Accidental Deaths	T	3,377	–	–	–	–	–	–	–	–	–
		M	2,107	47	17	13	25	23	72	38	75	112
		F	1,270	34	12	6	11	7	22	12	25	27
163, 164	Suicide	T	508	–	–	–	–	–	–	–	–	–
		M	368	–	–	–	–	–	–	–	4	12
		F	140	–	–	–	–	–	–	–	4	6
163	Suicide by solid or liquid poisons or by poisonous gases	T	181	–	–	–	–	–	–	–	–	–
		M	106	–	–	–	–	–	–	–	–	1
		F	75	–	–	–	–	–	–	–	4	4
163a	Arsenic and compounds	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163b	Barbituric acid and derivatives	T	30	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	–	–	–	–
		F	22	–	–	–	–	–	–	–	–	3
163c	Cresol compounds	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
163d	Mercury and compounds	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
163e	Nux vomica and strychnine	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163f	Carbolic acid and phenol	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163g	Other solid or liquid poisons	T	18	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	–	–	–
163h	Illuminating gas	T	94	–	–	–	–	–	–	–	–	–
		M	51	–	–	–	–	–	–	–	–	1
		F	43	–	–	–	–	–	–	–	4	1
163m	Motor-vehicle exhaust gas	T	33	–	–	–	–	–	–	–	–	–
		M	31	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
163o	Other carbon monoxide gas	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
163x	Other poisonous gases	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
164	Suicide by other means	T	327	–	–	–	–	–	–	–	–	–
		M	262	–	–	–	–	–	–	–	4	11
		F	65	–	–	–	–	–	–	–	–	2
164a	Suicide by hanging or strangulation	T	144	–	–	–	–	–	–	–	–	–
		M	113	–	–	–	–	–	–	–	3	6
		F	31	–	–	–	–	–	–	–	–	1
164b	Suicide by drowning	T	38	–	–	–	–	–	–	–	–	–
		M	26	–	–	–	–	–	–	–	–	–
		F	12	–	–	–	–	–	–	–	–	–
164c	Suicide by firearms and explosives	T	106	–	–	–	–	–	–	–	–	–
		M	97	–	–	–	–	–	–	–	1	3
		F	9	–	–	–	–	–	–	–	–	1
164d	Suicide by cutting or piercing instruments	T	11	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
164e	Suicide by jumping from high places	T	22	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	1
		F	10	–	–	–	–	–	–	–	–	–
164f	Suicide by crushing	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
164g	Suicide by other or unspecified means	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
165–168	Homicide	T	66	–	–	–	–	–	–	–	–	–
		M	42	3	1	–	1	–	–	1	4	2
		F	24	2	–	–	–	–	2	2	1	2
165	Infanticide (homicide of infants under 1 year of age)	T	5	–	–	–	–	–	–	–	–	–
		M	3	3	–	–	–	–	–	–	–	–
		F	2	2	–	–	–	–	–	–	–	–
166	Homicide by firearms	T	19	–	–	–	–	–	–	–	–	–
		M	10	–	1	–	–	–	–	–	1	2
		F	9	–	–	–	–	–	–	1	1	1
167	Homicide by cutting or piercing instruments	T	9	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
XVII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	101	101	116	143	133	133	167	164	167	156	115	98	61	23	7	–	–
	24	23	27	32	52	55	46	62	93	140	154	183	150	57	15	1	–
163,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164	23	24	32	35	37	28	50	45	30	22	17	5	4	–	–	–	–
	8	7	9	10	24	21	13	16	9	11	1	–	1	–	–	–	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	10	9	14	12	6	18	7	7	5	3	3	2	–	–	–	–
	3	5	4	8	12	8	6	7	6	6	1	–	1	–	–	–	–
163*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	1	2	–	–	–	–	1	–	–	–	–	–	–	–
	1	2	2	2	3	–	3	3	–	3	–	–	–	–	–	–	–
163*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
163*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
163*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	2	2	1	–	–	–	1	1	2	1	–	–	–	–
	1	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
163*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	5	3	4	7	4	9	3	5	2	2	1	1	–	–	–	–
	–	2	2	5	7	7	2	3	5	3	1	–	1	–	–	–	–
163*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	3	7	1	1	7	4	1	1	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
163*o*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	14	23	21	25	22	32	38	23	17	14	2	2	–	–	–	–
	5	2	5	2	12	13	7	9	3	5	–	–	–	–	–	–	–
164*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	3	12	9	13	6	13	22	8	9	5	–	1	–	–	–	–
	–	1	1	2	7	6	6	5	1	1	–	–	–	–	–	–	–
164*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	3	1	4	4	4	4	1	3	1	–	–	–	–	–	–
	1	–	1	–	1	3	1	2	2	1	–	–	–	–	–	–	–
164*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	9	6	9	6	11	13	9	7	4	8	2	1	–	–	–	–
	4	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
164*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	1	1	1	–	2	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
164*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	1	1	–	2	1	4	–	–	–	–	–	–	–	–
	–	–	2	–	2	2	–	1	–	3	–	–	–	–	–	–	–
164*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
165–168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	6	2	2	2	5	2	3	–	1	–	–	–	–	–	–
	3	1	3	3	1	4	–	–	–	–	–	–	–	–	–	–	–
165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
166	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	1	–	2	1	–	2	–	–	–	–	–	–	–	–	–	–	–
167	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
168	Homicide by other means	T	33	–	–	–	–	–	–	–	–	–
		M	22	–	–	–	1	–	–	1	3	–
		F	11	–	–	–	–	–	2	1	–	1
169–198	Accidental deaths	T	2,803	–	–	–	–	–	–	–	–	–
		M	1,697	44	16	13	24	23	72	37	67	98
		F	1,106	32	12	6	11	7	20	10	20	19
169	Railway accidents (except collisions with motor vehicles)	T	40	–	–	–	–	–	–	–	–	–
		M	37	–	–	–	1	–	4	3	–	3
		F	3	–	–	–	–	–	–	–	–	1
170	Motor-vehicle accidents	T	547	–	–	–	–	–	–	–	–	–
		M	425	–	–	4	12	11	26	6	25	42
		F	122	2	1	1	5	3	10	–	10	10
170*a*	Collisions between automobiles and trains	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–
170*b*	Collisions between automobiles and streetcars	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
170*c*	Automobile accidents (except collisions with trains or streetcars)	T	526	–	–	–	–	–	–	–	–	–
		M	407	–	–	4	12	11	26	6	20	37
		F	119	2	1	1	5	3	10	–	8	9
170*d*	Motorcycle accidents (except collisions with automobiles)	T	16	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	–	5	5
		F	2	–	–	–	–	–	–	–	1	1
171	Streetcar and other road-transport accidents	T	21	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	1	1	–	–	2
		F	7	–	–	–	–	–	1	1	–	–
171*a*	Streetcar accidents (except collisions with trains or motor vehicles)	T	12	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	1	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
171*b*	Other and unspecified road-transport accidents	T	9	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	1	–	–	–	2
		F	2	–	–	–	–	–	1	1	–	–
172	Water-transport accidents	T	41	–	–	–	–	–	–	–	–	–
		M	38	–	–	–	–	–	2	3	4	7
		F	3	–	–	–	–	–	–	–	2	1
172*a*	Drowning	T	37	–	–	–	–	–	–	–	–	–
		M	34	–	–	–	–	–	2	3	3	7
		F	3	–	–	–	–	–	–	–	2	1
172*b*	Other water-transport accidents	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–
173	Air-transport accidents	T	25	–	–	–	–	–	–	–	–	–
		M	22	–	–	–	–	–	–	–	1	6
		F	3	–	–	–	–	–	–	–	2	1
174	Accidents in mines and quarries	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
175	Agricultural and forestry accidents	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
175*a*	Accidents involving agricultural machinery and vehicles	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
175*b*	Injury by animals in agriculture	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
175*c*	Other agricultural accidents	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
175*d*	Accidents involving forestry machinery and vehicles	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
175*e*	Other forestry accidents	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
176	Other accidents involving machinery	T	34	–	–	–	–	–	–	–	–	–
		M	34	–	–	1	–	–	1	2	–	2
		F	–	–	–	–	–	–	–	–	–	–
177	Food poisoning	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	84	–	–	–	–	–	–	–	–	–
		M	52	–	–	–	–	–	1	–	–	4
		F	32	–	–	–	–	–	–	–	1	2
178*a*	Illuminating gas	T	69	–	–	–	–	–	–	–	–	–
		M	41	–	–	–	–	–	1	–	–	2
		F	28	–	–	–	–	–	–	–	1	2

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	3	2	2	1	2	2	3	–	1	–	–	–	–	–	–
	2	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–
169–198	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	75	73	78	106	94	103	112	117	134	134	97	93	57	23	7	–	–
	13	15	15	19	27	30	33	46	84	129	153	183	149	57	15	1	–
169	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	1	3	5	3	1	4	3	–	1	1	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
170	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	35	23	20	15	16	20	22	29	43	39	19	12	5	–	1	–	–
	2	3	3	4	5	9	10	12	11	10	9	1	1	–	–	–	–
170*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	33	22	19	14	14	20	21	29	43	39	19	12	5	–	1	–	–
	2	3	3	4	5	9	10	12	11	10	9	1	1	–	–	–	–
170*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	1	1	1	–	2	1	1	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–
171*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	–	1	1	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–
171*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	2	3	–	5	3	1	1	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	1	3	–	5	2	1	–	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
173	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	5	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	1	3	5	2	3	4	4	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
177	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	5	3	7	5	8	6	1	4	4	–	1	1	1	–	–	–
	1	–	3	1	1	2	1	2	6	5	2	3	2	–	–	–	–
178*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	6	4	7	5	1	3	4	–	1	1	1	–	–	–
	1	–	2	1	–	2	1	2	5	5	2	3	1	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
178b	Motor-vehicle exhaust gas	T	6	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	2
		F	–	–	–	–	–	–	–	–	–	–
178c	Other carbon monoxide gas	T	7	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
178x	Other poisonous gases	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179	Acute accidental poisoning by solids or liquids	T	59	–	–	–	–	–	–	–	–	–
		M	29	–	4	–	–	–	1	–	1	1
		F	30	–	2	–	1	–	1	–	2	–
179a	Arsenic and compounds	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–
179b	Barbituric acid and derivatives	T	22	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	1	–
179c	Cresol compounds	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179d	Mercury and compounds	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179e	Nux vomica and strychnine	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–
179f	Carbolic acid and phenol	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179g	Lye and potash	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	1	–	–	–
179h	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179m	Narcotics	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
179o	Methanol and other alcohols	T	7	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
179x	Other and unspecified substances	T	24	–	–	–	–	–	–	–	–	–
		M	15	–	3	–	–	–	1	–	1	–
		F	9	–	1	–	1	–	–	–	–	–
180	Conflagration	T	60	–	–	–	–	–	–	–	–	–
		M	38	–	2	2	1	2	3	–	–	–
		F	22	1	1	1	2	–	1	2	–	1
181	Accidental burns (except conflagration)	T	103	–	–	–	–	–	–	–	–	–
		M	62	1	2	1	1	2	2	2	2	3
		F	41	–	1	1	–	1	1	–	1	–
182	Accidental mechanical suffocation	T	60	–	–	–	–	–	–	–	–	–
		M	42	22	1	–	–	–	1	1	1	–
		F	18	11	2	–	1	–	–	–	–	–
183	Accidental drowning (excepting water-transport accidents)	T	166	–	–	–	–	–	–	–	–	–
		M	146	1	–	5	7	4	23	13	15	8
		F	20	–	–	–	–	3	5	5	1	1
184	Accidental injury by firearms	T	34	–	–	–	–	–	–	–	–	–
		M	32	–	–	–	–	–	1	3	4	5
		F	2	–	–	–	–	–	–	–	–	–
185	Accidental injury by cutting or piercing instruments	T	6	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–
186	Accidental injury by fall or crushing	T	1,259	–	–	–	–	–	–	–	–	–
		M	530	3	3	–	–	1	1	2	6	9
		F	729	2	2	2	1	–	–	1	–	1
186a	Fall	T	1,257	–	–	–	–	–	–	–	–	–
		M	528	3	3	–	–	1	1	2	6	9
		F	729	2	2	2	1	–	–	1	–	1
186b	Crushing	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
187	Cataclysm (all deaths attributed to a cataclysm, regardless of their nature)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	T	5	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–

Each Cause and Class of Causes, according to the List, by Age and Sex: **1947**.

Detailed Int. List No.	Age of decedents (years).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
178*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
178*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–
178*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	4	6	2	2	–	2	1	1	1	–	–	–	–	–	–
	3	2	1	6	5	1	2	1	1	1	1	–	–	–	–	–	–
179*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	1	–	–	–	–	1	–	1	–	–	–	–	–	–
	1	–	1	4	5	–	1	1	–	1	–	–	–	–	–	–	–
179*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
179*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*o*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	4	1	1	–	1	–	1	–	–	–	–	–	–	–
	1	1	–	2	–	1	1	–	–	–	1	–	–	–	–	–	–
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	5	–	1	3	1	4	4	3	–	1	–	1	–	–
	–	3	1	1	2	2	–	1	2	1	–	–	–	–	–	–	–
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	3	4	2	4	2	4	4	6	2	2	7	1	–	1	–	–
	–	–	1	2	–	6	3	4	4	8	3	1	4	–	–	–	–
182	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	4	2	1	1	2	3	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	7	10	5	10	7	3	12	3	1	4	1	1	–	–	–	–
	1	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	4	2	2	2	2	1	–	2	–	–	1	–	–	–	–
	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	5	15	30	21	33	44	37	53	66	62	67	44	21	4	–	–
	3	3	1	4	8	8	11	21	54	99	129	171	137	56	14	1	–
186*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	15	30	21	32	44	37	53	66	62	67	44	21	4	–	–
	3	3	1	4	8	8	11	21	54	99	129	171	137	56	14	1	–
186*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from Detailed International — Total.	Age of decedents (years). Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
189	Hunger or thirst	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	16	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	1	–	–
		F	4	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	10	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–
192	Lightning	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	15	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	2	3
		F	3	–	–	–	–	–	–	–	–	–
194	Poisoning by venomous animals (not occurring in the course of agricultural and forestry operations)	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
195	Other accidents	T	207	–	–	–	–	–	–	–	–	–
		M	143	17	4	–	2	2	4	1	6	3
		F	64	16	2	1	–	–	1	1	1	1
195*a*	Sequelae of preventive immunization, inoculation or vaccination	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
195*b*	Other accidents due to medical or surgical intervention	T	8	–	–	–	–	–	–	–	–	–
		M	5	1	1	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
195*c*	Lack of care of the newborn	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
195*d*	Obstruction, suffocation or puncture by ingested objects	T	59	–	–	–	–	–	–	–	–	–
		M	32	14	2	–	1	1	–	–	–	–
		F	27	15	1	–	–	–	1	–	–	–
195*e*	Others	T	140	–	–	–	–	–	–	–	–	–
		M	106	2	1	–	1	1	4	1	6	3
		F	34	1	1	1	–	–	–	1	1	1
196	Deaths of military personnel during operations of war	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
197	Deaths of civilians due to operations of war	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	2	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
XVIII.	Ill-defined and Unknown Causes	T	103	–	–	–	–	–	–	–	–	–
		M	76	5	2	–	–	–	–	–	1	4
		F	27	2	–	–	–	–	–	–	1	–
199	Sudden death	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
200	Ill-defined and unknown causes	T	102	–	–	–	–	–	–	–	–	–
		M	75	5	2	–	–	–	–	–	1	4
		F	27	2	–	–	–	–	–	–	1	–
200*a*	Ill-defined	T	55	–	–	–	–	–	–	–	–	–
		M	41	4	2	–	–	–	–	–	–	2
		F	14	1	–	–	–	–	–	–	1	–
200*b*	Found dead (cause unknown)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
200*c*	Unknown or unspecified cause	T	47	–	–	–	–	–	–	–	–	–
		M	34	1	–	–	–	–	–	–	1	2
		F	13	1	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: **1947.**

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
189	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	1	–	1	1	1	1	2	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	2	1	2	–	1	–	1	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–
	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	7	4	13	12	13	17	12	8	6	3	1	3	–	–	–	–
	2	1	2	1	4	–	4	3	4	1	7	6	4	1	1	–	–
195*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
195*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	1	–	1	1	1	1	1	2	2	–	1	–	–	–	–
	–	1	1	1	1	–	2	3	1	–	–	–	–	–	–	–	–
195*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	5	3	12	11	12	16	10	6	4	1	1	2	–	–	–	–
	2	–	–	–	2	–	2	–	2	1	7	6	4	1	1	–	–
196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
198	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	5	2	3	9	7	8	5	4	8	4	3	4	–	–	–	–
	2	1	2	3	1	1	2	3	5	1	1	–	2	–	–	–	–
199	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	5	2	3	9	7	7	5	4	8	4	3	4	–	–	–	–
	2	1	2	3	1	1	2	3	5	1	1	–	2	–	–	–	–
200*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	1	5	4	4	1	2	4	3	3	4	–	–	–	–
	–	1	–	1	1	1	2	1	3	–	1	–	1	–	–	–	–
200*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	3	2	2	4	3	3	4	2	4	1	–	–	–	–	–	–
	2	–	2	2	–	–	–	2	2	1	–	–	1	–	–	–	–

Table 15

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes	T	1,156	89	84	80	78	96	102	132	123	94	99	93	86
		M	681	46	52	52	47	61	60	73	75	50	52	58	55
		F	475	43	32	28	31	35	42	59	48	44	47	35	31
I.	Infectious and Parasitic Diseases	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	2	3	3	3	7	2	4	5	1	2	3	3
		F	10	–	2	–	–	–	–	1	2	1	3	–	1
1	Typhoid fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Paratyphoid fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
6	Cerebrospinal (meningococcus) meningitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
10	Diphtheria	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
13–22	Tuberculosis (total)	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	2	2	3	1	6	2	3	4	1	1	2	3
		F	4	–	1	–	–	–	–	1	–	–	1	–	1
13*b*	Tuberculosis of the respiratory system without mention of occupational disease of the lungs	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	1	2	2	1	6	2	3	3	1	1	2	2
		F	4	–	1	–	–	–	–	1	–	–	1	–	1
14	Tuberculosis of the meninges and central nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
16	Tuberculosis of the vertebral column	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Tuberculosis of the genito-urinary system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
24*a*	Septicemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
27*b*	Amebic dysentery	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
30	Syphilis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
30*a*	Locomotor ataxia (tabes dorsalis)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
30*c*	Other syphilis of the central nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
32*a*	Weil's disease	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	–	1	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
33*b*	Influenza (grippe) without respiratory complications specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
44*b*	Lymphogranulomatosis (Hodgkin's disease)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
II.	Cancer and Other Tumors	T	265	–	–	–	–	–	–	–	–	–	–	–	–
		M	146	12	16	8	7	14	12	11	18	12	13	14	9
		F	119	16	13	7	7	10	8	10	11	6	12	9	10
45–55	Cancer and other malignant tumors (total)	T	244	–	–	–	–	–	–	–	–	–	–	–	–
		M	138	12	14	8	7	14	12	11	17	10	13	11	9
		F	106	15	12	7	6	8	8	7	11	5	10	9	8
45	Cancer of the buccal cavity and pharynx	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	1	2	–	1	1	–	–	1
		F	4	1	–	1	–	1	–	–	1	–	–	–	–
45*a*	Lip	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	2	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
45*b*	Tongue	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45*d*	Jaw bone	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	2	–	1	–	–	–	1	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	82	5	6	3	2	11	6	16	65	65	122	224	228	200	109	12	-	-
	54	1	2	2	1	5	3	10	50	46	69	146	143	107	41	1	-	-
	28	4	4	1	1	6	3	6	15	19	53	78	85	93	68	11	-	-
I.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	-	-	-	-	8	7	7	8	5	1	-	-	-	-
	-	-	-	-	-	-	1	-	-	2	4	1	-	-	-	2	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
13–22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	5	6	7	7	4	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-
13*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	5	6	6	5	4	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
44*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
II.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	1	-	7	2	11	37	49	31	5	1	-	-
	-	1	-	-	1	-	-	-	3	7	25	29	20	28	5	-	-	-
45–55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	1	-	5	2	10	33	48	31	5	1	-	-
	-	1	-	-	1	-	-	-	-	5	20	26	20	28	5	-	-	-
45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
45*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
45*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of stillbirths) of residents according to the Detailed International — Months.												
45f	Pharynx	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	1	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
46	Cancer of the digestive organs and peritoneum	T	94	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	4	7	4	2	6	4	6	7	6	3	3	6
		F	36	6	2	2	3	4	–	1	4	2	4	4	4
46a	Esophagus	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	2	–	–	1	1	–	–	–
		F	3	1	–	–	–	–	–	–	1	–	–	1	–
46b	Stomach	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	1	2	1	3	–	1	2	1	2	1	1
		F	9	2	–	–	1	–	–	1	1	2	1	–	1
46c	Duodenum	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46d	Rectum and anus	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	2	–	1	–	–	2	2	1	1	1	4
		F	7	1	–	–	–	1	–	–	1	–	2	1	1
46e	Intestines (except duodenum and rectum)	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	1	–	–	–	1	2	2	–	–	–	–
		F	9	2	1	–	1	3	–	–	–	–	–	–	2
46f	Liver and biliary passages	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	2	–	–	–	2	1	–	1	–	1	1
		F	2	–	–	1	–	–	–	–	–	–	–	1	–
46g	Pancreas	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	1	1	–	–	1	–	–	–
		F	4	–	1	1	1	–	–	–	1	–	–	–	–
46h	Mesentery and peritoneum	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	1	1	–
47	Cancer of the respiratory system	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	2	3	2	1	–	1	2	5	2	3	4	1
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
47a	Larynx	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47c	Bronchus	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	1	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47d	Lung	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	2	1	2	1	–	–	1	3	2	3	3	1
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
47f	Mediastinum and unspecified sites	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
48	Cancer of the uterus	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	8	–	2	1	–	–	1	1	1	1	–	–	1
48a	Cervix	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	1	1	–	1	–	–	1
48b	Other and unspecified sites	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	2	1	–	–	–	–	1	–	–	–	–
49	Cancer of other female genital organs	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	1	–	–	–	–	2	1	–	–	1	1	–
49a	Ovary	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	1	–	–	–	–	1	1	–	–	1	1	–
49d	Vulva	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
50	Cancer of the breast	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	23	3	4	3	1	–	3	1	2	–	3	1	2
51	Cancer of the male genital organs	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	3	–	1	–	2	3	–	2	1	1	2	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51b	Prostate	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	3	–	–	–	2	2	–	2	1	1	2	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51c	Testes	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	Penis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
45*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	5	11	24	13	4	-	-	-
	-	-	-	-	-	-	-	-	-	2	4	10	7	11	2	-	-	-
46*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
46*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	2	2	6	6	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	3	1	3	-	-	-	-
46*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	7	2	2	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-
46*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	3	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	5	-	2	1	-	-	-
46*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
46*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
46*h*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	-	10	12	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
47*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	7	10	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
47*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	4	3	-	-	-	-	-
48*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-
48*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49*a*	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49*d*	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	7	5	3	7	1	-	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	2	4	7	1	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	3	7	1	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51*c*	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51*d*	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
52	Cancer of the urinary organs (male and female)	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	3	1	2	2	–	1	–	–	1	1	–
		F	11	3	3	–	–	–	1	1	1	1	–	1	–
52a	Kidney	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	1	–	–	–	–	1	1	–
		F	7	1	2	–	–	–	1	–	1	1	–	1	–
52b	Bladder	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	2	1	2	1	–	1	–	–	–	–	–
		F	4	2	1	–	–	–	–	1	–	–	–	–	–
53	Cancer of the skin (except vulva and scrotum)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	2	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
54	Cancer of the brain and other parts of the central nervous system	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	2	1	–	–	–	–	1	–
		F	3	–	–	–	–	1	–	–	–	–	–	1	1
54a	Glioma (not specified as benign)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	1	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	–	–	–	–	1	–
54b	Others	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
55	Cancer of other and unspecified organs	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	1	–	1	1	1	2	2	–	3	–	–
		F	13	1	1	–	1	1	1	2	2	1	2	1	–
55b	Bone (except jaw bone and accessory sinuses)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	–	–	–	–	1	–	–
55c	Thyroid gland	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	1	–	–
55e	Other and unspecified organs	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	1	–	–	1	1	2	2	–	3	–	–
		F	9	1	–	–	1	1	1	1	2	1	–	1	–
56	Nonmalignant tumors (including dermoid cysts)	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	1	2	–	3	–
		F	8	1	–	–	–	–	–	3	–	1	2	–	1
56a	Ovary	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
56b	Uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
56d	Brain and other parts of the central nervous system	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	1	1	–	2	–
		F	5	–	–	–	–	–	–	2	–	1	1	–	1
56e	Other and unspecified organs	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	–	1	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
57	Tumors of unspecified nature	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	2	–	–	–	–	–	–	–	–	–	–
		F	5	–	1	–	1	2	–	–	–	–	–	–	1
57b	Uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
57d	Brain and other parts of the central nervous system	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	2	–	–	–	–	–	–	–	–	–	–
		F	3	–	1	–	1	1	–	–	–	–	–	–	–
57e	Other and unspecified organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
III.	Rheumatism, Diseases of Nutrition and of the Endocrine Glands, Other General Diseases and Avitaminoses	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	1	3	3	–	–	2	1	–	2	2	–
		F	16	–	–	–	–	1	3	1	4	4	1	1	1
61	Diabetes mellitus	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	1	3	1	–	–	2	1	–	2	2	–
		F	16	–	–	–	–	1	3	1	4	4	1	1	1
63b	Exophthalmic goiter	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
66b	Other general diseases	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	Diseases of the Blood and Blood-forming Organs	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	–	–	1	1	2	–	1	1	1
		F	6	–	–	–	1	1	1	1	–	1	1	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Age of Decedents (Years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	3	2	5	–	–	–	–
	–	–	–	–	1	–	–	–	–	1	2	2	1	4	–	–	–	–
52a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	–	–	–	–	1	–	–	–	–	1	2	1	1	1	–	–	–	–
52b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	2	1	4	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–
53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	1	–	1	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
54a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
54b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	5	3	2	–	–	–	–
	–	1	–	–	–	–	–	–	–	1	3	2	2	4	–	–	–	–
55b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
55c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
55e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	5	3	2	–	–	–	–
	–	1	–	–	–	–	–	–	–	1	2	2	–	3	–	–	–	–
56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	1	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	1	2	2	–	–	–	–	–	–
56a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
56b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
56d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–
56e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–
57b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
57d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
57e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
III.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	2	1	5	3	1	1	–	–	–
	–	1	–	–	–	–	–	–	1	–	–	3	4	4	3	–	–	–
61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	4	3	1	1	–	–	–
	–	1	–	–	–	–	–	–	1	–	–	3	4	4	3	–	–	–
63b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
66b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	2	–	–	–	1	–	1	3	–	–	–	–	–
	–	–	2	–	–	3	–	–	–	–	–	1	–	–	–	–	–	–

Detailed List Int. No.	Table 15 — Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Months.												
72a	Primary purpuras	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
73	Anemias (except splenic anemia)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	1	1	–	–	–	–	–
73a	Pernicious anemia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	1	1	–	–	–	–	–
73d	Other and unspecified anemias	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
74a	Leukemias	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	–	–	1	1	2	–	1	–	1
		F	3	–	–	–	1	–	–	–	–	1	1	–	–
V.	Chronic Poisoning and Intoxication	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	1	–	1	–	–	–
		F	2	–	–	–	1	–	–	–	–	1	–	–	–
77	Alcoholism (ethylism)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	1	–	1	–	–	–
		F	2	–	–	–	1	–	–	–	–	1	–	–	–
77c	Acute alcoholism	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	1	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
77d	Chronic alcoholism	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
77e	Other and unspecified alcoholism	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and Sense Organs	T	92	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	4	3	5	1	1	4	5	7	3	3	1	1
		F	54	2	1	3	9	3	6	9	5	2	5	4	5
80a	Intracranial abscess	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
81b	Acute cerebrospinal meningitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
83	Intracranial lesions of vascular origin	T	82	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	4	3	4	1	1	4	3	7	2	3	1	1
		F	48	2	–	2	6	3	6	9	5	2	4	4	5
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	T	75	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	4	3	3	1	1	3	3	7	2	3	1	1
		F	43	2	–	2	5	3	6	8	4	2	2	4	5
83b	Cerebral embolism and thrombosis	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	1	–	–	–	–	–	–
		F	5	–	–	–	1	–	–	1	1	–	2	–	–
84d	Other mental diseases	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
86	Convulsions (under 5 years of age)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
87	Other diseases of the nervous system	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	4	–	–	1	3	–	–	–	–	–	–	–	–
87c	Paralysis agitans (except result of encephalitis)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
87e	Other diseases of the nervous system	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	3	–	–	1	2	–	–	–	–	–	–	–	–
VII.	Diseases of the Circulatory System	T	349	–	–	–	–	–	–	–	–	–	–	–	–
		M	200	15	11	21	13	15	18	21	18	13	14	20	21
		F	149	14	6	11	7	10	15	14	16	17	17	12	10
91a	Bacterial endocarditis (acute, sub-acute or unspecified)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
92	Chronic affections of the valves and endocardium	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	–	–	1	2	–	–	1	–	2	1
		F	9	1	–	1	1	–	–	–	2	1	–	3	–
92a	Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	–	–	1	–	–	1	–	2	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
72a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
73a	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73d	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
74a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	2	-	-	-	1	-	1	2	-	-	-	-	-
V.	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
77c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
77d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
77e	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	1	-	1	2	2	3	9	3	11	5	-	-	-
	1	-	1	-	-	2	-	-	2	-	2	8	19	9	9	1	-	-
80a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	1	2	3	-	-	-	-	-	-	-
	-	-	1	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-
83a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	1	2	3	8	2	10	4	-	-	-
	-	-	1	-	-	1	-	-	-	-	2	6	16	8	8	1	-	-
83b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-
84d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-
87c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
87e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
VII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	5	10	21	56	49	43	16	-	-	-
	-	-	-	-	-	-	1	1	2	3	8	19	29	41	38	7	-	-
91a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	4	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	3	-	3	-	-	-
92a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

Table 15

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
92b	Diseases of the mitral valve (whether or not specified as rheumatic)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	1	1	–	2	–
92c	Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
92d	Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	4	1	–	–	1	–	–	–	1	–	–	1	–
93	Diseases of the myocardium	T	138	–	–	–	–	–	–	–	–	–	–	–	–
		M	73	6	3	7	8	6	5	6	4	5	4	7	12
		F	65	5	4	8	1	4	10	7	4	9	7	4	2
93d	Chronic myocarditis and myocardial degeneration, not specified as rheumatic	T	123	–	–	–	–	–	–	–	–	–	–	–	–
		M	66	6	3	7	6	5	5	5	4	5	4	5	11
		F	57	5	4	5	–	4	8	6	4	9	6	4	2
93e	Other myocarditis (not specified as acute, chronic or rheumatic)	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	2	1	–	1	–	–	–	2	1
		F	8	–	–	3	1	–	2	1	–	–	1	–	–
94	Diseases of the coronary arteries and angina pectoris	T	151	–	–	–	–	–	–	–	–	–	–	–	–
		M	103	6	7	13	5	7	10	14	12	7	6	11	5
		F	48	3	2	1	5	4	3	3	6	5	8	3	5
94a	Diseases of the coronary arteries	T	150	–	–	–	–	–	–	–	–	–	–	–	–
		M	102	6	7	12	5	7	10	14	12	7	6	11	5
		F	48	3	2	1	5	4	3	3	6	5	8	3	5
94b	Angina pectoris	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
95	Other diseasesof the heart	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	1	–	–	–	–	1	–	–	1	–	2
		F	13	5	–	–	–	1	1	1	2	1	–	1	1
95b	Other diseases of the heart specified as rheumatic	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	–	–	1	–	1
		F	7	3	–	–	–	1	–	–	1	1	–	1	–
95c	Other diseases of the heart, not specified as rheumatic	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	1	–	–	–	–	1	–	–	–	–	1
		F	6	2	–	–	–	–	1	1	1	–	–	–	1
96	Aneurysm (except of heart and aorta)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	1	–	1
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
97	Aeteriosclerosis (except coronary or renal sclerosis)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	1	–	–	–	–
		F	6	–	–	1	–	–	1	2	–	–	1	–	1
99	Other diseases of the arteries	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	1	–	–	1	–	–	–	–
100b	Other diseases of the veins	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	1	–	–
102	High blood pressure (idiopathic)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	1	–	1	–
VIII.	Diseases of the Respiratory System	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	4	–	2	3	2	1	2	2	3	1	1	–
		F	12	1	1	1	1	1	1	5	–	–	–	1	–
105	Diseases of the larynx	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
106b	Chronic bronchitis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	–	1	–	–	–	–	–
107	Bronchopneumonia (including capillary bronchitis)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	1	–	1	–	–	–	2	1	–	–
		F	3	–	–	1	–	–	–	2	–	–	–	–	–
108	Lobar pneumonia	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	–	1	2	–	1	1	1	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
109	Pneumonia (unspecified)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	1	–
		F	3	1	–	–	1	1	–	–	–	–	–	–	–
111a	Hemorrhagic infarction and thrombosis of the lungs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
92b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
92c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	2	5	14	18	20	12	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	8	8	20	24	2	-	-
93d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	2	5	13	17	16	11	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	7	7	17	21	2	-	-
93e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	-	-	-
94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	5	13	32	27	21	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	6	17	15	6	4	-	-
94a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	5	12	32	27	21	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	6	17	15	6	4	-	-
94b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	3	2	1	3	1	-	-	-
95b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	3	1	-	1	-	-	-	-
95c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	-	-
96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-
99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
100b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	1	1	2	1	1	7	1	3	-	-	-
	2	2	-	-	-	-	-	-	-	3	1	-	1	-	2	1	-	-
105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	-	-	-	2	-	3	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	-	1	1	1	3	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
111a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of stillbirths) of residents according to the Detailed International — Months.												
114	Other diseases of the respiratory system (except tuberculosis)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
114*d*	Abscess of lung	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114*e*	Other and unspecified diseases of the respiratory system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
IX.	Diseases of the Digestive System	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	2	2	2	5	8	2	6	2	1	2	2	4
		F	24	1	–	1	1	2	2	5	4	3	3	2	–
116	Diseases of the esophagus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Ulcer of stomach or duodenum	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	–	1	3	1	1	–	1	1	–	1
		F	2	–	–	–	–	–	1	–	–	–	1	–	–
117*a*	Stomach	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	1	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117*b*	Duodenum	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	–	2	–	1	–	1	1	–	–
		F	2	–	–	–	–	–	1	–	–	–	1	–	–
118	Other diseases of the stomach (except cancer)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
119*a*	Diarrhea and enteritis (under 2 years of age)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
120	Diarrhea, enteritis and ulceration of the intestines (2 years of age and over)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	1	–	–	–	–	1	–	–
		F	3	–	–	–	–	1	–	1	1	–	–	–	–
120*a*	Diarrhea and enteritis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	–	1	–	–	–	–
120*b*	Ulceration of the intestines (except duodenum)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	1	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
121	Appendicitis	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	1	–	–	–	–
		F	3	–	–	–	–	1	–	–	2	–	–	–	–
122	Hernia and intestinal obstruction	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	1	–	–	1	–	–	–	1	–
		F	4	–	–	–	–	–	–	1	–	2	1	–	–
122*a*	Hernia	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	1	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
122*b*	Intestinal obstruction	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	2	1	–	–
123	Other diseases of the intestines	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	1	–	–	–	–	–
		F	2	–	–	–	1	–	–	–	–	–	–	1	–
124*b*	Cirrhosis of the liver without mention of alcoholism	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	2	1	–	1	–	–	–	1	1
		F	5	1	–	1	–	–	–	–	–	1	1	1	–
126	Biliary calculi	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	–	–	1
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
127*a*	Cholecystitis (without mention of biliary calculus)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
128	Diseases of the pancreas (except diabetes mellitus)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
129	Peritonitis (cause not stated)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	1	1	–	–	–	–
X.	Diseases of the Genito-urinary System	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	1	7	3	4	2	4	1	4	3	2	2	4
		F	22	5	3	1	2	3	1	–	1	–	1	4	1
130	Acute nephritis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	–	1
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
131	Chronic nephritis	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	–	4	3	3	–	3	1	2	3	1	2	2
		F	19	4	2	1	2	3	1	–	1	–	1	3	1

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	1	1	1	6	8	9	7	3	–	–	–
	2	–	–	1	–	–	–	–	1	–	3	9	5	2	1	–	–	–
116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	2	2	2	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
117a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	2	2	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
119a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
120a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
120b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–
	1	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
122a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
122b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
124b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	2	1	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–
126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
127a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	2	6	7	6	8	5	–	–	–
	–	–	1	–	–	–	–	–	1	1	4	3	3	4	5	–	–	–
130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	2	5	4	4	4	3	–	–	–
	–	–	1	–	–	–	–	–	1	–	4	2	2	4	5	–	–	–

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
131a	Chronic interstitial nephritis and arteriosclerotic kidney	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	2	1	1	–	3	1	2	1	–	–	1
		F	12	3	–	–	2	2	1	–	1	–	1	1	1
131b	Other chronic nephritis	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	2	2	2	–	–	–	–	2	1	2	1
		F	7	1	2	1	–	1	–	–	–	–	–	2	–
132	Nephritis unspecified (10 years of age and over)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
133	Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth or the puerperium)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	–	–	1	–
133a	Pyelitis, pyelonephritis and pyelocystitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
133b	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
134	Calculi of the urinary passages	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	1	–	1	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134a	Kidneys and ureters	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134b	Bladder	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137a	Hypertrophy of the prostate	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	2	–	–	1	–	–	1	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth and the Puerperium	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	–	1	–	–	–	–	3	–	2	–	–	–
140d	Abortion induced by other persons, for reasons other than therapeutic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
141f	Abortion without mention of infection, induced by other persons, for reasons other than therapeutic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
146c	Other hemorrhages of childbirth and the puerperium	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	1	–	–	–
147	Infection during childbirth and the puerperium	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	1	–	–	–
147b	General or local puerperal infection (except pyelitis)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
147d	Puerperal embolism and sudden death	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
XII.	Diseases of the Skin and Cellular Tissue	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
153	Other diseases of the skin and cellular tissue	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII.	Diseases of the Bones and Organs of Movement	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV.	Congenital Malformations	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	2	2	1	–	–	2	3	–	3	2	2	1
		F	11	3	–	2	1	–	1	2	1	1	–	–	–
157	Congenital malformations (stillbirths not included)	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	2	2	1	–	–	2	3	–	3	2	2	1
		F	11	3	–	2	1	–	1	2	1	1	–	–	–
157a	Congenital hydrocephalus	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	1	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
157b	Spina bifida and meningocele	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
131*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	5	1	1	2	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	2	-	4	3	-	-	-
131*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	-	3	3	2	1	-	-	-
	-	-	1	-	-	-	-	-	1	-	1	-	2	-	2	-	-	-
132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
133*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
133*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-
140*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
141*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
146*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
147*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
147*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
XII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	10	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	10	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
157*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International	Months.											
157c	Anencephalus	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	1	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	–	–
157e	Congenital malformations of the heart	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	2	–	–	–	–	2	–	1	1	1	1
		F	2	1	–	–	–	–	–	–	–	1	–	–	–
157f	Other congenital malformations of the cardiovascular system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–
157g	Congenital malformations of the digestive system	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	1	–	–	2	–	–	1	–	1	–
		F	3	1	–	2	–	–	–	–	–	–	–	–	–
157m	Other and unspecified congenital malformations	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
XV.	Diseases Peculiar to the First Year of Life	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	1	2	–	4	2	2	5	2	3	2	3	6
		F	11	1	1	1	–	1	1	–	2	1	2	1	–
158	Congenital debility (cause not stated)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth (cause not stated)	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	–	1	–	4	1	2	2	2	3	1	2	4
		F	8	1	1	1	–	1	1	–	2	–	1	–	–
160	Injury at birth	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	–	–	–	–	1	2
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
160a	Intracranial or spinal hemorrhage	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–	–	1	2
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
160b	Other intracranial or spinal injuries	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
161	Other diseases peculiar to the first year of life	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	3	–	–	1	–	–
		F	2	–	–	–	–	1	–	–	–	1	–	1	–
161a	Asphyxia (cause not specified), atelectasis	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	3	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	1	–	1	–
161c	Other specified diseases peculiar to the first year of life	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVI.	Senility	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Violent or Accidental Deaths	T	120	–	–	–	–	–	–	–	–	–	–	–	–
		M	87	3	4	3	4	10	12	11	14	7	8	6	5
		F	33	–	4	1	1	3	3	8	2	5	2	1	3
163, 164	Suicide (total)	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	–	2	–	1	1	1	1	–	1
		F	3	–	1	–	–	–	–	1	–	–	–	1	–
163	Suicide by solid or liquid poisons or by poisonous gases	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	1	–	–	–	1	–	–	1
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
163b	Barbituric acid and derivatives	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
163g	Other solid or liquid poisons	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163h	Illuminating gas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164	Suicide by other means	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	–	1	1	–	1	–	–
		F	2	–	–	–	–	–	–	1	–	–	1	–	–
164a	Suicide by hanging or strangulation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164b	Suicide by drowning	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	–	1	–
164c	Suicide by firearms and explosives	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164e	Suicide by jumping from high places	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	Age of decedents (years).																	
157c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
157g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
158	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	1	6	22	15	13	13	8	4	3	–	–	–
	2	–	–	–	–	1	1	2	3	1	4	5	4	5	5	–	–	–
163, 164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	2	2	1	1	1	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
163b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
163g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163h	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164c	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
164e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 15 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
165–168	Homicide (total)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
168	Homicide by other means	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
169–198	Accidents (total)	T	108	–	–	–	–	–	–	–	–	–	–	–	–
		M	78	3	3	3	4	8	12	10	13	5	7	6	4
		F	30	–	3	1	1	3	3	7	2	5	2	–	3
169	Railwayaccidents (except collisions with motor vehicles)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	1	–	1	–	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
170	Motor vehicle accidents	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	1	1	1	1	2	5	2	5	1	4	3	–
		F	11	–	2	–	1	–	1	3	1	2	1	–	–
170c	Automobile accidents (except collisions with trains or streetcars	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	1	1	1	1	2	5	2	5	1	3	3	–
		F	11	–	2	–	1	–	1	3	1	2	1	–	–
170d	Motorcycle accidents (except collisions with automobiles	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
172	Water-transport accidents	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	4	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
172a	Drowning	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	3	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
172b	Other water-transport accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
173	Air-transport accidents	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	1	1	2	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179b	Acute accidental poisoning by barbituric acid and derivatives	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
181	Accidental burns (except conflagration)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
182	Accidental mechanical suffocation	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
183	Accidental drowning (excepting water-transport accidents)	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	–	–	2	1	1	4	1	1	–	–
		F	4	–	–	–	–	–	–	2	1	–	–	–	1
186a	Accidental injury by fall	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	1	–	1	2	1	4	3	1	1	1	1
		F	10	–	–	1	–	1	2	2	–	2	–	–	2
195	Other accidents	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	1	–	–	–	–	1	–	2	–	–
		F	2	–	1	–	–	–	–	–	–	–	–	–	1
195b	Other accidents due to medical or surgical intervention	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195d	Obstruction, suffocation or puncture by ingested objects	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
195e	Other and unspecified accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	1	–	–	–	1
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
XVIII.	Ill-defined and Unknown Causes	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
165–	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169–	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	1	-	-	-	-	1	1	5	22	13	10	12	7	3	3	-	-	-
	2	-	-	-	-	1	1	1	3	1	3	4	4	5	5	-	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	4	9	5	1	4	3	-	-	-	-	-
	1	-	-	-	-	-	1	-	2	-	-	2	3	1	1	-	-	-
170c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	4	9	4	1	4	3	-	-	-	-	-
	1	-	-	-	-	-	1	-	2	-	-	2	3	1	1	-	-	-
170d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	1	3	4	-	1	-	-	-	-
	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
186a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	2	4	2	2	1	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	1	3	3	-	-	-
195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	4	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
195b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
195e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
XVIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International												
				Months.											
	All Causes.	T	703	56	55	74	57	63	79	80	63	55	45	34	42
		M	465	34	41	46	36	33	56	56	49	38	31	18	27
		F	238	22	14	28	21	30	23	24	14	17	14	16	15
I.	Infectious and Parasitic Diseases	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	–	1	1	2	1	4	3	4	1	1	–	1
		F	4	–	–	–	–	1	1	–	1	–	–	1	–
13–22	Tuberculosis (total)	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	1	1	2	–	3	2	3	1	–	–	1
		F	2	–	–	–	–	–	1	–	–	–	–	1	–
13*b*	Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes) without mention of occupational diseases of the lungs	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	1	1	2	–	3	2	2	1	–	–	1
		F	2	–	–	–	–	–	1	–	–	–	–	1	–
14	Tuberculosis of the meninges and central nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
24*a*	Septicemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
28	Malaria	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
30	Syphilis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	1	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
30*b*	General paralysis of the insane	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
30*g*	Other and unspecified forms of syphilis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
33*a*	Influenza (grippe) with respiratory complications specified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
36	Acute poliomyelitis and acute polioencephalitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	Cancers and Other Tumors	T	65	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	3	2	5	3	–	4	2	6	4	4	3	1
		F	28	1	1	4	–	5	3	1	1	2	4	3	3
45–55	Cancer and other malignant tumors	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	3	2	5	3	–	4	2	5	4	4	3	1
		F	26	1	1	4	–	5	2	1	1	2	4	2	3
45	Cancer of the buccal cavity and pharynx	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45*a*	Lip	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45*f*	Pharynx	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46	Cancer of the digestive organs and peritoneum	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	–	3	3	–	2	1	4	4	1	2	–
		F	12	–	1	3	–	3	–	–	–	1	2	1	1
46*b*	Stomach	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	2	3	–	–	1	1	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
46*d*	Rectum and anus	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46*e*	Intestines (except duodenum and rectum)	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	–	–	–	–	–	–	1	3	1	1	–
		F	10	–	1	2	–	2	–	–	–	1	1	1	1
46*f*	Liver and biliary passages	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
46*g*	Pancreas	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	1	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47	Cancer of the respiratory system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47*c*	Bronchus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES, LIST, BY MONTHS AND SEX AND BY AGE AND SEX: **1947.**

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	18	1	–	2	2	3	1	22	41	58	86	134	132	125	72	6	–	–
	9	1	–	1	1	2	1	19	30	47	73	101	77	68	31	4	–	–
	9	–	–	1	1	1	–	3	11	11	13	33	55	57	41	2	–	–
I.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	1	6	5	3	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–
13–22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	1	4	4	3	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
13*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	4	4	3	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
30*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
33*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	10	7	12	3	2	–	–
	–	–	–	–	–	–	–	–	–	1	2	6	10	8	1	–	–	–
45–55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	9	7	12	3	2	–	–
	–	–	–	–	–	–	–	–	–	1	2	4	10	8	1	–	–	–
45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	5	5	7	3	1	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	5	5	–	–	–	–
46*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
46*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
46*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	4	5	–	–	–	–
46*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
46*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
47*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 16 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
47d	Lung	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
48	Cancer of the uterus	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	1	–	–	–	–
48a	Cervix	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
48b	Other and unspecified sites	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
49a	Cancer of the ovary	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
50	Cancer of the breast	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	1	–	–	–	1	1	–	–	–	–	1	1
51b	Cancer of the prostate	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	1	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer of the urinary organs (male and female)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	1	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
52a	Kidney	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52b	Bladder	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
53	Cancer of the skin (except vulva and scrotum)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
55	Cancer of other and unspecified organs	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	–	–	–	–	1	–	–
		F	5	–	–	1	–	1	1	–	–	–	1	–	1
55b	Bone (except jaw bone and accessory sinuses)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	1	–	–	–	–	–	–	1	–	–
55c	Thyroid gland	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
55e	Other and unspecified organs	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	1	–	–	–	–	–	1
56b	Nonmalignant tumors (including dermoid cysts) of the uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
57	Tumors of unspecified nature	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
57d	Brain and other parts of the central nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
57e	Other and unspecified organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	Rheumatism, Diseases of Nutrition and of the Endocrine Glands, Other General Diseases, and Avitaminoses	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	2	–	–	–	–	–
		F	9	1	1	–	1	1	2	1	–	–	–	–	2
61	Diabetes mellitus	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	1	–	–	–	–	–
		F	7	1	1	–	1	1	1	–	–	–	–	–	2
64	Diseases of the thymus gland	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
65a	Addison's disease	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
66b	Other general diseases	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
IV.	Diseases of the Blood and Blood-forming Organs	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	2	–	–	–	1	1	1	–	–	–
		F	5	2	–	1	–	1	–	–	–	–	–	1	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
47*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
48*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
48*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
49*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-
51*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
52*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
55*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
55*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
55*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
56*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
57*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
57*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	1	-	-	-	1	-	-	-	1	-	-	1	1	2	2	-	-	-
61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	-	-	-
64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
72a	Primary purpuras	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
73	Anemias (except splenic anemia)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
73a	Pernicious anemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
73d	Other and unspecified anemias	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
74a	Leukemias	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	1	1	–	–	–
		F	3	2	–	–	–	–	–	–	–	–	–	1	–
76a	Agranulocytosis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	Chronic Poisoning and Intoxication	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77	Alcoholism (ethylism)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77c	Acute alcoholism	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77d	Chronic alcoholism	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77e	Other and unspecified alcoholism	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and Sense Organs	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	–	3	–	2	3	4	4	–	4	3	4	3
		F	23	1	–	3	2	5	2	4	1	2	2	–	1
80b	Other encephalitis (nonepidemic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
83	Intracranial lesions of vascular origin	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	–	3	–	2	2	3	4	–	4	2	4	3
		F	22	1	–	3	2	4	2	4	1	2	2	–	1
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	–	2	–	1	1	3	4	–	3	–	3	3
		F	19	1	–	3	2	3	2	3	1	1	2	–	1
83b	Cerebral embolism and thrombosis	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	1	1	–	–	–	1	2	1	–
		F	3	–	–	–	–	1	–	1	–	1	–	–	–
85	Epilepsy	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
88	Diseases of the organs of vision	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
89b	Diseases of the mastoid process	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VII.	Diseases of the Circulatory System	T	283	–	–	–	–	–	–	–	–	–	–	–	–
		M	177	15	14	24	12	15	22	19	13	14	11	4	14
		F	106	10	8	13	12	8	11	10	5	11	6	6	6
92	Chronic affections of the valves and endocardium	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	1	–	–	–	–	–	–	–
		F	6	1	1	1	–	1	1	1	–	–	–	–	–
92a	Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
92b	Diseases of the mitral valve (whether or not specified as rheumatic)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1		–	–	–	–	–	1	–	–	–	–	–
92d	Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	1	1	1	–	1	–	–	–	–	–	–	–
92e	Endocarditis (not specified as acute, chronic or rheumatic, 45 years of age and over)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
72a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
73a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73d	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
74a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
76a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	1	2	2	3	6	11	3	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	4	5	6	4	1	-	-
80b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	1	3	6	11	3	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	4	5	6	3	1	-	-
83a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	-	3	5	9	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	3	5	5	3	-	-	-
83b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
89b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	1	8	29	49	41	31	14	2	-	-
	-	-	-	-	-	-	-	1	3	3	4	14	26	30	25	-	-	-
92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-
92a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
92b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
92d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
92e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 16

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
93	Diseases of the myocardium	T	110	–	–	–	–	–	–	–	–	–	–	–	–
		M	53	5	3	9	3	5	8	4	3	3	2	2	6
		F	57	2	4	6	9	3	5	5	4	6	5	4	4
93*a*	Acute myocarditis (except rheumatic) . . .	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
93*d*	Chronic myocarditis and myocardial degeneration, not specified as rheumatic	T	90	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	4	2	6	3	4	7	4	1	3	2	1	6
		F	47	2	3	5	7	3	5	4	4	5	2	3	4
93*e*	Other myocarditis (not specified as acute, chronic or rheumatic) . . .	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	3	–	–	1	–	2	–	–	–	–
		F	9	–	1	1	2	–	–	1	–	1	3	–	–
94	Diseases of the coronary arteries and angina pectoris .	T	137	–	–	–	–	–	–	–	–	–	–	–	–
		M	107	10	8	15	7	7	11	13	8	10	8	2	8
		F	30	3	1	5	2	4	4	3	1	4	1	–	2
94*a*	Diseases of the coronary arteries	T	136	–	–	–	–	–	–	–	–	–	–	–	–
		M	106	10	8	14	7	7	11	13	8	10	8	2	8
		F	30	3	1	5	2	4	4	3	1	4	1	–	2
94*b*	Angina pectoris . . .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
95	Other diseases of the heart .	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	2	–	2	1	2	1	1	1	–	–	–
		F	11	4	2	1	–	–	–	1	–	1	–	2	–
95*a*	Functional diseases of the heart (without mention of organic lesion) . .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
95*b*	Other diseases of the heart specified as rheumatic .	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	1	1	–	–	–	–	–	–	–	–	2	–
95*c*	Other diseases of the heart, not specified as rheumatic	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	2	–	2	1	1	1	1	1	–	–	–
		F	7	3	1	1	–	–	–	1	–	1	–	–	–
97	Arteriosclerosis (except coronary or renal sclerosis) .	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	1	–	–
		F	2	–	–	–	1	–	1	–	–	–	–	–	–
99	Other diseases of the arteries	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
103	Other diseases of the circulatory system . . .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	Diseases of the Respiratory System . . .	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	–	4	1	2	–	1	–	1	–	3	1	4
		F	11	3	1	2	1	1	–	1	–	–	1	1	–
106*c*	Bronchitis (unspecified) .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia (including capillary bronchitis) .	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	–	–	–	–	–	1	–	3
		F	3	1	–	–	1	–	–	–	–	–	1	–	–
108	Lobar pneumonia . .	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	2	1	–	–	–	–	1	–	1	–	–
		F	5	1	–	2	–	1	–	1	–	–	–	–	–
109	Pneumonia (unspecified) .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
111	Hemorrhagic infarction, thrombosis, edema and chronic congestion of the lungs .	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	1	–	–
		F	2	–	1	–	–	–	–	–	–	–	–	1	–
111*a*	Hemorrhagic infarction and thrombosis of the lungs .	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
111*b*	Acute edema of the lungs .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
111*c*	Chronic and unspecified congestion of the lungs . .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
112	Asthma	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114	Other diseases of the respiratory system (except tuberculosis)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114*d*	Abscess of lung . . .	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	4	7	11	11	11	8	1	-	-
93a	-	-	-	-	-	-	-	-	1	-	2	7	13	20	14	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
93d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	5	8	10	10	8	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	5	11	17	12	-	-	-
93e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	3	-	1	-	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	-	-	-
94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	3	19	35	27	18	4	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	3	10	6	9	-	-	-
94a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	3	19	34	27	18	4	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	3	10	6	9	-	-	-
94b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	2	3	1	2	1	-	-	-
	-	-	-	-	-	-	-	1	2	2	1	3	2	-	-	-	-	-
95a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
95c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-
97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	-	-	1	2	1	2	5	3	1	-	-	-
	1	-	-	-	-	-	-	-	-	1	-	1	2	2	3	1	-	-
106c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	2	-	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-
109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
111a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
111b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
114e	Other and unspecified diseases of the respiratory system	T	1	–	–	–	–	–	–	–	–	–	–	–	1
		M	1	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IX.	Diseases of the Digestive System	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	4	–	1	2	–	1	2	3	1	1	–	–
		F	7	1	–	1	–	–	1	2	1	–	–	–	1
117	Ulcer of stomach or duodenum	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	2	–	–	2	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
117a	Stomach	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	2	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
117b	Duodenum	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
119a	Diarrhea and enteritis (under 2 years of age)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
120a	Diarrhea and enteritis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
121	Appendicitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
122	Hernia and intestinal obstruction	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	–	–	–	1	1	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	–	1
122a	Hernia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
122b	Intestinal obstruction	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
124	Cirrhosis of the liver	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	1	–	1	–	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
124a	With mention of alcoholism	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
124b	Without mention of alcoholism	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	1	–	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
125b	Other diseases of the liver	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
127a	Cholecystitis (without mention of biliary calculus)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
129	Peritonitis (cause not stated)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
X.	Diseases of the Genito-urinary System	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	3	–	3	2	–	1	1	2	1	–	–	–
		F	8	1	1	–	1	1	1	–	1	–	–	1	1
131	Chronic nephritis	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	–	3	2	–	1	1	2	1	–	–	–
		F	8	1	1	–	1	1	1	–	1	–	–	1	1
131a	Chronic interstitial nephritis and arteriosclerotic kidney	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	1	–	1	–	1	–	–	–	–
		F	5	1	1	–	–	1	–	–	–	–	–	1	1
131b	Other chronic nephritis	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	–	2	1	–	–	1	1	1	–	–	–
		F	3	–	–	–	1	–	1	–	1	–	–	–	–
137a	Hypertrophy of the prostate	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XI.	Diseases of Pregnancy, Childbirth, and the Puerperium	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	–	–	–	–
147	Infection during childbirth and the puerperium	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	–	–	–	–
147b	General or local puerperal infection (except pyelitis)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
147d	Puerperal embolism and sudden death	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES, LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
114e	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	4	1	4	1	3	1	-	-	-
	1	-	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-
117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
122b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
124a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
125b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
127a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	3	6	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	3	6	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-
131a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-
131b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	3	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
137a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
147b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
147d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 16 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
XII.	Diseases of the Skin and Cellular Tissue	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII.	Diseases of the Bones and organs of Movement	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XIV.	Congenital Malformations	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	2	1	–	–	–	–	–	–	–
157*e*	Congenital malformations of the heart	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	3	–	–	–	2	1	–	–	–	–	–	–	–
XV.	Diseases Peculiar to the First Year of Life	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	1	–	–	–	–	–	–
		F	4	–	–	1	1	2	–	–	–	–	–	–	–
159	Premature birth (cause not stated)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	1	–	–	1	–	–	–	–	–	–
		F	2	–	–	1	–	1	–	–	–	–	–	–	–
161	Other diseases peculiar to the first year of life	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	–	–	–	–
161*a*	Asphyxia (cause not specified), atelectasis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
161*c*	Other specified diseases peculiar to the first year of life	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
XVI.	Senility	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
162*b*	Senility without mention of senile dementia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII.	Violent or Accidental Deaths	T	112	–	–	–	–	–	–	–	–	–	–	–	–
		M	97	6	7	4	7	10	16	17	11	9	5	3	2
		F	15	2	1	–	–	1	1	3	3	1	1	1	1
163, 164	Suicide	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	1	1	4	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
163*h*	Suicide by illuminating gas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
164	Suicide by other means	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	1	1	4	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164*a*	Suicide by hanging or strangulation	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
164*c*	Suicide by firearms and explosives	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	1	3	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
165–168	Homicide	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
166	Homicide by firearms	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
168	Homicide by other means	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
169–198	Accidental deaths	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	88	6	7	3	7	8	15	13	11	8	5	3	2
		F	14	2	1	–	–	1	1	3	3	1	–	1	1
170	Motor vehicle accidents	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	1	–	–	4	2	1	2	1	3	–	2
		F	7	–	1	–	–	1	1	2	2	–	–	–	–
170*a*	Collisions between automobiles and trains	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
170*b*	Collisions between automobiles and streetcars	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
170*c*	Automobile accidents (except collisions with trains or streetcars)	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	1	–	–	4	2	1	1	–	2	–	2
		F	5	–	1	–	–	1	–	1	2	–	–	–	–
170*d*	Motorcycle accidents (except collisions with automobiles)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES, LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1947.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
XII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	-	1	1	15	19	20	15	15	5	-	4	-	-	-
	-	-	-	-	-	-	-	2	2	1	1	1	3	3	2	-	-	-
163,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	-	-	-	-	-	-	-	1	1	1	-	3	-	-	1	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
163*h*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	-	3	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	3	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165–168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169–198	1	-	-	1	-	1	1	13	17	19	15	12	5	-	3	-	-	-
	-	-	-	-	-	-	-	1	2	1	1	1	3	3	2	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	4	5	3	2	2	1	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	1	-	3	1	-	-	-	-
170*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	3	5	3	1	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-
170*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 16

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
172	Water-transport accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	1	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
172a	Accidental drowning from water transports	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
172b	Other water-transport accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
173	Air-transport accidents	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	1	–	2	–	–	2	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
176	Other accidents involving machinery	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178b	Motor-vehicle exhaust gas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178c	Other carbon monoxide gas	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179g	Acute accidental poisoning by lye and potash	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
180	Conflagration	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
181	Accidental burns (except conflagration)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	2	–	1	–	–	1	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
183	Accidental drowning (excepting water-transport accidents)	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	3	5	1	5	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
184	Accidental injury by firearms	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186a	Accidental injury by fall	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	1	2	–	–	–	–	–
		F	2	1	–	–	–	–	–	1	–	–	–	–	–
190	Excessive cold	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
195	Other accidents	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	3	2	–	3	1	4	8	–	3	–	–	–
		F	4	1	–	–	–	–	–	–	1	1	–	–	1
195d	Obstruction, suffocation or puncture by ingested objects	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195e	Other and unspecified accidents	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	3	2	–	3	1	4	7	–	3	–	–	–
		F	4	1	–	–	–	–	–	–	1	1	–	–	1
XVIII	Ill-defined and Unknown Causes	T	56	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	1	8	2	3	4	2	5	7	3	3	3	2
		F	13	–	1	3	–	2	1	2	1	1	–	2	–
199	Sudden death	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
200	Ill-defined and unknown causes	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	1	7	2	3	4	2	5	7	3	3	3	2
		F	13	–	1	3	–	2	1	2	1	1	–	2	–
200a	Ill-defined	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	4	1	–	–	1	1	3	2	–	–	1
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
200c	Unknown or unspecified cause	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	–	3	1	3	4	1	4	4	1	3	3	1
		F	11	–	1	3	–	2	1	2	–	1	–	1	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1947.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
172	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
172a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
172b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
173	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	4	2	–	–	–	–	–	–	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
178b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
178c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
179g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	1	1	1	–	–	–	1	–	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	1	3	5	3	1	1	–	–	–	–	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
186a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	4	2	2	4	7	2	–	1	–	–	–
195d	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	4	2	2	4	7	2	–	1	–	–	–
XVIII	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–
	–	–	–	–	–	–	–	1	6	5	10	11	6	2	2	–	–	–
199	–	–	–	–	–	–	–	–	2	1	2	1	5	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200a	–	–	–	–	–	–	–	1	6	5	10	10	6	2	2	–	–	–
	–	–	–	–	–	–	–	–	2	1	2	1	5	1	1	–	–	–
200c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	1	4	4	1	–	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	1	4	4	6	6	5	2	–	–	–	–
	–	–	–	–	–	–	–	–	2	1	2	–	4	1	1	–	–	–

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from — The State.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.
	All Causes.[2]	**51,583**	**506**	**1,485**	**4,343**	**95**	**6,130**
(1)	Typhoid and paratyphoid fevers (1, 2)	4	–	1	–	–	1
(3)	Scarlet-fever (8)	4	–	–	1	–	3
(4)	Whooping cough (9)	15	–	–	7	–	1
(5)	Diphtheria (10)	12	–	–	–	–	2
(6)	Tuberculosis of the respiratory system (13)	1,495	6	23	149	–	132
(7)	Tuberculosis of the meninges and central nervous system (14)	17	–	1	1	–	2
(7)	All other forms of tuberculosis (15–22)	72	–	3	5	–	12
(8)	Malaria (28)	4	–	–	–	–	1
(9)	Syphilis (30)	178	4	5	8	–	23
(10)	Influenza (33)	55	3	4	8	–	8
(11)	Smallpox (34)	–	–	–	–	–	–
(12)	Measles (35)	12	–	–	4	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	12	–	–	1	–	–
(14)	Erysipelas (11)	1	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	12	–	–	2	–	2
(15)	Cancer and other malignant tumors (45–55)	8,091	79	231	641	12	1,004
(17)	Chronic rheumatism and gout (59, 60)	37	1	3	5	1	4
(18)	Diabetes mellitus (61)	1,643	20	54	181	–	200
(19)	Chronic or acute alcoholism (77)	115	–	1	3	1	21
(20)	Acute rheumatic fever (58)	17	–	1	1	–	3
(21)	Meningitis, streptococcus, etc. (81a)	31	–	1	2	–	2
(21)	Acute cerebrospinal meningitis (81b)	3	–	–	–	–	1
(21)	Pneumococcus meningitis (81c)	24	–	–	–	–	1
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4,655	64	130	407	15	575
(24)	Acute endocarditis (91)	41	–	1	3	–	6
(24)	Diseases of the coronary arteries and angina pectoris (94)	6,673	60	200	508	11	848
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	414	–	6	23	1	40
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12,902	118	369	1,228	29	1,577
(25)	Arteriosclerosis (97)	840	11	22	63	7	88
(26)	Bronchitis (106)	90	–	2	9	–	11
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1,264	10	25	104	2	115
(27)	Lobar pneumonia (108)	500	3	13	17	–	48
(27)	Pneumonia (unspecified) (109)	125	–	2	10	1	19
(28)	Other diseases of the respiratory system (101, 105, 110–114)	299	4	7	24	–	42
(29)	Diarrhea and enteritis (under 2 years of age) (119)	157	2	3	11	–	12
(30)	Appendicitis (121)	138	2	6	13	–	13
(31)	Cirrhosis of the liver (124)	651	4	20	36	1	64
(32)	Diseases of the stomach (117, 118)	314	5	9	26	–	39
(32)	Hernia, intestinal obstruction (122)	304	–	15	34	2	35
(33)	Nephritis (130–132)	2,003	33	102	193	1	220
(34)	Other diseases of the urinary and genital systems (133–139)	393	6	13	33	–	46
(35)	Puerperal infection (140, 147)	30	–	1	4	–	1
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	72	1	2	4	–	11
(38)	Congenital malformations (157)	587	7	14	45	1	89
(38)	Congenital debility (158)	16	–	2	2	–	1
(38)	Premature birth (159)	1,222	8	38	72	2	118
(39)	Senility (162)	39	–	2	6	–	3
(40)	Suicide (163, 164)	508	4	14	45	1	68
(41)	Homicide (165–168)	66	1	1	6	–	7
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2,803	28	76	170	3	282
(42)	*Railroad and automobile collisions (170a)*	4	–	1	–	–	–
(42)	*Street car and automobile collisions (170b)*	1	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	526	7	14	37	–	50
(43)	*Railroad accidents and injuries (169)*	40	–	2	1	–	6
(43)	*Street car and other road-transport accidents (171)*	21	–	–	1	–	2
(43)	*Burns (conflagration excepted) (181)*	103	1	1	10	–	14
(43)	*Accidental drowning (172a, 183)*	203	4	8	12	–	18
(43)	*Accidental injury by fall (186a)*	1,257	9	28	71	2	127
(43)	*All others*	648	7	22	38	1	65
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–80, 82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	2,520	20	59	217	3	315
(44)	Cause of death not specified or ill-defined (199, 200)	103	2	3	11	1	14

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY: 1947.

Abridged Int. List No.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
	631	3,843	852	10,856	47	3,855	2,294	11,008	5,638
(1)	–	–	–	–	–	–	–	1	1
(3)	–	–	–	–	–	–	–	–	–
(4)	–	–	2	1	–	–	1	2	1
(5)	–	–	–	1	–	–	1	7	1
(6)	12	93	20	280	–	67	38	535	140
(7)	–	1	2	–	–	1	2	6	1
(7)	1	5	1	9	–	2	2	21	11
(8)	–	2	–	1	–	–	–	–	–
(9)	1	17	4	35	1	12	6	45	17
(10)	–	6	1	11	–	1	–	6	7
(11)	–	–	–	–	–	–	–	–	–
(12)	–	–	–	2	–	–	1	–	5
(14)	–	–	–	2	–	–	–	8	1
(14)	–	–	1	–	–	–	–	–	–
(14)	–	1	–	4	–	–	1	2	–
(15)	109	604	151	1,732	3	632	344	1,647	902
(17)	1	2	–	13	–	1	3	1	2
(18)	16	108	25	340	2	121	75	336	165
(19)	1	6	1	19	–	6	2	52	2
(20)	–	–	–	3	–	1	1	4	3
(21)	1	4	1	4	–	1	2	12	1
(21)	–	–	–	1	–	–	–	1	–
(21)	2	–	–	9	–	2	1	9	–
(22)	56	335	69	997	4	374	238	891	500
(24)	–	1	–	8	–	3	1	16	2
(24)	112	631	130	1,358	8	562	364	1,117	764
(24)	4	28	2	106	–	32	19	118	35
(24)	120	868	208	2,740	18	927	495	2,743	1,462
(25)	9	66	13	198	2	98	41	151	71
(26)	–	12	–	18	–	6	10	14	8
(27)	11	66	18	283	1	93	68	361	107
(27)	3	45	5	116	–	28	19	136	67
(27)	–	7	2	28	–	11	5	35	5
(28)	2	17	4	60	1	26	9	62	41
(29)	1	8	–	22	–	12	4	75	7
(30)	1	7	1	36	–	10	7	29	13
(31)	4	67	7	147	–	34	26	182	59
(32)	7	24	3	62	–	25	14	70	30
(32)	2	20	5	58	1	21	8	65	38
(33)	49	136	37	427	1	144	92	337	231
(34)	8	27	9	74	–	29	13	91	44
(35)	–	1	–	10	–	–	3	7	3
(36)	1	7	1	15	–	5	2	14	9
(38)	7	49	9	144	–	34	19	103	66
(38)	–	–	–	3	–	–	1	3	4
(38)	23	106	20	227	–	81	65	331	131
(39)	1	3	–	10	–	–	4	1	9
(40)	9	32	10	92	–	36	36	104	57
(41)	–	5	–	15	–	4	–	24	3
(42, 43)	32	189	47	612	4	221	155	667	317
(42)	–	–	1	2	–	–	–	–	–
(42)	–	–	1	–	–	–	–	–	–
(42)	7	39	12	115	–	45	35	87	78
(43)	1	1	–	17	–	2	1	6	3
(43)	1	2	–	3	–	1	–	10	1
(43)	–	10	1	16	2	7	5	24	12
(43)	2	14	6	45	1	25	11	42	15
(43)	12	89	16	273	1	98	61	321	149
(43)	9	34	10	141	–	43	42	177	59
	18	230	41	506	1	184	96	538	293
(44)	7	7	2	17	–	8	–	29	2

[2] Exclusive of stillbirths.

Abridged Int List No.	Table 17 — Cause of Death.[1]	Deaths from — The State.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury	Amherst.	Andover.
	All Causes.[2]	**51,583**	**87**	**36**	**37**	**155**	**70**	**9**	**125**	**90**	**113**
(1)	Typhoid and paratyphoid fevers (1, 2)	4	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	4	–	–	–	–	–	–	1	–	–
(4)	Whooping cough (9)	15	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	12	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1,495	2	–	–	4	1	–	–	1	3
(7)	Tuberculosis of the meninges and central nervous system (14)	17	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	72	–	–	–	–	–	–	1	–	–
(8)	Malaria (28)	4	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	178	1	–	–	–	–	–	–	–	–
(10)	Influenza (33)	55	–	–	–	–	–	–	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	12	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (mening coccus) meningitis (6)	12	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	1	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	12	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	8,091	11	5	4	24	12	2	20	19	22
(17)	Chronic rheumatism and gout (59, 60)	37	1	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	1,643	2	1	3	3	4	–	2	8	3
(19)	Chronic or acute alcoholism (77)	115	–	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever (58)	17	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	31	–	–	–	–	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	3	–	–	–	–	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	24	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4,655	12	6	4	13	5	1	10	5	6
(24)	Acute endocarditis (91)	41	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	6,673	10	6	5	28	11	–	17	13	16
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	414	–	–	–	–	1	–	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12,902	20	7	9	28	12	2	38	20	24
(25)	Arteriosclerosis (97)	840	–	–	2	3	2	–	2	1	4
(26)	Bronchitis (106)	90	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1,264	1	1	1	–	1	–	2	1	2
(27)	Lobar pneumonia (108)	500	2	–	–	2	2	–	3	1	2
(27)	Pneumonia (unspecified) (109)	125	–	–	–	1	1	–	2	–	1
(28)	Other diseases of the respiratory system (104, 105, 110–114)	299	–	–	–	–	1	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	157	–	–	1	1	–	–	–	–	–
(30)	Appendicitis (121)	138	–	–	–	1	–	–	–	–	1
(31)	Cirrhosis of the liver (124)	651	1	–	–	1	1	–	1	1	–
(32)	Diseases of the stomach (117, 118)	314	3	–	1	1	–	–	–	1	1
(32)	Hernia, intestinal obstruction (122)	304	1	–	–	2	–	–	–	2	1
(33)	Nephritis (130–132)	2,003	6	1	2	17	1	1	8	1	5
(34)	Other diseases of the urinary and genital systems (133–139)	393	–	–	1	2	1	–	1	1	–
(35)	Puerperal infection (140, 147)	30	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	72	–	–	–	–	1	1	–	–	1
(38)	Congenital malformations (157)	587	2	1	1	2	3	–	2	2	3
(38)	Congenital debility (158)	16	–	–	–	1	–	–	–	–	–
(38)	Premature birth (159)	1,222	3	3	–	4	2	–	–	5	3
(39)	Senility (162)	39	–	2	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	508	1	–	–	2	1	–	1	1	2
(41)	Homicide (165–168)	66	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2,803	4	1	–	9	4	1	5	6	8
(42)	*Railroad and automobile collisions (170a)*	4	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	1	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	526	3	–	–	1	1	–	–	1	2
(43)	*Railroad accidents and injuries (169)*	40	–	–	–	–	–	–	–	–	1
(43)	*Street car and other road-transport accidents (171)*	21	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	103	–	–	–	–	1	–	1	1	–
(43)	*Accidental drowning (172a, 183)*	203	–	–	–	3	–	–	1	–	3
(43)	*Accidental injury by fall (186a)*	1,257	1	1	–	3	2	1	3	2	2
(43)	*All others*	648	–	–	–	2	–	–	–	2	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-80, 82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	2,520	4	2	3	6	3	1	9	1	5
(44)	Cause of death not specified or ill-defined (199, 200)	103	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

Important Causes Allocated to Each Municipality: 1947.

Abridged Int List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	Attleboro.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley.	Berlin.
	435	38	12	5	45	131	297	77	37	29	116	28	8	35	27	24	264	10	9
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	11	1	–	–	3	1	9	1	3	–	–	1	–	1	–	2	2	–	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	1	–	–	–	–	–	–	–	–	–	2	–	–	4	–	1	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	67	5	1	1	10	12	34	14	4	8	20	8	1	3	4	4	59	2	1
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	17	–	1	–	1	8	18	1	1	1	4	–	–	–	–	–	7	1	–
(19)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	48	2	2	–	3	11	28	2	1	2	13	2	–	2	1	1	19	4	2
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	66	11	2	–	9	12	42	12	8	2	19	5	–	3	1	7	38	3	–
(24)	3	1	–	–	2	–	3	1	–	–	–	–	–	1	–	1	2	–	–
(24)	109	11	4	2	8	32	86	20	8	2	21	5	2	8	7	4	60	–	1
(25)	6	1	–	–	1	3	5	1	3	4	3	–	–	1	1	–	5	–	–
(26)	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
(27)	7	1	1	–	1	5	5	–	–	–	1	2	1	1	2	–	9	–	–
(27)	2	–	–	–	–	6	2	1	–	–	1	–	–	–	–	–	3	–	1
(27)	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
(28)	2	–	–	1	–	–	6	3	1	–	1	–	–	1	–	–	1	–	–
(29)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(30)	1	–	–	–	–	1	1	–	–	–	2	1	–	–	–	–	3	–	–
(31)	4	–	–	–	–	1	1	–	1	–	–	1	–	–	–	1	6	–	–
(32)	2	–	–	–	–	1	3	–	–	–	–	–	–	1	–	–	–	–	–
(32)	4	–	–	–	–	1	2	1	1	–	–	–	–	–	–	1	3	–	–
(33)	14	–	–	–	–	12	8	2	2	2	8	1	1	2	6	2	7	–	1
(34)	4	–	–	–	–	1	3	2	–	–	1	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(36)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(38)	5	–	–	–	–	1	2	–	1	1	1	–	1	2	–	–	2	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	7	2	–	–	1	7	4	4	2	1	–	–	–	–	–	–	6	–	–
(39)	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(40)	7	–	–	–	–	1	4	1	–	1	–	–	1	1	–	–	2	–	–
(41)	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	22	2	1	–	2	3	8	5	1	3	13	2	–	2	4	–	10	–	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	5	–	–	–	–	–	1	1	1	–	5	–	–	1	2	–	6	–	–
(43)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(43)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	2	–	–	–	–	1	1	3	–	–	2	–	–	–	–	–	1	–	–
(43)	8	1	1	–	2	2	3	1	–	1	3	1	–	–	1	–	2	–	–
(43)	6	–	–	–	–	–	3	–	–	1	3	1	–	1	1	–	1	–	2
	23	–	–	1	3	10	17	5	–	1	3	–	–	1	–	–	18	–	–
(44)	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Bernardston.	Beverly.	Billerica	Blackstone.	Blandford.	Bolton.	Boston.	Bourne.	Boxborough.	Boxford
	All Causes.[2]	10	309	105	64	9	7	10,020	50	2	9
(1)	Typhoid and paratyphoid fevers (1, 2)	–	1	–	–	–	–	1	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	2	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	4	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	4	2	1	–	–	516	–	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	5	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	2	–	–	–	–	18	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	1	–	–	–	–	41	–	–	–
(10)	Influenza (33)	–	–	–	1	–	–	5	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	8	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	1	–	–	–
(15)	Cancer and other malignant tumors (45–55)	2	48	16	8	2	–	1,493	13	–	3
(17)	Chronic rheumatism and gout (59, 60)	–	–	1	–	–	–	1	–	–	–
(18)	Diabetes mellitus (61)	–	14	4	2	–	–	291	1	–	–
(19)	Chronic or acute alcoholism (77)	–	1	–	–	–	–	51	–	–	–
(20)	Acute rheumatic fever (58)	–	–	–	–	–	–	3	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	12	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–	–	1	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	1	–	–	–	9	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	–	23	6	4	–	–	812	8	–	1
(24)	Acute endocarditis (91)	–	–	–	–	–	–	16	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	1	47	11	7	1	1	975	5	–	2
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	2	1	–	–	–	109	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	4	77	35	19	3	4	2,476	13	–	1
(25)	Arteriosclerosis (97)	–	4	–	–	–	–	140	1	–	–
(26)	Bronchitis (106)	–	2	–	–	–	–	14	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	12	3	2	–	–	336	2	–	–
(27)	Lobar pneumonia (108)	–	4	–	–	–	–	126	–	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	30	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	1	–	2	–	–	57	1	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	–	–	–	70	–	–	–
(30)	Appendicitis (121)	–	1	–	–	–	–	24	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	–	169	–	–	–
(32)	Diseases of the stomach (117, 118)	–	1	2	–	–	–	63	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	1	1	–	–	–	62	–	–	–
(33)	Nephritis (130–132)	–	8	7	8	1	1	294	4	–	–
(34)	Other diseases of the urinary and genital systems (133–139)	–	5	–	–	–	1	83	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	7	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	13	–	–	–
(38)	Congenital malformations (157)	–	8	1	1	–	–	95	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	3	–	–	–
(38)	Premature birth (159)	–	4	5	3	–	–	308	1	1	–
(39)	Senility (162)	–	–	–	–	–	–	1	–	–	–
(40)	Suicide (163, 164)	–	5	1	–	1	–	97	–	1	–
(41)	Homicide (165–168)	–	–	1	–	–	–	24	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	1	18	4	4	1	–	633	1	–	1
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	4	1	1	–	–	82	–	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	4	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	10	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	1	1	1	–	–	23	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	–	1	–	–	–	41	–	–	1
(43)	*Accidental injury by fall (186a)*	–	7	1	–	–	–	303	1	–	–
(43)	*All others*	1	6	–	2	1	–	170	–	–	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-80, 82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	2	13	3	2	–	–	493	–	–	1
(44)	Cause of death not specified or ill-defined (199, 200)	–	1	–	–	–	–	28	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1947.

Abridged Int. List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	Brockton.	Brookfield.	Brookline.	Buckland.	Burlington.	Cambridge.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford	Chelsea.
	12	215	7	70	14	838	16	684	10	22	1,300	88	5	20	11	54	31	80	431
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(6)	–	4	–	1	–	15	–	3	–	1	56	1	–	–	–	–	–	2	10
(7)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
(7)	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	2
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	1	–	–	–	1	–	2	–	1	8	–	–	2	–	–	–	–	3
(10)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	2	29	1	12	4	141	4	136	3	4	212	15	1	5	1	2	3	10	77
(17)	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–
(18)	–	10	–	4	–	28	1	27	–	–	37	1	–	–	–	2	3	3	17
(19)	–	–	–	–	–	–	–	1	–	–	4	1	–	–	–	–	–	–	–
(20)	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	1	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–
(22)	1	18	–	10	2	87	6	54	1	4	115	8	–	1	3	1	8	7	35
(24)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(24)	1	32	1	16	–	138	1	96	3	4	138	9	–	5	1	4	3	10	65
(24)	–	–	–	1	–	5	–	7	–	–	14	–	–	–	–	–	–	–	4
(24)	4	64	2	7	4	186	1	173	–	1	332	17	3	2	3	31	7	18	108
(25)	–	2	–	2	1	14	–	14	–	–	36	1	–	–	1	–	1	2	6
(26)	–	–	–	2	–	3	–	2	–	–	1	–	–	–	–	–	–	–	–
(27)	–	7	–	4	–	27	–	15	1	1	34	–	–	–	–	–	–	1	12
(27)	–	2	–	–	1	7	1	2	–	–	17	–	–	–	–	–	–	2	4
(27)	–	1	–	–	–	1	–	4	–	–	3	–	–	–	–	–	–	1	3
(28)	1	–	–	1	–	2	–	3	–	–	8	4	–	–	–	–	–	–	4
(29)	–	1	–	–	–	3	–	1	–	–	5	–	–	–	–	–	–	–	2
(30)	–	–	–	–	–	4	–	1	–	–	9	1	–	–	–	–	–	–	2
(31)	–	3	–	–	–	9	–	7	–	–	26	–	–	–	–	–	–	–	3
(32)	–	1	1	1	–	3	–	5	–	1	11	–	–	–	–	–	–	2	5
(32)	–	1	–	–	–	5	–	3	–	–	11	2	–	–	–	–		–	2
(33)	–	3	–	–	–	23	–	29	–	–	38	3	1	3	1	3	3	7	18
(34)	–	1	1	1	–	3	–	6	–	–	9	2	–	–	–	–	–	1	4
(35)	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–	1	–
(38)	–	3	–	–	–	6	–	4	–	1	22	1	–	–	–	1	–	–	3
(38)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(38)	–	9	–	–	–	19	–	5	–	–	47	4	–	–	–	1	–	1	6
(39)	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	1	–
(40)	–	1	–	1	–	19	–	7	–	–	7	–	–	–	–	2	1	–	2
(41)	–	–	–	–	–	–	–	2	–	2	1	1	–	–	–	–	–	–	–
(42, 43)	1	15	–	3	1	48	1	41	2	2	74	11	–	1	1	5	1	6	15
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	2	–	2	–	9	–	5	–	–	11	3	–	1	–	1	–	1	2
(43)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	1	1	–	2	–	–	2	1	–	–	–	–	–	–	1
(43)	–	4	–	–	–	4	–	4	1	–	1	–	–	–	–	–	–	–	1
(43)	1	6	–	1	–	20	1	25	1	1	40	3	–	–	1	3	–	3	7
(43)	–	3	–	–	–	13	–	5	–	1	20	4	–	–	–	1	1	2	2
	2	6	1	3	1	32	–	31	–	–	64	6	–	–	–	2	1	4	17
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Cheshire.	Chester.	Chesterfield.	Chicopee.	Chilmark.	Clarksburg.	Clinton.	Cohasset.	Colrain.	Concord.
	All Causes.[2]	11	15	8	390	8	14	160	42	19	66
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	1	–	10	–	–	3	2	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	1	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	3	–	–	–	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute policencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	3	1	–	54	1	2	21	5	2	9
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	1	2	–	8	–	1	10	2	1	1
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever (58)	–	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	–	–	–	–	–	–	1	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	2	1	31	2	–	13	2	2	8
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	–	3	3	53	1	2	39	6	–	12
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	2	–	–	2	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	1	1	3	98	–	5	37	15	5	15
(25)	Arteriosclerosis (97)	–	–	–	6	2	1	1	–	–	–
(26)	Bronchitis (106)	–	–	–	1	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	1	–	10	–	–	1	–	1	5
(27)	Lobar pneumonia (108)	–	1	–	1	–	–	1	1	–	1
(27)	Pneumonia (unspecified) (109)	–	–	–	1	–	–	–	1	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	1	–	–	2	–	–	2	–	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	3	–	–	1	–	–	–
(30)	Appendicitis (121)	–	–	–	1	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	4	–	–	2	–	1	1
(32)	Diseases of the stomach (117, 118)	–	–	–	4	–	–	–	–	–	1
(32)	Hernia, intestinal obstruction (122)	–	–	–	2	2	–	2	–	–	–
(33)	Nephritis (130–132)	1	–	–	23	–	1	4	–	3	2
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	7	–	2	1	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	1	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	2	–	–	1	1	–	–
(38)	Congenital malformations (157)	–	–	–	6	–	–	4	–	–	1
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	1	–	11	–	–	–	1	–	1
(39)	Senility (162)	–	–	–	–	–	–	–	–	1	–
(40)	Suicide (163, 164)	–	–	–	1	–	–	–	–	–	1
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	3	1	–	23	–	–	7	4	2	6
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	–	4	–	–	1	2	1	1
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	1	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	2	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	1	–	–	4	–	–	–	1	–	–
(43)	*Accidental injury by fall (186a)*	–	1	–	5	–	–	6	–	–	3
(43)	*All others*	2	–	–	8	–	–	–	1	–	2
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-80, 82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	–	1	1	21	–	–	8	1	–	2
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1947.

Abridged Int. List No.	Conwsy.	Cummington.	Dalton.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield	East Longmeadow.	Eastham.
	16	9	44	127	107	161	23	33	32	22	7	80	38	10	38	55	15	54	7
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(6)	–	–	1	2	5	7	2	1	1	–	–	3	1	–	–	1	–	1	–
(7)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	1	1	7	19	14	21	4	4	8	3	1	15	3	–	4	5	4	10	1
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	1	–	4	1	9	1	–	2	–	–	2	–	–	–	4	1	–	–
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	1	–	7	15	9	18	1	2	1	3	1	5	2	1	4	6	3	4	2
(24)	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	6	3	5	16	20	32	4	7	–	2	2	8	7	2	6	6	2	7	1
(24)	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
(24)	3	2	11	42	26	31	3	9	10	6	1	20	13	6	9	12	2	16	3
(25)	–	–	–	1	4	3	–	–	–	1	–	2	–	–	–	–	–	5	–
(26)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(27)	–	–	2	3	3	4	–	1	–	–	–	4	1	–	1	4	1	–	–
(27)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(29)	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(30)	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(31)	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	1	–	1	–
(32)	–	1	–	–	2	–	–	1	–	–	–	–	2	–	1	–	–	–	–
(32)	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(33)	–	–	1	–	2	4	1	4	6	1	–	5	2	1	3	1	–	2	–
(34)	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	1	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	2	–	–	1	2	2	1	–	1	2	–	–	1	–	–	2	–	1	–
(39)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	–	2	1	1	–	–	–	–	1	–	–	–	2	1	–	–
(41)	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
(42, 43)	2	–	2	8	7	11	2	2	1	3	2	3	4	–	2	5	–	3	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	–	–	2	1	1	–	–	–	2	1	1	–	–	1	1	–	1	–
(43)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
(43)	–	–	–	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
(43)	–	–	–	3	2	7	–	1	1	1	–	2	–	–	1	1	–	2	–
(43)	–	–	2	1	4	2	2	–	–	–	–	–	2	–	–	3	–	–	–
	1	1	3	6	6	9	–	1	–	1	–	5	1	–	2	5	1	3	–
(44)	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Easthampton.	Easton.	Edgartown.	Egremont.	Erving.	Essex.	Everett.	Fairhaven.	Fall River	Falmouth.
	All Causes.[2]	116	60	18	4	19	14	436	122	1,388	64
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	1	–	–
(4)	Whooping cough (9)	1	–	–	–	–	–	–	1	3	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	3	1	–	–	1	–	7	2	62	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	1	–	3	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	2	–	–	–	–	–	–	–	5	1
(10)	Influenza (33)	–	–	–	–	–	–	1	–	4	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	2	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	1	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	22	10	3	–	5	3	56	13	217	12
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	2	–
(18)	Diabetes mellitus (61)	3	4	–	–	–	–	22	1	58	3
(19)	Chronic or acute alcoholism (77)	–	–	1	–	–	–	–	–	2	–
(20)	Acute rheumatic fever (58)	–	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	12	11	5	1	1	1	53	15	140	8
(24)	Acute endocarditis (91)	–	–	–	–	–	–	2	–	1	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	17	4	3	–	1	1	50	20	78	6
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	1	–	–	–	3	1	9	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	34	16	3	–	3	6	130	37	448	11
(25)	Arteriosclerosis (97)	2	–	–	–	1	–	3	3	7	3
(26)	Bronchitis (106)	–	–	–	–	–	–	1	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2	1	1	1	1	–	12	3	32	2
(27)	Lobar pneumonia (108)	–	1	–	1	1	–	–	–	7	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	3	1	4	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	–	–	4	–	3	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	–	–	–	1	–	5	1
(30)	Appendicitis (121)	–	–	–	–	–	–	–	1	4	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	–	6	–	11	1
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	1	1	4	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	2	1	13	–
(33)	Nephritis (130–132)	5	1	–	–	2	2	16	5	67	2
(34)	Other diseases of the urinary and genital systems (133–139)	–	2	–	–	–	1	2	2	9	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	1	–	2	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	1	–	–	–	–	–	–	3	1
(38)	Congenital malformations (157)	1	–	–	–	–	–	5	3	12	3
(38)	Congenital debility (158)	–	–	–	–	–	–	–	1	–	–
(38)	Premature birth (159)	2	1	–	–	1	–	11	1	31	2
(39)	Senility (162)	–	–	–	–	–	–	–	–	2	–
(40)	Suicide (163, 164)	1	–	–	–	2	–	2	–	12	1
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	2	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2	3	–	–	–	–	22	6	47	3
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	1	–	–	–	–	2	2	10	1
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	1	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	1	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	1	1	4	–
(43)	*Accidental drowning (172a, 183)*	1	1	–	–	–	–	1	2	2	1
(43)	*Accidental injury by fall (186a)*	1	–	–	–	–	–	9	1	24	–
(43)	*All others*	–	1	–	–	–	–	7	–	7	1
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-80, 82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	6	4	1	1	–	–	18	3	70	4
(44)	Cause of death not specified or ill-defined (199, 200)	1	–	–	–	–	–	1	–	6	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1947.

Abridged Int. List No.	Fitchburg.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	Gardner.	Gay Head.	Georgetown.	Gill.	Gloucester.	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.	Greenfield.	Groton.
	455	4	74	265	93	21	199	4	35	8	309	–	2	77	9	10	83	203	27
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	11	–	1	5	1	1	8	–	–	–	8	–	–	1	–	1	–	4	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
(8)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(9)	–	–	1	2	–	–	2	–	–	–	–	–	–	1	–	–	–	1	–
(10)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	63	–	12	35	13	1	33	–	5	2	49	–	–	12	2	2	21	33	5
(17)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(18)	15	–	5	8	3	2	5	–	1	–	4	–	–	3	–	–	–	6	1
(19)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(20)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(22)	42	1	5	31	7	2	23	1	4	1	19	–	–	7	1	–	9	16	1
(24)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	75	–	12	29	19	2	44	–	9	–	46	–	1	14	2	1	13	42	3
(24)	3	–	1	7	1	–	–	–	–	–	–	–	–	1	–	–	1	1	1
(24)	105	1	16	81	22	7	37	–	9	4	89	–	–	15	2	4	18	34	10
(25)	5	1	3	3	2	–	–	–	1	–	3	–	–	2	–	–	2	2	–
(26)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(27)	9	–	2	7	1	1	2	1	1	–	2	–	–	1	–	–	3	1	–
(27)	2	–	1	4	2	–	4	–	–	–	5	–	–	–	–	–	2	1	–
(27)	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	2	–	–	4	–	–	1	–	–	–	4	–	–	1	–	–	–	1	1
(29)	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
(30)	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–
(31)	–	–	1	1	2	–	3	–	–	–	1	–	–	–	–	–	–	1	–
(32)	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1	4	–
(32)	7	–	2	–	–	–	1	–	–	–	1	–	–	1	–	–	–	2	–
(33)	15	1	1	7	8	1	3	–	–	–	23	–	–	6	–	–	2	14	1
(34)	3	–	1	1	1	–	1	–	–	–	5	–	–	–	1	–	–	5	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–
(38)	4	–	–	8	–	1	2	1	1	–	3	–	–	2	–	–	1	3	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	8	–	2	4	1	–	6	–	1	–	5	–	–	1	–	–	–	11	2
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	3	–	3	2	1	1	5	–	–	–	6	–	–	1	–	1	–	1	–
(41)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	36	–	2	14	3	1	9	–	2	–	17	–	–	2	1	1	3	11	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	6	–	1	5	1	1	2	–	1	–	3	–	–	–	1	–	–	2	1
(43)	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	2	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(43)	2	–	–	1	–	–	1	–	–	–	4	–	–	–	–	–	1	–	–
(43)	16	–	1	3	1	–	5	–	1	–	6	–	–	2	–	–	1	4	1
(43)	9	–	–	3	–	–	–	–	–	–	4	–	–	–	–	1	–	4	–
	36	–	3	7	6	1	7	–	–	–	11	–	–	6	–	–	4	3	–
(44)	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	3	–

[2] Exclusive of stillbirths.

Abridged Int. List. No.	Table 17 — Cause of Death.[1]	Deaths from Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.	Hanson.	Hardwick.	Harvard.
	All Causes.[2]	34	33	12	25	16	3	39	34	22	15
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	1	–	–	–	–	–	–	1	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1	1	–	1	–	–	2	1	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	–	1	–	–	1
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	9	9	5	6	2	2	4	8	9	1
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	1	–	–	–
(18)	Diabetes mellitus (61)	–	–	1	–	–	–	1	1	–	1
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	1	–	–
(20)	Acute rheumatic fever (58)	–	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	5	1	–	1	1	–	2	3	2	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	3	4	–	4	3	–	6	5	2	1
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	–	–	–	–	1	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	8	5	2	8	4	1	10	2	6	3
(25)	Arteriosclerosis (97)	–	1	–	–	–	–	–	–	–	1
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	1	1	–	–	1	1	–	1
(27)	Lobar pneumonia (108)	–	–	–	–	–	–	–	1	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	1	–	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	1	–	2	1	–	1
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	–	1	–	1
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	2	3	–	1	1	–	2	1	–	1
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	–	–	–	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	1	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	1	1	–	–	–	–	–	1	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	–	–	–	1	–	3	2	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	2	1	–	1	–	–	–	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2	4	–	1	1	–	–	2	1	1
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	2	–	–	–	–	–	–	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	1	–	–	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	2	–	–	–	1	–	–	2	1	1
(43)	*All others*	–	1	–	1	–	–	–	–	–	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-80, 82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	1	1	1	2	1	–	4	2	1	–
(44)	Cause of death not specified or ill-defined (199, 200)	1	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1947.

Abridged Int. List No.	Harwich.	Hatfield.	Haverhill.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	Holyoke.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.	Hull.	Huntington.	Ipswich.
	45	29	638	2	7	93	23	43	44	2	43	713	32	30	11	88	32	14	96
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	2	–	9	–	–	3	–	–	1	–	1	18	–	1	1	3	1	–	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	3	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–
(10)	–	–	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	6	6	106	–	1	17	3	6	7	–	8	119	6	2	–	15	2	2	18
(17)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
(18)	1	1	25	–	–	1	2	3	2	–	2	25	–	–	–	2	–	–	2
(19)	–	–	3	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(21)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	8	2	65	–	1	15	2	1	7	–	5	43	3	4	–	4	3	4	8
(24)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	5	6	80	1	–	10	1	6	10	1	2	130	6	2	2	12	7	4	13
(24)	–	–	5	–	–	1	–	–	–	–	–	4	–	–	–	2	2	–	–
(24)	11	7	155	–	–	19	7	14	7	1	11	155	6	14	5	22	9	1	23
(25)	–	1	10	–	–	3	1	3	–	–	–	6	1	–	–	2	–	–	2
(26)	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	1	–	–
(27)	1	1	12	–	–	1	–	–	1	–	3	17	3	3	–	1	–	–	4
(27)	–	–	2	–	–	2	–	–	–	–	1	12	–	1	–	2	–	1	2
(27)	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	–
(28)	–	–	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
(29)	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1
(30)	–	–	4	–	–	–	–	–	–	–	–	5	–	–	–	1	–	–	–
(31)	1	1	7	–	–	–	1	2	–	–	–	11	–	1	–	–	–	–	–
(32)	1	1	4	–	–	–	–	–	–	–	–	6	–	–	–	1	–	–	–
(32)	–	–	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(33)	1	–	18	–	3	5	2	2	–	–	1	22	4	2	1	1	1	–	1
(34)	1	–	4	–	–	2	–	2	–	–	1	4	–	–	–	1	–	1	1
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(38)	2	–	5	–	–	–	–	–	–	–	–	13	–	–	–	2	–	–	1
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	2	–	17	–	–	5	2	–	3	–	1	19	–	–	1	4	3	–	2
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	1	6	–	–	1	–	1	–	–	1	4	–	–	1	–	1	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(42, 43)	1	1	34	–	–	4	–	2	4	–	3	40	–	–	–	5	1	–	5
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	–	–	–	–	–	2	–	1	7	–	–	–	–	–	–	2
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(43)	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
(43)	–	–	1	–	–	–	–	–	–	–	–	4	–	–	–	1	–	–	–
(43)	–	–	16	–	–	1	–	1	–	–	2	20	–	–	–	3	–	–	1
(43)	1	1	14	–	–	3	–	1	1	–	–	8	–	–	–	–	1	–	2
	2	1	40	1	2	3	2	1	1	–	2	36	2	–	–	6	1	1	10
(44)	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Kingston.	Lakeville.	Lancaster.	Lanesborough.	Lawrence.	Lee.	Leicester.	Lenox.	Leominster.	Leverett.
	All Causes.[2]	39	19	31	17	965	47	51	45	240	11
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	1	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	1	–	–	23	2	1	–	7	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	1	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	1	–	–	–	1	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	6	–	–	1	2	–
(10)	Influenza (33)	–	–	–	–	1	–	–	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	1	–	–	–	–	–	–	1	–
(14)	Cerebrospinal (meningococcus) meningitis(6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	4	1	7	–	141	6	12	6	38	2
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	1	–	–	–	1	–
(18)	Diabetes mellitus (61)	1	1	–	1	35	1	1	5	6	2
(19)	Chronic or acute alcoholism (77)	–	–	–	–	6	–	–	–	–	–
(20)	Acute rheumatic fever (58)	–	–	–	–	1	–	1	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	–	–	1	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	5	2	2	2	91	5	3	1	11	1
(24)	Acute endocarditis (91)	–	–	–	–	1	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	7	6	4	3	121	7	4	9	37	3
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	–	9	1	–	2	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12	2	11	5	262	12	14	8	70	1
(25)	Arteriosclerosis (97)	–	–	–	–	9	–	–	–	4	1
(26)	Bronchitis (106)	–	–	–	–	1	–	1	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	–	13	1	2	3	4	–
(27)	Lobar pneumonia (108)	–	–	1	–	5	–	–	–	3	–
(27)	Pneumonia (unspecified) (109)	–	1	–	–	1	–	–	1	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	3	–	1	–	2	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	–	3	–	–	–	1	–
(30)	Appendicitis (121)	–	–	–	–	2	1	–	–	1	–
(31)	Cirrhosis of the liver (124)	1	–	–	–	19	–	–	1	–	–
(32)	Diseases of the stomach (117, 118)	1	–	–	–	5	1	–	–	1	1
(32)	Hernia, intestinal obstruction (122)	–	–	2	2	6	1	–	–	2	–
(33)	Nephritis (130–132)	1	1	1	–	43	–	2	1	6	–
(34)	Other diseases of the urinary and genital systems (133–139)	–	1	1	–	6	–	–	–	1	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	2	–	–	–	2	–
(38)	Congenital malformations (157)	–	–	–	–	14	1	–	–	7	–
(38)	Congenital debility (158)	–	–	–	–	1	–	–	–	–	–
(38)	Premature birth (159)	–	1	–	2	24	2	2	2	7	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	1	–
(40)	Suicide (163, 164)	1	–	–	–	12	1	–	–	4	–
(41)	Homicide (165–168)	–	–	–	–	3	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	5	–	1	2	40	3	6	2	8	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	–	1	8	1	2	–	2	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	3	–	–	–	1	–
(43)	*Accidental drowning (172a, 183)*	–	–	–	–	3	–	1	1	–	–
(43)	*Accidental injury by fall (186a)*	2	–	–	1	17	1	2	1	2	–
(43)	*All others*	3	–	1	–	9	1	1	–	3	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–80, 82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	1	1	1	–	50	2	1	2	11	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	2	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1947.

Abridged Int. List No.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	LOWELL.	Ludlow.	Lunenburg.	LYNN.	Lynnfield.	MALDEN.	Manchester.	Mansfield.	Marblehead.	Marion.	MARLBOROUGH	Marshfield.	Mashpee.	Mattapoisett.
	118	3	15	21	69	1,173	70	25	1,232	37	665	42	79	144	18	191	38	4	21
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	1	–	40	4	1	41	–	14	–	2	1	–	2	–	1	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	1	1	–	2	–	–	–	1	–	–	1	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	8	–	–	7	–	2	–	–	–	–	1	–	1	–
(10)	–	–	–	–	–	3	–	–	1	–	–	–	1	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	18	1	1	7	10	173	7	2	213	7	114	4	17	16	1	21	5	1	3
(17)	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
(18)	2	–	1	2	1	38	2	1	44	2	25	–	2	9	–	7	–	–	–
(19)	–	–	–	–	–	4	–	–	4	–	1	–	–	–	–	1	–	–	–
(20)	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	19	–	3	4	6	114	8	2	117	1	64	2	4	11	3	23	7	–	1
(24)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
(24)	18	1	3	1	21	124	13	3	176	2	69	7	12	22	1	39	5	–	3
(24)	1	–	–	–	–	12	–	–	4	–	9	–	–	3	–	2	1	–	–
(24)	24	–	2	2	13	300	11	8	299	14	188	19	19	43	6	44	9	–	6
(25)	4	–	–	–	2	38	2	1	15	–	10	–	1	3	–	4	–	–	–
(26)	1	–	1	–	1	4	–	–	4	–	2	–	–	1	–	1	–	–	–
(27)	5	–	–	1	1	23	2	–	27	–	11	–	3	3	–	3	2	–	3
(27)	1	–	2	–	–	15	1	–	12	–	7	1	–	–	1	2	–	–	–
(27)	–	–	–	–	–	1	–	–	8	–	–	–	–	1	–	1	–	–	–
(28)	1	–	–	–	–	6	–	1	5	–	4	–	2	1	–	1	–	–	1
(29)	–	–	–	–	–	3	–	–	3	–	3	–	–	–	–	–	–	–	–
(30)	1	–	–	–	–	1	–	–	1	1	2	–	–	–	–	2	–	–	1
(31)	1	–	–	–	–	10	2	–	21	–	15	–	1	2	–	2	–	–	–
(32)	1	–	–	–	–	4	–	–	9	1	3	–	–	1	1	2	–	–	–
(32)	1	–	–	–	1	7	1	–	6	–	3	–	1	1	–	–	1	–	1
(33)	7	–	–	–	5	61	2	1	38	3	21	1	–	2	–	6	2	–	–
(34)	–	–	–	–	–	13	1	–	10	1	5	1	1	2	–	2	–	–	–
(35)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–
(36)	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
(38)	1	1	–	–	2	17	2	–	1 5	–	6	–	–	2	–	2	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	1	–	–	–	–	15	1	1	23	–	13	1	1	2	1	2	–	–	–
(39)	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	2	–	–
(40)	1	–	–	–	1	8	1	2	8	1	5	–	2	3	1	–	–	–	–
(41)	–	–	–	–	–	2	–	–	2	–	1	–	–	–	–	–	–	–	–
(42, 43)	7	–	1	2	2	72	3	2	50	–	30	2	3	6	2	12	3	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	4	–	–	2	–	20	–	1	10	–	4	–	1	–	1	2	1	–	–
(43)	1	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(43)	1	–	–	–	–	3	1	–	3	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	7	1	–	–	–	2	–	–	–	–	1	–	1	–
(43)	1	–	1	–	2	29	1	–	24	–	16	2	1	3	–	5	1	–	–
(43)	–	–	–	–	–	13	–	1	11	–	7	–	1	2	1	4	1	–	–
	2	–	1	1	3	46	6	–	59	4	32	3	4	8	1	5	1	–	2
(44)	–	–	–	–	–	6	–	–	2	–	1	1	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Maynard.	Medfield.	Medford.	Medway.	Melrose.	Mendon.	Merrimac.	Methuen.	Middleborough.	Middlefield.
	All Causes.[2]	82	28	648	50	321	15	34	244	139	4
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	1	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	4	1	16	–	2	1	3	8	1	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	1	–	1	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	1	–	–	–	–	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	1	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	1	–
(15)	Cancer and other malignant tumors (45–55)	21	1	126	7	54	2	2	38	16	–
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	2	2	12	3	6	–	2	6	2	–
(19)	Chronic or acute alcoholism (77)	1	–	2	1	–	–	–	–	–	–
(20)	Acute rheumatic fever (58)	–	–	–	–	–	–	–	–	1	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	1	–	1	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4	1	56	8	27	1	5	40	16	2
(24)	Acute endocarditis (91)	–	1	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	16	8	70	4	47	1	3	27	19	1
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	10	–	3	–	–	2	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	10	3	160	14	91	1	8	62	23	–
(25)	Arteriosclerosis (97)	1	2	6	1	5	–	–	6	9	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	4	1	17	–	3	2	–	2	3	–
(27)	Lobar pneumonia (108)	1	–	4	1	2	1	–	–	–	–
(27)	Pneumonia (unspecified) (109)	2	–	2	–	–	–	–	1	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	1	3	1	1	–	1	1	3	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	1	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	3	–	1	–	–	1	–	–
(31)	Cirrhosis of the liver (124)	–	–	6	–	5	–	–	1	1	–
(32)	Diseases of the stomach (117, 118)	2	–	3	–	–	–	–	2	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	4	–	2	–	1	–	–	–
(33)	Nephritis (130–132)	3	5	35	5	12	2	3	10	12	1
(34)	Other diseases of the urinary and genital systems (133–139)	1	–	5	–	2	–	–	1	1	–
(35)	Puerperal infection (140, 147)	–	–	–	–	1	–	–	–	1	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	2	–	2	–	–	–	–	–
(38)	Congenital malformations (157)	–	–	8	–	3	–	–	5	1	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	1	–	19	–	6	–	1	6	4	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	1	–	6	1	9	1	1	7	1	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	6	2	33	2	22	1	2	8	16	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	1	7	1	3	1	–	2	1	–
(43)	*Railroad accidents and injuries (169)*	1	–	2	–	2	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	2	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	1	–
(43)	*Accidental drowning (172a, 183)*	–	–	2	–	1	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	3	1	13	1	13	–	2	4	10	–
(43)	*All others*	2	–	7	–	3	–	–	2	4	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62–76, 78–80, 82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	2	–	34	2	12	2	2	9	8	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	1	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

Important Causes Allocated to Each Municipality: 1947.

Abridged Int. List No.	Middleton.	Milford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.	New Ashford.	New Bedford.	New Braintree.
	27	132	80	23	17	212	1	49	110	3	–	1	27	47	178	148	2	1,345	6
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	3	2	–	–	4	–	–	2	–	–	–	1	–	4	1	–	44	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
(15)	4	22	17	4	2	38	–	8	16	–	–	–	7	3	27	37	–	195	1
(17)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–
(18)	–	5	1	2	1	6	–	1	3	–	–	–	1	2	8	3	1	53	–
(19)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
(20)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	2	14	9	2	2	27	–	3	11	–	–	–	4	4	9	19	–	124	1
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(24)	2	24	13	4	3	38	1	11	14	–	–	–	8	8	27	18	–	222	–
(24)	2	–	–	–	–	3	–	–	2	–	–	–	–	–	3	–	–	2	–
(24)	9	18	22	4	3	45	–	18	23	3	–	–	1	18	50	31	–	318	2
(25)	–	–	1	–	–	4	–	–	3	–	–	–	–	2	2	6	–	33	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–
(27)	1	2	1	1	–	8	–	–	2	–	–	–	1	1	5	2	–	38	–
(27)	1	3	–	–	1	1	–	–	–	–	–	–	–	–	4	–	–	1	–
(27)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	3	–
(28)	1	4	–	–	1	2	–	–	–	–	–	–	–	1	1	–	–	7	–
(29)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–
(30)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	5	–
(31)	–	1	2	–	1	2	–	2	1	–	–	–	–	–	2	2	–	10	–
(32)	2	3	1	1	–	1	–	–	2	–	–	–	–	–	2	1	–	8	–
(32)	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	13	–
(33)	–	10	1	1	–	3	–	2	14	–	–	–	–	1	6	2	–	52	–
(34)	–	1	1	–	–	–	–	1	–	–	–	–	–	–	1	1	–	11	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	1	1	1	–	2	–	–	2	–	–	–	–	–	2	2	–	17	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(38)	–	2	2	–	–	4	–	2	2	–	–	–	1	–	3	3	1	19	–
(39)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	1	–	1	–	1	–	–	1	–	–	–	–	–	2	2	–	16	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
(42, 43)	1	5	2	1	–	10	–	1	3	–	–	–	1	4	9	6	–	57	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	1	–	9	1
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(43)	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	1	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	–
(43)	–	4	–	1	–	8	–	1	2	–	–	–	1	1	3	3	–	31	–
(43)	1	1	–	–	–	–	–	–	1	–	–	–	–	–	2	2	–	13	–
	1	10	2	1	3	10	–	–	3	–	–	–	1	1	8	11	–	69	–
(44)	–	–	–	–	–	2	–	–	3	–	–	–	–	–	1	–	–	3	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from New Marlborough.	New Salem.	Newbury.	Newburyport.	Newton.	Norfolk.	North Adams.	North Andover.	North Attleborough.	North Brookfield.
	All Causes.[2]	16	6	27	205	791	24	268	83	126	36
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	1	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	1	1	2	10	–	2	2	–	1
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	1	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	1	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	1	2	–	–	1	–	–
(10)	Influenza (33)	–	–	–	–	1	–	–	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	1	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	1	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	3	3	5	26	139	3	46	15	21	2
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	2	–	1	1	–	–
(18)	Diabetes mellitus (61)	–	–	2	7	28	–	7	1	9	1
(19)	Chronic or acute alcoholism (77)	–	–	–	1	–	–	–	–	–	–
(20)	Acute rheumatic fever (58)	–	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	3	–	3	25	68	2	21	6	8	4
(24)	Acute endocarditis (91)	–	–	–	1	1	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	–	1	4	30	129	5	53	14	19	3
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	1	8	–	2	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	6	–	8	46	173	9	66	21	36	9
(25)	Arteriosclerosis (97)	1	–	–	4	8	–	3	–	1	–
(26)	Bronchitis (106)	–	–	–	–	1	–	–	–	1	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	10	21	–	1	2	3	1
(27)	Lobar pneumonia (108)	–	–	–	–	13	–	4	1	1	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	1	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	4	–	–	2	4	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	2	–	–	1	–	–	–
(30)	Appendicitis (121)	–	–	–	–	1	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	1	12	–	9	–	2	–
(32)	Diseases of the stomach (117, 118)	–	–	–	1	3	–	1	–	1	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	1	4	–	3	1	–	–
(33)	Nephritis (130–132)	–	–	2	9	32	2	22	4	6	1
(34)	Other diseases of the urinary and genital systems (133–139)	1	–	–	–	5	–	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–	1
(38)	Congenital malformations (157)	–	–	–	6	9	–	2	3	3	1
(38)	Congenital debility (158)	–	–	–	–	–	–	1	–	–	–
(38)	Premature birth (159)	–	–	1	4	9	–	5	1	2	1
(39)	Senility (162)	–	–	–	1	–	–	1	–	–	2
(40)	Suicide (163, 164)	1	–	–	3	12	1	1	4	1	1
(41)	Homicide (165–168)	–	–	–	–	1	–	1	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	1	1	–	12	42	–	8	2	2	2
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	1	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	–	1	4	–	1	1	–	1
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	2	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	2	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	–	–	1	4	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	1	–	6	19	–	5	1	–	1
(43)	*All others*	1	–	–	4	10	–	2	–	2	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-80, 82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	–	–	1	11	46	2	6	2	4	4
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	4	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1947.

Abridged Int. List No.	North Reading.	Northampton.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.	Peabody.	Pelham.	Pembroke.
	25	298	42	108	38	38	23	180	32	4	68	25	5	44	76	9	243	5	30
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	1	9	1	1	–	1	–	4	–	–	1	1	–	–	6	–	6	–	1
(7)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(7)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
(10)	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	2	54	7	17	8	7	3	32	3	–	10	2	–	6	18	2	44	2	3
(17)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(18)	–	6	–	2	1	3	–	5	–	–	1	2	–	–	–	–	5	–	1
(19)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	2	25	5	12	4	4	2	22	1	1	7	–	1	9	2	1	19	–	1
(24)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
(24)	1	50	7	13	3	5	4	26	4	2	18	3	1	6	13	2	37	1	5
(24)	–	2	–	–	–	–	–	2	–	–	–	–	–	1	2	–	2	–	–
(24)	7	72	15	35	11	7	2	31	20	–	13	8	–	13	10	–	61	1	7
(25)	1	3	–	2	–	–	1	3	–	–	1	1	–	–	–	1	5	–	1
(26)	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
(27)	–	7	–	3	–	1	–	10	–	–	3	–	–	1	–	–	3	–	–
(27)	–	1	–	2	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–
(27)	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
(28)	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	1	3	–	–
(29)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
(30)	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
(31)	1	4	–	2	–	1	1	–	1	–	1	–	–	–	1	–	7	–	1
(32)	–	–	–	–	–	–	–	4	–	–	–	1	–	1	1	1	1	–	–
(32)	–	2	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2	–	–
(33)	2	10	1	2	2	3	–	8	–	–	5	–	–	2	3	–	9	–	3
(34)	–	1	1	–	1	1	–	1	–	–	–	–	–	1	–	–	2	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(36)	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(38)	–	4	1	–	1	1	1	–	–	–	–	–	–	–	1	–	4	–	–
(38)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	4	–	5	3	–	–	4	1	–	1	–	1	–	6	–	10	–	1
(39)	2	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
(40)	–	4	–	1	1	–	–	1	–	–	2	1	–	1	–	–	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	3	17	2	3	1	2	4	8	1	–	3	2	1	–	5	1	6	–	3
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	4	1	–	–	–	2	3	–	–	1	–	–	–	2	–	3	–	1
(43)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(43)	1	2	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	8	–	–	–	–	–	3	1	–	2	2	–	–	2	1	2	–	1
(43)	–	2	–	1	1	1	–	2	–	–	–	–	–	–	–	–	1	–	1
	2	11	1	6	2	–	2	10	–	1	1	2	1	–	6	–	10	1	2
(44)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Pepperell.	Peru.	Petersham.	Phillipston.	Pittsfield.	Plainfield.	Plainville.	Plymouth.	Plympton.	Princeton.
	All Causes.[2]	46	3	8	6	578	9	21	189	12	–
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	8
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	–	–	–	11	–	1	5	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	1	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	3	–	–	1	–	–
(10)	Influenza (33)	–	–	–	–	2	–	–	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	7	–	1	–	83	2	2	34	–	1
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	1	–	–	–	–	–
(18)	Diabetes mellitus (61)	2	–	1	–	27	–	–	8	–	–
(19)	Chronic or acute alcoholism (77)	–	–	–	–	1	–	–	–	–	–
(20)	Acute rheumatic fever (58)	–	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	1	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	8	–	1	1	39	–	1	12	4	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	4	–	–	2	57	–	1	32	–	–
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	–	–	–	–	4	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12	2	2	1	158	4	11	34	6	2
(25)	Arteriosclerosis (97)	3	–	2	1	6	1	–	6	–	–
(26)	Bronchitis (106)	–	–	–	–	1	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	–	9	–	–	3	1	–
(27)	Lobar pneumonia (108)	–	–	1	1	3	–	–	–	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	2	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	1	–	–	–	6	–	1	–	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	–	1	–	–	1	–	–
(30)	Appendicitis (121)	–	–	–	–	3	–	–	1	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	8	–	–	1	–	–
(32)	Diseases of the stomach (117, 118)	1	–	–	–	5	–	–	1	–	–
(32)	Hernia, intestinal obstruction (122)	1	–	–	–	6	–	–	–	–	–
(33)	Nephritis (130–132)	–	–	–	–	43	–	–	18	–	–
(34)	Other diseases of the urinary and genital systems (133–139)	1	–	–	–	8	–	–	2	–	1
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	1	–	–	–	–	–
(38)	Congenital malformations (157)	–	–	–	–	7	–	–	2	–	1
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	1	–	–	15	–	–	5	–	–
(39)	Senility (162)	–	–	–	–	1	–	–	–	–	–
(40)	Suicide (163, 164)	1	–	–	–	8	–	–	1	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	4	–	–	–	34	1	2	9	1	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	1	–	–	–	9	–	1	2	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	1	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	2	–	–	–	1	–	–	2	–	–
(43)	*Accidental injury by fall (186a)*	–	–	–	–	14	1	1	3	–	–
(43)	*All others*	1	–	–	–	9	–	–	2	1	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37–44, 56, 57, 62-76, 78-80, 82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	1	–	–	–	27	1	2	7	–	1
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	2	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1947.

Abridged Int. List No.	Provincetown.	QUINCY.	Randolph.	Raynham.	Reading.	Rehoboth.	REVERE.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.	Rutland.	SALEM.	Salisbury.	Sandisfield.
	44	831	95	13	124	24	337	8	14	127	54	3	16	12	13	31	517	34	3
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
(6)	1	19	3	–	2	1	6	–	–	–	3	–	–	–	–	13	11	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(7)	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
(10)	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
(15)	4	141	14	2	19	1	47	2	2	17	4	1	5	1	2	4	91	11	–
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	2	13	3	–	3	2	16	1	1	7	7	–	–	–	1	–	14	1	–
(19)	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	3	–	–
(20)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
(21)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	5	98	5	2	10	2	24	1	3	13	4	1	2	2	–	2	40	2	–
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(24)	2	117	11	1	22	3	45	3	–	18	10	–	2	2	1	1	74	4	–
(24)	–	10	–	–	2	–	3	–	–	1	–	–	–	–	–	–	6	–	–
(24)	10	183	26	4	28	4	93	1	3	30	11	1	3	3	4	4	141	6	2
(25)	1	31	2	–	2	1	1	–	–	3	–	–	–	–	–	–	12	–	–
(26)	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
(27)	2	21	1	–	4	–	9	–	1	3	2	–	–	–	–	–	8	–	–
(27)	1	13	2	–	–	–	5	–	–	1	–	–	–	1	–	–	6	–	–
(27)	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–
(28)	2	7	–	–	–	–	1	–	–	–	1	–	–	–	–	–	10	–	–
(29)	1	5	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
(30)	–	3	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
(31)	–	6	–	–	1	1	8	–	1	2	1	–	–	–	1	–	1	–	–
(32)	–	7	–	–	–	1	1	–	–	1	–	–	–	–	–	–	4	–	–
(32)	–	3	–	1	1	–	1	–	–	–	–	–	–	–	–	–	3	–	–
(33)	4	27	7	–	6	2	17	–	–	5	6	–	2	2	–	–	6	1	–
(34)	–	5	1	–	–	–	4	–	–	1	–	–	–	–	–	–	3	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
(38)	1	8	–	–	3	–	4	–	–	1	–	–	1	–	–	–	5	2	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	23	2	–	6	–	6	–	–	6	1	–	–	–	1	1	8	1	1
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	4	2	–	–	2	3	–	–	2	1	–	–	–	1	1	4	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
(42, 43)	4	40	9	2	8	2	12	–	3	11	–	–	1	1	1	–	29	2	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	7	2	2	4	–	1	–	1	3	–	–	–	–	1	–	4	1	–
(43)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(43)	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	3	–	–
(43)	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
(43)	2	17	5	–	1	–	6	–	1	6	–	–	–	–	–	–	14	1	–
(43)	1	6	2	–	3	1	5	–	1	2	–	–	–	1	–	–	3	–	–
(44)	2	35	6	–	6	2	19	–	–	3	3	–	–	–	1	3	24	4	–
	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.	Sheffield.	Shelburne.	Sherborn.	Shirley.
	All Causes.[2]	**26**	**166**	**2**	**72**	**54**	**37**	**20**	**27**	**10**	**21**
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	1	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	1	–	2	–	1	–	–	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	1	–	–	1	–	–	–	–	–
(10)	Influenza (33)	–	1	–	–	–	–	–	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	1	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	6	32	–	9	10	7	3	9	2	6
(17)	Chronic rheumatism and gout (59, 60)	–	1	–	1	–	1	–	–	–	–
(18)	Diabetes mellitus (61)	1	3	–	2	2	4	–	–	1	–
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	–	–	1
(20)	Acute rheumatic fever (58)	–	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	5	15	–	10	7	1	5	–	1	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	1	19	1	10	7	5	3	6	1	2
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	1	–	–	4	–	–	1	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	4	39	–	22	9	4	5	4	2	7
(25)	Arteriosclerosis (97)	–	3	–	–	1	1	1	–	–	–
(26)	Bronchitis (106)	–	1	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	1	–	–	1	4	–	–	–	–
(27)	Lobar pneumonia (108)	–	1	1	–	–	–	–	–	–	–
(27)	Pneumonia (unspecified) (109)	–	1	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	2	–	–	–	–	–	–	–	1
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	1	–	1	–	–	–	–
(31)	Cirrhosis of the liver (124)	1	–	–	–	1	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	–	4	–	–	1	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	1	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	4	7	–	1	4	–	–	1	–	2
(34)	Other diseases of the urinary and genital systems (133–139)	1	1	–	1	–	1	–	1	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	1	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	–	5	–	1	–	–	–	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	1	1	–	2	2	–	1	2	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	2	–	1	–	1	–	1	1	–
(41)	Homicide (165–168)	–	1	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	–	10	–	6	1	3	1	1	2	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	1	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	5	–	2	1	3	–	–	1	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	1	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	–	–	2	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	2	–	1	–	–	–	1	–	–
(43)	*All others*	–	3	–	–	–	–	–	–	1	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-80, 82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	2	10	–	3	2	3	–	1	–	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	1	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1947

Abridged Int. List No.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling	Stockbridge.	Stoneham.	Stoughton.	Stow	Sturbridge	Sudbury	Sunderland
	80	1	78	1,137	65	11	20	166	26	62	1,838	19	24	129	105	21	23	18	10
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	49	–	–	–	2	1	1	45	–	1	2	3	–	–	–	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	1	–	–	–	2	1	1	2	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(9)	–	–	–	1	–	–	–	–	–	–	11	–	–	1	–	–	–	–	–
(10)	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	7	–	14	161	8	1	5	37	3	12	267	1	2	27	16	2	4	3	–
(17)	–	–	–	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(18)	2	–	2	33	1	–	1	5	1	2	57	–	1	4	2	1	2	–	–
(19)	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	1	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	9	1	3	104	5	1	3	14	2	7	188	5	2	9	6	3	4	2	2
(24)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(24)	10	–	5	123	11	2	1	31	4	8	295	1	3	19	14	4	1	2	2
(24)	–	–	1	8	–	–	–	1	–	–	15	–	–	1	–	–	–	–	–
(24)	23	–	20	312	24	1	5	28	3	13	413	3	7	35	40	5	8	3	1
(25)	2	–	3	13	1	–	1	3	1	1	31	1	1	2	–	–	–	1	–
(26)	–	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
(27)	1	–	1	42	1	1	–	1	–	4	34	1	2	1	2	1	–	–	2
(27)	2	–	1	9	1	–	–	–	2	2	21	1	–	–	–	1	1	–	–
(27)	–	–	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
(28)	–	–	–	6	1	–	–	1	–	–	13	1	–	–	–	–	–	–	–
(29)	–	–	–	2	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
(30)	1	–	1	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(31)	–	–	–	22	1	–	–	1	–	3	36	–	–	–	1	–	–	–	–
(32)	–	–	–	4	–	–	–	–	1	–	11	–	–	–	1	–	–	–	–
(32)	2	–	–	7	–	–	–	1	–	–	12	–	–	–	1	–	–	–	–
(33)	5	–	8	45	1	2	–	10	–	3	62	–	3	5	3	2	1	1	1
(34)	1	–	1	7	1	–	1	1	–	–	11	–	–	2	–	–	–	–	–
(35)	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	2	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
(38)	–	–	1	11	–	–	–	–	1	1	17	1	–	2	3	1	–	–	–
(38)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	3	–	3	24	4	–	–	4	1	–	44	1	–	3	2	–	–	–	–
(39)	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
(40)	–	–	1	6	–	1	–	3	1	1	15	–	–	–	2	–	–	–	–
(41)	–	–	–	3	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
(42, 43)	8	–	5	63	1	1	1	7	3	1	78	1	1	6	5	1	1	2	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	1	11	–	1	–	4	–	–	16	1	1	2	1	–	1	–	–
(43)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(43)	–	–	1	2	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–
(43)	–	–	–	3	–	–	–	–	–	–	5	–	–	–	–	1	–	–	1
(43)	4	–	–	34	1	–	–	1	3	–	38	–	–	3	2	–	–	–	–
(43)	3	–	2	13	–	–	–	2	–	1	14	–	–	1	2	–	–	1	–
	4	–	5	59	4	1	2	14	–	2	127	1	1	9	2	–	–	4	–
(44)	–	–	1	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Sutton.	Swampscott.	Swansea.	Taunton.	Templeton.	Tewksbury.	State Infirmary.	Tisbury.	Tolland.	Topsfield.
	All Causes.[2]	28	144	62	395	49	57	–	29	–	11
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	–	4	16	1	1	–	–	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	1	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	1	–	–	–	–	–	–
(10)	Influenza (33)	–	2	–	–	–	–	–	–	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	1	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	2	19	8	55	3	13	–	5	–	2
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	2	3	3	14	2	2	–	–	–	–
(19)	Chronic or acute alcoholism (77)	–	1	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever (58)	–	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	1	–	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	3	23	5	28	6	1	–	4	–	1
(24)	Acute endocarditis (91)	–	–	–	1	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	4	25	3	52	10	5	–	2	–	2
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	1	1	1	2	–	–	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	9	31	24	130	7	13	–	6	–	1
(25)	Arteriosclerosis (97)	–	3	1	1	–	3	–	5	–	–
(26)	Bronchitis (106)	–	1	–	1	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	2	1	8	1	1	–	–	–	–
(27)	Lobar pneumonia (108)	–	1	–	4	–	–	–	–	–	–
(27)	Pneumonia (unspecified) (109)	–	2	–	1	1	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	1	1	–	1	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	1	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	6	1	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	–	2	–	4	–	1	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	2	–	3	1	–	–	–	–	–
(33)	Nephritis (130–132)	1	5	4	17	3	4	–	1	–	1
(34)	Other diseases of the urinary and genital systems (133–139)	1	2	–	2	–	–	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	1	1	–	2	–	–	–	–	–	1
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	–	3	2	4	1	–	1	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	1	1	–	3	1	1	–	1	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	1	6	2	19	3	8	–	2	–	1
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	1	–	1	6	2	1	–	–	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	2	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	–	–	3	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	6	1	6	1	1	–	1	–	–
(43)	*All others*	–	–	–	2	–	6	–	1	–	1
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-80, 82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	2	10	2	21	1	2	–	2	–	2
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	1	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1947.

Abridged Int. List No.	Townsend.	Truro.	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	Waltham.	Ware.	Wareham.	Warren.	Warwick.	Washington.	Watertown.	Wayland.	Webster.	Wellesley.
	41	10	21	7	29	59	174	10	88	461	102	77	44	6	6	323	43	137	155
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	1	–	–	3	2	–	–	15	3	2	1	–	–	9	–	3	2
(7)	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	–	–	–	2
(10)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(15)	5	–	2	–	4	10	34	2	15	74	16	10	5	1	–	52	6	19	20
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	1	–	–	–	–	2	6	–	5	22	4	4	1	1	1	4	1	–	3
(19)	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	2	–	1	3	4	3	16	1	12	34	7	6	3	1	–	35	9	10	17
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(24)	6	2	5	1	5	8	28	2	4	57	8	9	4	1	–	36	7	27	24
(24)	–	–	–	–	–	–	–	–	3	3	–	1	3	–	–	3	–	–	–
(24)	12	4	6	1	8	6	34	4	20	103	20	18	9	2	4	81	10	38	29
(25)	–	–	–	–	–	2	5	–	3	4	2	1	–	–	–	5	1	–	4
(26)	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	1
(27)	–	1	2	–	–	1	6	–	–	16	2	3	1	–	–	14	–	–	8
(27)	–	1	–	–	–	1	2	–	–	8	1	1	–	–	–	1	2	–	1
(27)	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	3	–	1	–
(28)	–	–	–	–	–	1	2	–	–	3	1	1	1	–	–	1	–	–	–
(29)	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	2	–	–	–
(30)	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	2	–	–	1
(31)	–	1	–	–	–	–	3	–	1	6	–	3	–	–	–	8	1	4	1
(32)	2	–	–	–	–	–	2	–	1	4	–	–	–	–	–	1	1	1	2
(32)	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	1	–	–
(33)	2	–	–	–	2	6	6	–	9	23	7	1	6	–	–	9	–	8	3
(34)	–	–	1	–	–	–	2	–	1	2	4	–	–	–	–	3	–	–	3
(35)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(36)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	1	–	–	–	–	1	3	–	1	7	1	–	–	–	–	7	1	5	1
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	1	1	–	–	–	2	6	–	–	12	5	4	–	–	–	6	–	5	5
(39)	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–
(40)	2	–	–	–	–	2	2	–	–	3	–	1	1	–	–	1	–	1	4
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	3	–	–	1	2	7	6	–	5	32	7	10	4	–	–	19	–	7	11
(42)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	4	–	–	1	4	–	2	1	–	–	3	–	–	2
(43)	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	1	–	–	1
(43)	1	–	–	–	–	1	–	–	2	4	2	1	–	–	–	4	–	–	3
(43)	1	–	–	–	1	1	3	–	2	17	1	3	3	–	–	9	–	6	3
(43)	1	–	–	1	1	–	3	–	–	5	3	2	–	–	–	2	–	1	2
	2	–	2	1	3	4	5	1	4	19	10	–	3	–	1	18	3	5	12
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.
	All Causes.[2]	15	5	19	28	50	19	25	154	19	2
(1)	Typhoid and paratyphoid fevers (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	1	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	–	–	1	–	–	–	2	2	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	–	–	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	1	–	–
(11)	Smallpox (34)	–	–	–	–	–	–	–	–	–	–
(12)	Measles (35)	–	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–	–	–	1	–	–
(15)	Cancer and other malignant tumors (45–55)	3	1	4	1	10	2	6	29	5	–
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	1	–
(18)	Diabetes mellitus (61)	2	–	1	1	3	–	2	6	–	–
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever (58)	–	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	–	4	1	1	2	–	14	3	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	1	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	–	1	3	5	8	3	2	24	1	–
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	1	–	–	–	–	3	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	5	2	3	13	17	7	9	34	2	–
(25)	Arteriosclerosis (97)	–	–	–	1	–	1	1	2	1	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	1	–	–	1	–	–	–
(27)	Lobar pneumonia (108)	–	–	–	–	–	1	–	1	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	–	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	–	–	4	–	–
(32)	Diseases of the stomach (117, 118)	1	–	–	–	–	–	–	1	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	3	–	–
(33)	Nephritis (130–132)	–	–	–	–	1	–	–	4	2	–
(34)	Other diseases of the urinary and genital systems (133–139)	1	–	–	1	–	–	–	1	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	1	–	–	–	–	–
(38)	Congenital malformations (157)	–	–	–	–	–	1	–	1	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(38)	Premature birth (159)	–	–	–	–	1	1	–	7	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	–	–	2	–	1	1	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	–	–	1	2	4	1	1	10	1	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	–	–	–	–	–	4	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	1	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	1	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	–	1	–	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	–	–	1	2	–	1	5	–	–
(43)	*All others*	–	–	–	1	2	–	–	–	1	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-80, 82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	2	1	2	1	2	–	1	4	–	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1947.

Abridged Int. List No.	Westborough.	Westfield.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.	Winchendon.	Winchester.	Windsor.	Winthrop.
	49	220	36	1	25	43	55	46	303	9	108	25	18	49	67	84	153	4	220
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	2	–	–	–	–	–	–	4	–	–	1	3	–	1	1	1	–	3
(7)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(8)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(10)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	5	47	6	–	4	4	8	9	35	2	12	5	2	7	11	15	24	3	30
(17)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(18)	3	–	2	–	–	–	1	–	6	–	3	–	1	2	4	1	5	–	12
(19)	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	3	19	2	–	1	3	6	6	24	1	9	4	2	8	3	9	12	1	20
(24)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(24)	7	34	7	–	4	15	5	6	46	2	28	3	3	9	8	15	25	–	32
(24)	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	2	–	2
(24)	9	58	7	1	2	10	18	7	92	1	20	2	3	11	17	26	43	–	66
(25)	–	6	1	–	1	1	–	2	6	–	1	2	–	1	3	–	5	–	4
(26)	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
(27)	–	–	1	–	–	–	2	1	5	–	8	–	1	2	2	4	1	–	4
(27)	1	2	–	–	–	1	–	–	2	–	–	–	–	–	–	1	2	–	1
(27)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	1
(28)	–	–	1	–	–	1	–	4	1	–	–	–	–	–	–	–	1	–	–
(29)	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1
(30)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
(31)	–	3	–	–	–	2	1	–	3	–	1	–	–	–	–	–	3	–	2
(32)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
(32)	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	1	–	–	–
(33)	5	7	2	–	2	–	5	2	11	2	2	1	1	4	3	4	8	–	8
(34)	–	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(38)	2	2	1	–	–	–	1	1	6	–	3	–	–	–	2	1	1	–	1
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(38)	3	9	2	–	–	–	–	2	9	–	3	–	–	1	1	–	–	–	11
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	2	–	–	–	–	1	1	1	–	–	1	–	–	1	2	3	–	2
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	5	9	2	–	5	3	2	2	22	1	8	2	1	3	6	2	7	–	7
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	4	1	–	–	3	1	–	2	2	1	2	2	–	–	–	–	–	–	2
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(43)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
(43)	1	6	1	–	–	1	1	–	7	–	4	–	1	1	2	1	5	–	5
(43)	–	2	1	–	1	1	1	–	11	–	2	–	–	1	3	1	2	–	–
	4	13	1	–	–	1	4	1	18	–	6	3	1	1	3	2	7	–	8
(44)	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Deaths from Important Causes Allocated to Each Municipality: 1947. Woburn.	Worcester.	Worthington.	Wrentham.	Yarmouth.
	All Causes.[2]	228	2,286	4	41	29
(1)	Typhoid and paratyphoid fevers (1, 2)	–	1	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–
(4)	Whooping cough (9)	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	5	63	–	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	5	–	–	–
(8)	Malaria (28)	–	–	–	–	–
(9)	Syphilis (30)	–	5	–	1	–
(10)	Influenza (33)	–	4	–	–	–
(11)	Smallpox (34)	–	–	–	–	–
(12)	Measles (35)	–	1	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–
(14)	Acute poliomyelitis and acute polioencephalitis (36)	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	30	404	1	5	3
(17)	Chronic rheumatism and gout (59, 60)	–	1	–	–	–
(18)	Diabetes mellitus (61)	8	71	–	3	1
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–
(20)	Acute rheumatic fever (58)	–	1	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–
(21)	Acute cerebrospinal meningitis (81b)	–	–	–	–	–
(21)	Pneumococcus meningitis (81c)	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	21	190	–	7	4
(24)	Acute endocarditis (91)	1	1	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	29	235	1	2	5
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	2	20	–	1	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	53	645	1	13	10
(25)	Arteriosclerosis (97)	5	30	–	2	1
(26)	Bronchitis (106)	1	5	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	5	45	–	–	–
(27)	Lobar pneumonia (108)	6	26	–	–	–
(27)	Pneumonia (unspecified) (109)	2	2	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	1	13	–	–	–
(29)	Diarrhea and enteritis (under 2 years of age) (119)	1	–	–	–	–
(30)	Appendicitis (121)	1	6	–	–	–
(31)	Cirrhosis of the liver (124)	2	36	–	–	–
(32)	Diseases of the stomach (117, 118)	4	15	–	1	–
(32)	Hernia, intestinal obstruction (122)	2	13	–	–	–
(33)	Nephritis (130–132)	9	79	–	2	3
(34)	Other diseases of the urinary and genital systems (133–139)	1	23	–	–	–
(35)	Puerperal infection (140, 147)	–	1	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	3	–	–	–
(38)	Congenital malformations (157)	5	26	–	–	–
(38)	Congenital debility (158)	–	3	–	–	–
(38)	Premature birth (159)	1	48	–	1	1
(39)	Senility (162)	–	–	–	–	–
(40)	Suicide (163, 164)	–	17	–	–	–
(41)	Homicide (165–168)	–	2	–	–	1
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	19	132	1	1	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	2	29	1	–	–
(43)	*Railroad accidents and injuries (169)*	1	2	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	1	–	–	–
(43)	*Accidental drowning (172a, 183)*	2	2	–	1	–
(43)	*Accidental injury by fall (186a)*	9	77	–	–	–
(43)	*All others*	5	21	–	–	–
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 37-44, 56, 57, 62-76, 78-80, 82, 84-89, 96, 98-103, 115, 116, 120, 123, 125-129, 151-156, 160, 161)	14	114	–	2	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.
[2] Exclusive of stillbirths.

Table 18

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES BY PLACE OF OCCURRENCE: 1947.

MUNICIPALITIES.[1]	Total.	Suicide, 163, 164.	Homicide, 165-168.	Railway accidents (except collisions with motor vehicles), 169.	Collisions between automobiles and trains, 170a.	Collisions between automobiles and street cars, 170b.	Automobile accidents (except collisions with trains or street cars), 170c.	Streetcar and other road-transport accidents, 171.	Air-transport accidents, 173.	Accidents involving machinery, 175a, d, 176.	Accidental absorption of illuminating gas, 178a.	Accidental absorption of other poisonous gases, 178b, c, x.	Acute accidental poisoning by solids or liquids, 179.	Conflagration, 180.	Accidental burns (except conflagration), 181.	Accidental mechanical suffocation, 182.	Water-transport accidents, drowning, 172a.	Accidental drowning, 183.	Accidental injury by firearms, 184.	Accidental injury by fall, 186a.	All Others.
The State.	3,385	511	65	45	2	–	543	21	23	35	69	12	60	59	100	62	37	166	32	1,277	266
Abington	3	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acton	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acushnet	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Adams	8	2	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	3	–
Agawam	8	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	4	1
Amesbury	8	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	1	–	3	–
Amherst	7	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	2
Andover	9	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	3	–	2	–
Arlington	24	5	–	1	–	–	5	–	–	–	1	–	–	–	–	–	–	1	–	10	1
Ashburnham	4	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1
Ashby	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Ashfield	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Ashland	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Athol	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–
ATTLEBORO	12	4	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	3	1
Auburn	9	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	3	–	2	–
Avon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Ayer	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1
Barnstable	10	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	–	1	–	4	1
Becket	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Bedford	9	2	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Belchertown	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Bellingham	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Belmont	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Berkley	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Berlin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Bernardston	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
BEVERLY	16	5	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	7	1
Billerica	8	1	2	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	1	–
Blackstone	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Blandford	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
BOSTON	723	103	26	7	–	–	79	10	–	12	8	2	20	20	19	20	1	25	1	293	77

[1] Cities are printed in small CAPITALS.

Table 18

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES BY PLACE OF OCCURRENCE: 1947.

MUNICIPALITIES.[1]	Total.	Suicide, 163, 164.	Homicide, 165-168.	Railway accidents (except collisions with motor vehicles), 169.	Collisions between automobiles and trains, 170a.	Collisions between automobiles and street cars, 170b.	Automobile accidents (except collisions with trains or street cars), 170c.	Streetcar and other road-transport accidents, 171.	Air-transport accidents, 173.	Accidents involving machinery, 175a, d, 176.	Accidental absorption of illuminating gas, 178a.	Accidental absorption of other poisonous gases, 178b, c, x.	Acute accidental poisoning by solids or liquids, 179.	Conflagration, 180.	Accidental burns (except conflagration), 181.	Accidental mechanical suffocation, 182.	Water-transport accidents, drowning, 172a.	Accidental drowning, 183.	Accidental injury by firearms, 184.	Accidental injury by fall, 186a.	All Others.
Bourne	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Boxborough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Boylston	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Braintree	10	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	2	–	4	2
Bridgewater	6	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	3	–
Brimfield	3	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
BROCKTON	59	17	–	1	–	–	7	–	–	–	3	–	–	5	1	–	–	–	2	19	4
Brookline	34	4	–	–	–	–	4	1	–	–	–	–	1	–	2	–	–	–	–	21	1
Burlington	5	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
CAMBRIDGE	88	10	1	–	–	–	16	–	–	–	2	–	–	3	2	4	1	1	1	39	8
Canton	13	–	1	–	–	–	2	–	–	1	–	–	–	1	1	2	2	–	–	3	–
Carver	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Charlemont	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Charlton	11	2	–	–	–	–	5	–	–	–	–	–	–	–	–	1	–	–	–	3	–
Chatham	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1
Chelmsford	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1
CHELSEA	18	2	–	1	–	–	2	–	–	–	–	–	1	1	1	1	–	1	–	6	2
Cheshire	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–
Chester	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
CHICOPEE	22	1	–	–	–	–	4	–	–	–	–	–	1	–	4	1	1	4	–	5	1
Chilmark	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Clinton	8	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	5	–
Cohasset	6	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1
Colrain	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Concord	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–
Dalton	3	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Danvers	16	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	9	5
Dartmouth	13	3	–	–	–	–	4	–	2	–	–	–	–	–	–	1	–	–	–	2	1
Dedham	12	1	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	2	–	4	1
Deerfield	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Dennis	5	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	1	–	1	–
Dighton	3	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Douglas	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dover	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dracut	8	2	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Dudley	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–

Duxbury	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
East Bridgewater	5	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
East Brookfield	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
East Longmeadow	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Eastham	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Easthampton	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–
Easton	7	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1
Erving	4	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
EVERETT	20	2	–	–	–	–	2	1	4	–	–	–	1	2	1	–	–	–	–	7	–	–
Fairhaven	8	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	2	–	1	–	2
FALL RIVER	51	13	2	1	–	–	5	–	–	–	2	–	–	–	4	–	–	1	1	20	–	2
Falmouth	7	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	2	–	–	–	1
FITCHBURG	35	3	–	1	–	–	8	–	–	–	4	–	–	–	2	1	–	2	–	13	–	1
Florida	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Foxborough	12	5	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–
Framingham	14	4	1	1	–	–	3	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1
Franklin	5	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
Freetown	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
GARDNER	20	5	–	1	–	–	3	–	–	–	–	–	–	–	1	–	–	1	–	9	–	–
Georgetown	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
GLOUCESTER	22	5	–	–	–	–	1	–	1	–	2	–	2	–	–	1	–	4	–	6	–	–
Grafton	12	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	8	–	1
Granville	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Great Barrington	8	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–
Greenfield	12	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	4	–	4
Groton	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Groveland	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hadley	5	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Halifax	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hamilton	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hampden	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hancock	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanover	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hardwick	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Harwich	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hatfield	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
HAVERHILL	44	7	–	–	–	–	1	–	2	–	5	–	–	2	1	–	–	3	2	17	–	4
Hingham	7	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2
Holbrook	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Holden	7	–	–	–	–	–	3	–	–	–	–	–	1	–	1	–	–	–	–	1	–	1
Holliston	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
HOLYOKE	41	4	1	–	–	–	6	1	–	–	5	–	–	–	–	1	–	4	1	18	–	–
Hopedale	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Hopkinton	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hubbardston	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hudson	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
Hull	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Huntington	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Ipswich	6	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
Kingston	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–
Lakeville	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Lancaster	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1

[1] Cities are printed in small capitals.

Table 18

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES BY PLACE OF OCCURRENCE: 1947.

MUNICIPALITIES.[1]	Total.	Suicide, 163, 164.	Homicide, 165-168.	Railway accidents (except collisions with motor vehicles), 169.	Collisions between automobiles and trains, 170a.	Collisions between automobiles and street cars, 170b.	Automobile accidents (except collisions with trains or street cars), 170c.	Streetcar and other road-transport accidents, 171.	Air-transport accidents, 173.	Accidents involving machinery, 175a, d, 176.	Accidental absorption of illuminating gas, 178a.	Accidental absorption of other poisonous gases, 178b, c, x.	Acute accidental poisoning by solids or liquids, 179.	Conflagration, 180.	Accidental burns (except conflagration), 181.	Accidental mechanical suffocation, 182.	Water-transport accidents, drowning, 172a.	Accidental drowning, 183.	Accidental injury by firearms, 184.	Accidental injury by fall, 186a.	All Others.
Lanesborough	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
LAWRENCE	49	10	3	2	–	–	6	–	–	–	2	–	1	3	3	–	–	–	–	17	2
Lee	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Leicester	4	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
LEOMINSTER	12	4	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	2	2
Lexington	18	2	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	1	8	3
Lincoln	5	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Littleton	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Longmeadow	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
LOWELL	75	6	2	–	–	–	19	–	–	1	3	–	2	–	3	–	–	7	2	28	2
Ludlow	6	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	1	–	1	–
Lunenburg	7	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	1	–
LYNN	52	7	3	2	–	–	8	1	–	2	1	–	2	–	3	–	–	–	1	20	2
Lynnfield	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MALDEN	27	4	1	1	–	–	1	–	–	–	1	–	1	–	–	–	–	1	–	13	4
Manchester	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Mansfield	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Marblehead	10	3	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	3	1
Marion	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MARLBOROUGH	12	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	6	2
Marshfield	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Mashpee	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Mattapoisett	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Maynard	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
Medfield	12	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	10	–
MEDFORD	28	4	–	1	–	–	4	1	–	–	1	–	–	1	–	1	–	1	–	13	1
Medway	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
MELROSE	25	8	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	11	2
Mendon	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Merrimac	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Methuen	14	7	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	4	1
Middleborough	19	2	–	–	–	–	3	–	–	–	–	–	–	–	1	2	–	–	–	10	1
Middleton	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Milford	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–
Millbury	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Millis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

Millville	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Milton	13	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	–	7	–	–	–
Monson	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–
Montague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Nahant	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Nantucket	7	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	2	–	2	–	–	–
Natick	10	2	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	2	–	2	1	–	–
Needham	6	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
NEW BEDFORD	62	15	2	–	–	–	5	1	–	1	5	3	1	–	1	–	–	2	1	25	–	–	–
New Braintree	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
New Marlborough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
New Salem	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Newbury	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NEWBURYPORT	8	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	5	–	–	–
NEWTON	43	9	1	2	–	–	2	–	–	–	–	1	3	–	2	–	–	3	1	17	2	–	–
Norfolk	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
NORTH ADAMS	12	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	7	2	–	–
North Andover	6	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
North Attleborough	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–
North Brookfield	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North Reading	3	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
NORTHAMPTON	31	4	–	–	–	–	4	1	–	–	–	–	1	–	–	–	–	1	–	18	2	–	–
Northborough	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Northbridge	5	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
Northfield	3	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Norton	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Norwell	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Norwood	11	2	–	–	–	–	4	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–
Oak Bluffs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Orange	6	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Orleans	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Oxford	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Palmer	4	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–
Paxton	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
PEABODY	6	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Pembroke	5	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Pepperell	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
PITTSFIELD	37	9	–	–	–	–	7	–	–	–	–	1	1	–	1	1	–	1	–	13	3	–	–
Plainfield	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Plainville	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Plymouth	16	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–	4	3	–	4	1	–	–
Plympton	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Princeton	3	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Provincetown	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
QUINCY	36	2	–	2	–	–	5	–	2	–	–	–	–	–	1	1	4	2	–	16	1	–	–
Randolph	9	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	5	1	–	–
Raynham	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Reading	7	–	–	–	–	–	4	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Rehoboth	4	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
REVERE	14	2	–	–	–	–	2	–	–	–	1	–	1	–	–	–	1	–	–	5	2	–	–
Rochester	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–
Rockland	9	2	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–

[1] Cities are printed in small capitals.

Table 18

Municipalities.[1]	Registered Deaths from Important Violent Causes by Place of Occurrence: 1947.																				
	Total.	Suicide, 163, 164.	Homicide, 165-168.	Railway accidents (except collisions with motor vehicles), 169.	Collisions between automobiles and trains, 170a.	Collisions between automobiles and street cars, 170b.	Automobile accidents (except collisions with trains or street cars), 170c.	Streetcar and other road-transport accidents, 171.	Air-transport accidents, 173.	Accidents involving machinery, 175a, d, 176.	Accidental absorption of illuminating gas, 178a.	Accidental absorption of other poisonous gases, 178b, c, x.	Acute accidental poisoning by solids or liquids, 179.	Conflagration, 180.	Accidental burns (except conflagration), 181.	Accidental mechanical suffocation, 182.	Water-transport accidents, drowning, 172a.	Accidental drowning, 183.	Accidental injury by firearms, 184.	Accidental injury by fall, 186a.	All Others.
Rockport	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rowley	3	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Royalston	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Russell	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rutland	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Salem	35	5	1	1	–	–	4	1	–	–	–	–	1	–	3	–	1	1	1	15	1
Salisbury	6	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Sandwich	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Saugus	11	2	–	–	–	–	5	–	–	–	–	–	–	1	–	–	–	–	–	2	1
Scituate	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	–	–	–
Seekonk	3	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sharon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Shelburne	5	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Sherborn	5	2	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Shrewsbury	5	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Somerset	4	1	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Somerville	48	4	1	1	–	–	8	–	–	2	1	–	1	–	2	–	–	–	–	26	2
South Hadley	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Southampton	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Southborough	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Southbridge	7	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2
Southwick	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–
Spencer	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1
Springfield	86	14	4	–	–	–	14	–	–	1	2	1	2	–	4	2	1	–	–	36	5
Sterling	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Stoneham	10	1	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–	5	–
Stoughton	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–
Stow	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Sturbridge	4	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Sudbury	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Sunderland	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sutton	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Swampscott	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–
Swansea	7	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	–	2	–
Taunton	40	4	–	–	–	–	6	–	–	–	–	–	–	–	2	–	–	3	–	21	4
Templeton	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1

Tewksbury	10	1	–	–	–	–	2	–	–	–	–	–	–	5	–	–	–	–	–	1	1
Tisbury	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Topsfield	4	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Townsend	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Truro	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Tyngsborough	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tyringham	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Upton	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Uxbridge	11	2	–	–	–	–	6	–	–	–	–	–	–	–	1	–	–	1	–	1	–
Wakefield	9	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	4	2
Walpole	10	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	2	–	3	–
WALTHAM	24	2	–	1	–	–	1	–	–	–	–	–	–	1	–	1	–	5	–	13	–
Ware	7	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	3	1
Wareham	14	1	–	–	–	–	3	–	1	1	–	–	–	–	2	–	–	–	–	3	3
Warren	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Warwick	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Watertown	13	1	–	–	–	–	4	–	–	–	–	–	–	–	1	1	–	1	–	4	1
Wayland	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Webster	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	1
Wellesley	11	4	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	2	1
Wenham	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
West Boylston	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
West Bridgewater	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1
West Brookfield	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
West Newbury	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
West Springfield	12	1	–	1	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–	3	–
West Stockbridge	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Westborough	26	2	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	1	–	17	2
WESTFIELD	12	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	5	2
Westford	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Westminster	5	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Weston	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Westport	9	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	3	–	1	1
Westwood	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weymouth	26	1	–	–	–	–	3	1	–	1	7	–	–	1	–	–	2	–	2	6	2
Whately	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whitman	7	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	4	1
Wilbraham	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Williamsburg	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Williamstown	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Wilmington	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Winchendon	5	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	1
Winchester	10	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	5	–
Winthrop	7	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	3	–
WOBURN	16	–	–	1	–	–	2	–	–	–	–	–	2	–	–	–	–	2	–	7	2
WORCESTER	156	18	2	2	–	–	24	–	–	3	3	1	1	3	1	–	1	1	–	85	11
Wrentham	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
Yarmouth	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OTHER STATES	26	–	–	1	–	–	8	–	–	–	–	–	–	–	1	–	–	–	–	14	2
OUT OF THE COUNTRY	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
PLACE NOT STATED	25	3	2	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	3	13

[1] Cities are printed in small CAPITALS.

Abridged Int. List No.	Table 19 — Cause of Death.[1]	Allocated Deaths: The State.	Accountants, auditors, bookkeepers, and cashiers.	Actors and actresses.	Agents (n. e. s.).[2]	Agents, advertising.	Agents, insurance and brokers.	Agents, purchasing.	Agents, real estate and brokers.	Agents, sales and traveling salesmen.
	All Causes.	**16,432**	**222**	**6**	**40**	**17**	**80**	**19**	**73**	**6**
(1)	Typhoid and paratyphoid fevers (1,2)	2	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	4	1	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	988	11	–	–	–	1	–	1	–
(7)	Tuberculosis of the meninges and central nervous system (14)	5	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	35	–	–	–	–	–	–	–	–
(8)	Malaria (28)	2	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	116	2	–	–	–	–	–	–	–
(10)	Influenza (33)	13	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	3	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	2,912	45	2	7	4	8	5	11	–
(17)	Chronic rheumatism and gout (59, 60)	6	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	371	1	–	–	–	4	–	4	1
(19)	Chronic or acute alcoholism (77)	95	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	8	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	12	–	–	–	–	–	–	–	–
(21)	Pneumococcic meningitis (81c)	8	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1,138	23	–	2	3	5	–	8	–
(24)	Acute endocarditis (91)	26	1	–	–	–	1	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	3,265	44	1	17	3	27	9	23	2
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	205	4	–	1	–	2	–	2	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	2,924	37	1	5	3	8	2	15	2
(25)	Arteriosclerosis (97)	59	3	–	–	–	–	–	–	–
(26)	Bronchitis (106)	22	–	–	–	–	–	–	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	232	4	–	–	–	1	–	–	–
(27)	Lobar pneumonia (108)	183	1	–	–	–	1	–	–	–
(27)	Pneumonia (unspecified) (109)	27	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	109	2	1	–	–	–	1	–	–
(30)	Appendicitis (121)	76	1	–	–	–	1	–	1	–
(31)	Cirrhosis of the liver (124)	360	7	–	2	–	2	–	–	–
(32)	Diseases of the stomach (117, 118)	200	–	1	1	1	1	–	–	–
(32)	Hernia, intestinal obstruction (122)	95	–	–	–	–	1	–	–	–
(33)	Nephritis (130–132)	545	6	–	2	3	1	–	5	–
(34)	Other diseases of the urinary and genital systems (133–139)	115	2	–	–	–	1	–	1	–
(35)	Puerperal infection (140, 147)	7	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	12	–	–	–	–	–	–	–	–
(39)	Senility (162)	1	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	346	3	–	1	–	4	–	1	–
(41)	Homicide (165–168)	43	–	–	–	–	–	–	1	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	1,064	6	–	–	–	6	–	–	–
(42)	*Railroad and automobile collisions (170a)*	3	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	1	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	276	2	–	–	–	3	–	–	–
(43)	*Railroad accidents and injuries (169)*	26	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	9	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	39	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	98	1	–	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	270	2	–	–	–	–	–	–	–
(43)	*All others*	342	1	–	–	–	3	–	–	–
	All other defined causes	746	18	–	2	–	4	2	–	–
(44)	Cause of death not specified or ill-defined (199, 200)	52	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Agents, ticket, station and express.	Architects, designers and draftsmen.	Artists, sculptors and teachers of art.	Asbestos and insulation workers.	Athletes.	Attendants, filling station, parking lot, garage, etc.	Attendants, physicians, and dentists' offices.	Auctioneers.	Authors, editors and reporters.	Aviators.	Baggagemen.	Bakers.	Barbers, beauticians and manicurists.	Bartenders.	Blacksmiths, forgemen and hammermen.	Boarding and lodging house keepers.
	17	59	15	4	4	21	1	1	37	6	3	69	139	84	35	11
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	1	–	–	–	2	–	–	1	–	–	5	7	10	5	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	1	9	4	–	–	2	–	–	5	–	1	19	20	19	5	–
(17)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	2	1	–	–	–	–	–	1	–	–	3	3	3	1	–
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(22)	4	6	2	–	–	–	1	–	2	–	1	5	11	1	–	2
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	3	21	4	–	–	4	–	–	7	–	–	14	39	20	7	2
(24)	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–
(24)	2	4	2	–	1	2	–	–	7	–	1	14	25	10	7	3
(25)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(26)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(27)	1	–	–	1	–	–	–	–	–	–	–	–	4	1	2	–
(27)	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
(28)	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1
(30)	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
(31)	1	2	–	–	–	–	–	–	2	–	–	1	3	2	1	–
(32)	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–
(32)	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(33)	–	1	1	–	1	1	–	–	3	–	–	3	5	1	–	–
(34)	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	1	–	1	–	–	–	–	2	–	–	2	4	5	–	1
(41)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	2	2	1	1	1	6	–	–	3	6	–	1	1	6	3	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	1	–	–	–	2	–	–	1	1	–	–	–	3	1	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(43)	–	1	1	1	1	2	–	–	1	–	–	–	1	2	–	1
(43)	–	–	–	–	–	2	–	–	1	5	–	1	–	1	1	–
	–	3	–	–	–	–	–	–	3	–	–	1	4	–	–	1
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Table 19

Abridged Int. List No	Cause of Death.[1]	Allocated Deaths: Boilermakers.	Bootblacks.	Brakemen.	Brass and iron molders, founders and casters.	Brick and stone masons and tile setters.	Buffers, filers, grinders and polishers (metal).	Buyers (n. e. s.).[2]	Buyers, construction.	Buyers, finance, insurance and real estate.
	All Causes.	17	2	31	44	66	24	4	1	1
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	–	2	6	6	2	–	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	3	1	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	2	1	3	4	9	1	–	–	–
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	–	1	–	–	–	–	–	–
(19)	Chronic or acute alcoholism (77)	–	–	1	–	1	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–
(21)	Pneumococcic meningitis (81c)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	3	–	3	1	2	3	–	–	–
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	7	–	6	6	13	5	1	1	1
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	2	1	–	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	2	1	6	13	10	7	–	–	–
(25)	Arteriosclerosis (97)	–	–	–	–	2	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	2	–	1	–	–	–	–
(27)	Lobar pneumonia (108)	–	–	–	2	–	–	–	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	2	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	6	–	–	–	–
(32)	Diseases of the stomach (117, 118)	–	–	1	–	1	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	1	–	–	–	–	–
(33)	Nephritis (130–132)	–	–	–	3	1	2	1	–	–
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	–	1	–	1	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	1	1	–	1	–	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	1	–	5	2	4	1	1	–	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	–	2	1	1	1	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	2	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	–	2	–	2	–	–	–	–
(43)	*All others*	1	–	1	–	1	–	–	–	–
	All other defined causes	1	–	–	1	5	1	–	–	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Buyers, leather and leather products.	Buyers, lumber, furniture and lumber products.	Buyers, miscellaneous manufacturing industries.	Buyers, paper and allied products.	Buyers, textile-mill products.	Buyers and department heads, store.	Buyers and shippers of livestock and farm products.	Cabinetmakers.	Canvassers and solicitors.	Carpenters.	Cement and concrete finishers.	Charwomen and cleaners.	Chauffeurs and drivers.	Chemists, assayists and metallurgists.	Chiropractors.	Clergymen.
	1	1	1	1	1	9	5	23	3	374	5	29	385	21	2	55
(1)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	1	1	–	16	–	3	47	2	–	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(9)	–	–	–	–	–	–	–	–	–	3	–	–	9	–	–	1
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	–	–	–	–	4	–	8	1	84	2	3	46	3	–	11
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	–	–	–	1	–	–	–	3	–	–	8	2	–	3
(19)	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	–	–	1	–	–	–	–	2	–	19	1	3	9	–	1	5
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	–	1	–	–	1	–	3	6	2	73	–	3	69	6	1	19
(24)	–	–	–	–	–	–	–	–	–	3	–	–	7	–	–	–
(24)	1	–	–	–	–	3	1	4	–	69	1	9	53	3	–	8
(25)	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
(26)	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
(27)	–	–	–	–	–	–	–	–	–	2	–	1	5	–	–	–
(27)	–	–	–	–	–	1	–	–	–	4	–	–	8	–	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	–	–	–	2	–	–	4	–	–	–
(30)	–	–	–	–	–	–	–	–	–	2	–	–	4	–	–	–
(31)	–	–	–	1	–	–	–	–	–	6	–	1	14	1	–	1
(32)	–	–	–	–	–	–	–	–	–	6	1	–	6	–	–	2
(32)	–	–	–	–	–	–	–	–	–	4	–	–	3	–	–	1
(33)	–	–	–	–	–	–	–	–	–	11	–	1	13	1	–	3
(34)	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	–	–	–	–	1	–	5	–	–	7	–	–	–
(41)	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–
(42, 43)	–	–	–	–	–	–	–	1	–	32	–	3	40	1	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	1	–	10	–	1	18	–	–	–
(43)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(43)	–	–	–	–	–	–	–	–	–	3	–	–	4	–	–	–
(43)	–	–	–	–	–	–	–	–	–	9	–	1	5	1	–	–
(43)	–	–	–	–	–	–	–	–	–	9	–	1	11	–	–	–
	–	–	–	–	–	–	–	–	–	20	–	2	16	2	–	–
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Table 19

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Clerks (n. e. s.).[2]	Clerks, railway mail and express messengers.	Clerks, shipping and receiving.	Collectors.	College presidents, professors and instructors.	Compositors, linotypers and typesetters.	Conductors.	Cooks, except private family.	Cranemen, derrickmen, hoistmen, etc.
	All Causes.	**697**	**13**	**123**	**9**	**22**	**79**	**20**	**205**	**23**
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	54	1	10	–	–	4	1	17	1
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	3	–	–	–	–	–	–	–	1
(8)	Malaria (28)	1	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	3	–	1	–	–	2	–	1	1
(10)	Influenza (33)	3	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	121	3	17	1	5	13	2	36	3
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	1	–	–	–
(18)	Diabetes mellitus (61)	13	–	2	1	–	3	–	6	–
(19)	Chronic or acute alcoholism (77)	3	–	1	–	–	–	–	4	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	2	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–
(21)	Pneumococcic meningitis (81c)	–	–	–	–	–	1	–	1	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	53	1	13	–	1	7	1	12	3
(24)	Acute endocarditis (91)	1	–	–	–	–	–	–	1	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	127	3	20	–	9	18	7	30	4
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	16	1	5	–	–	2	–	2	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	127	3	21	6	5	10	4	29	2
(25)	Arteriosclerosis (97)	2	–	–	–	–	1	–	1	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	12	–	2	–	–	–	–	3	–
(27)	Lobar pneumonia (108)	5	–	–	–	–	–	–	8	2
(27)	Pneumonia (unspecified) (109)	1	–	1	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	2	–	1	1	–	–	–	1	–
(30)	Appendicitis (121)	3	–	–	–	–	–	–	1	–
(31)	Cirrhosis of the liver (124)	21	1	2	–	–	1	1	9	–
(32)	Diseases of the stomach (117, 118)	4	–	1	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	4	–	1	–	–	3	–	2	–
(33)	Nephritis (130–132)	23	–	3	–	–	2	1	6	1
(34)	Other diseases of the urinary and genital systems (133–139)	5	–	4	–	–	–	–	3	–
(35)	Puerperal infection (140, 147)	3	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	2	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	19	–	6	–	1	3	–	5	–
(41)	Homicide (165–168)	4	–	–	–	–	–	–	1	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	28	–	7	–	–	3	2	13	3
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	11	–	1	–	–	1	–	3	1
(43)	*Railroad accidents and injuries (169)*	2	–	–	–	–	–	1	–	1
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	1	–	–
(43)	*Burns (conflagration excepted) (181)*	2	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	2	–	1	–	–	2	–	1	1
(43)	*Accidental injury by fall (186a)*	4	–	4	–	–	–	–	4	–
(43)	*All others*	7	–	1	–	–	–	–	5	–
	All other defined causes	31	–	5	–	1	3	1	13	2
(44)	Cause of death not specified or ill-defined (199, 200)	1	–	–	–	–	2	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Credit men.	Dancers, dancing teachers and chorus girls.	Dealers (n. e. s.).[2]	Dealers, apparel and accessories, shoes, etc.	Dealers, automobiles and accessories.	Dealers, books, music, news, tobacco, etc.	Dealers, cafe, restaurant, tavern, etc.	Dealers, department stores.	Dealers, drugs, and medicines.	Dealers, filling stations.	Dealers, flowers.	Dealers, food, groceries, milk, candy, etc.	Dealers, fuel and ice.	Dealers, furniture, carpets, radios, etc.	Dealers, hardware, implements and wagons.	Dealers, jewelry.
	8	4	91	39	27	42	95	20	3	34	22	223	23	14	10	3
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	1	5	–	–	–	6	–	–	–	3	9	1	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	2	1	14	4	2	9	16	7	–	8	–	32	–	3	2	–
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	1	2	3	1	7	–	1	–	–	5	–	–	–	–
(19)	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	1	1	11	2	1	1	7	1	–	2	3	12	1	–	1	–
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	3	–	18	12	8	10	19	6	–	7	8	53	9	6	4	1
(24)	–	–	–	–	–	1	2	–	–	–	1	6	–	–	–	–
(24)	1	–	20	9	6	12	20	4	–	8	3	44	5	1	–	–
(25)	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	1	1	–	–	–	2	–	–	–	–	4	–	–	–	–
(27)	–	–	1	–	–	1	–	–	–	–	–	2	1	–	1	1
(27)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(28)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(30)	–	–	–	–	–	1	1	–	–	–	–	1	1	–	–	–
(31)	–	–	4	1	1	1	3	1	–	–	1	5	1	–	–	–
(32)	–	–	1	1	–	1	1	–	–	1	–	1	–	–	2	–
(32)	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–
(33)	1	–	6	1	2	–	4	–	–	2	1	9	1	–	–	–
(34)	–	–	2	1	–	–	–	1	–	–	–	3	–	1	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	–	1	–	2	–	1	1	–	6	–	1	–	–
(41)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	–	–	2	2	–	2	–	–	–	3	–	4	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	1	–	1	–	–	–	1	–	2	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–
(43)	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
	–	–	3	1	1	2	3	–	1	1	2	20	2	1	–	1
(44)	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–

[2] Not elsewhere specified.

Abridged Int. List No.	Table 19 — Cause of Death [1]	Allocated Deaths: Dealers, limited price and variety stores.	Dealers, liquors.	Dealers, lumber, and building materials.	Decorators and window dressers.	Deliverymen (including milkmen).	Dentists.	Draymen, teamsters and carriage drivers.	Dressmakers and seamstresses (not in factory).	Dyers.
	All Causes.	21	17	14	10	9	43	40	67	13
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1	–	–	–	–	–	–	3	1
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	2	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	–	–	1	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	–	3	2	2	–	4	3	14	3
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	1	1	1	–	1	2	4	–
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	1	1
(21)	Pneumococcic meningitis (81c)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	3	1	1	1	1	2	4	8	–
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	5	4	5	1	2	14	8	7	1
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	–	1	–	–	1	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	7	3	–	2	2	8	9	9	5
(25)	Arteriosclerosis (97)	–	–	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	1	–	–	–	2	–
(27)	Lobar pneumonia (108)	–	–	1	–	–	–	1	1	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	2	–	–
(31)	Cirrhosis of the liver (124)	1	2	–	1	1	2	2	–	–
(32)	Diseases of the stomach (117, 118)	1	–	1	–	–	1	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	1	2	–	–	–	6	3	3	–
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	2	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	–	–	1	2	–	1	1
(41)	Homicide (165–168)	–	–	–	–	–	–	–	1	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2	–	3	–	1	–	3	5	1
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	1	–	–	–	–	1	1
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	2	2	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	–	–	–	1	–	–	–	–
(43)	*Accidental injury by fall (186a)*	1	–	1	–	–	–	1	2	–
(43)	*All others*	1	–	1	–	–	–	–	–	–
	All other defined causes	–	1	–	1	–	3	1	3	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Electricians.	Electrotypers and stereotypers.	Engineers, chemical.	Engineers, civil, and surveyors.	Engineers, electrical.	Engineers, industrial.	Engineers, locomotive.	Engineers, mechanical.	Engineers, stationary.	Engravers (except photo-engravers).	Farm laborers, unpaid family workers.	Farm laborers, wage workers.	Farmers (owners and tenants).	Farm managers.	Firemen, except locomotive and fire department.	Firemen, fire department.
	115	1	5	32	24	10	38	25	126	7	3	97	223	6	88	72
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	6	1	–	2	–	–	–	–	4	2	–	7	7	–	2	4
(7)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	16	–	–	5	6	3	4	9	22	–	2	19	49	1	13	10
(17)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	2	–	–	1	–	–	–	1	4	1	–	2	4	–	3	1
(19)	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	9	–	–	2	–	–	4	–	6	1	–	6	18	–	9	5
(24)	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(24)	34	–	–	11	11	4	10	4	24	1	–	26	33	–	21	21
(24)	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
(24)	14	–	1	8	3	–	7	5	22	1	1	11	42	1	15	12
(25)	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2
(26)	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
(27)	5	–	–	–	–	–	1	–	–	–	–	2	2	–	1	2
(27)	2	–	–	–	–	1	–	–	2	–	–	–	4	–	1	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(30)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(31)	–	–	–	–	–	–	–	2	4	–	–	1	2	–	3	1
(32)	1	–	–	2	–	–	2	–	3	–	–	1	4	–	3	1
(32)	–	–	–	1	–	–	–	–	2	–	–	–	2	–	–	–
(33)	3	–	–	–	–	1	2	1	6	1	–	3	8	–	3	4
(34)	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(40)	2	–	2	–	–	–	–	1	6	–	–	3	10	1	2	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	9	–	2	–	3	–	3	1	12	–	–	10	16	–	6	4
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	–	–	–	–	–	2	–	–	1	5	–	–	1
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	1	–	2	–	1	–	1	–	–	1	–	–	–	–
(43)	–	–	–	–	–	–	–	–	1	–	–	2	2	–	1	–
(43)	2	–	–	–	1	–	–	–	4	–	–	–	5	–	4	1
(43)	5	–	1	–	–	–	2	1	4	–	–	6	4	–	1	2
	4	–	–	–	1	1	3	1	6	–	–	2	9	–	2	3
(44)	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–

[2] Not elsewhere specified.

Table 19

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Firemen, locomotive.	Fishermen and oystermen.	Floormen and floor managers, industrial.	Floormen, and floor managers, store.	Foremen and overseers (n. e. s.).[2]	Foremen and overseers, agriculture, forestry and fishery.	Foremen and overseers, business and repair services.	Foremen and overseers, construction.	Foremen and overseers, Federal, State and local government.
	All Causes.	**6**	**57**	**2**	**2**	**12**	**6**	**5**	**14**	**26**
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	6	–	–	1	1	–	1	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	–	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	1	8	–	–	1	2	–	1	6
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	–	–	–	1	–	–	–	1
(19)	Chronic or acute alcoholism (77)	–	1	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–
(21)	Pneumococcic meningitis (81c)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	–	3	–	–	1	1	–	1	–
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	2	9	2	1	1	1	3	3	9
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	–	–	–	–	1	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	2	8	–	–	3	–	1	4	4
(25)	Arteriosclerosis (97)	–	1	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	1	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	–	–	–	–	–	–
(27)	Lobar pneumonia (108)	–	1	–	–	–	–	–	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	1	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	–	–	1	2
(32)	Diseases of the stomach (117, 118)	–	1	–	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	1	–	–	–	–	–	–	1
(33)	Nephritis (130–132)	1	2	–	–	–	–	1	1	–
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	1	1	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	1	–	–	–	–	–	–	–
(40)	Suicide (163, 164)									
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	–	13	–	–	2	1	–	1	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	1	–	–	1	–	–	1	–
(43)	*Railroad accidents and injuries (169)*	–	1	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	1	–	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	4	–	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	2	–	–	1	–	–	–	–
(43)	*All others*	–	4	–	–	–	1	–	–	–
	All other defined causes	–	–	–	–	–	–	–	–	2
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Foremen and overseers, finance, insurance and real estate.	Foremen and overseers, manufacturing.	Foremen and overseers, mining.	Foremen and overseers, personal services.	Foremen and overseers, professional services.	Foremen and overseers, transportation, communication and utilities.	Foremen and overseers, wholesale and retail trade.	Fruit and vegetable graders and packers.	Funeral directors and embalmers.	Furnacemen, smelter men and pourers.	Furriers.	Garage laborers, car washers and greasers.	Gardeners and groundkeepers.	Guards, watchmen and doorkeepers.	Healers and medical service workers (n. e. s.).[2]	Heat treaters, annealers and temperers.
	4	193	1	11	8	47	16	5	20	4	8	5	62	277	10	4
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	3	–	–	–	–	1	–	–	1	–	–	2	12	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	34	–	3	2	7	2	1	3	–	1	2	10	48	3	1
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	4	1	–	–	–	1	–	1	–	–	–	–	4	–	–
(19)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(20)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	–	12	–	2	–	3	–	–	2	–	1	–	8	18	–	1
(24)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(24)	2	52	–	3	2	13	5	2	3	1	4	–	12	58	2	–
(24)	–	2	–	–	–	1	–	–	–	–	–	1	1	1	–	–
(24)	2	41	–	2	–	10	2	–	6	–	–	–	8	62	3	1
(25)	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
(27)	–	–	–	–	–	–	–	–	1	–	–	–	1	6	–	–
(27)	–	3	–	–	–	1	–	–	–	–	–	–	2	4	–	–
(27)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(28)	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(30)	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–
(31)	–	2	–	–	–	–	–	–	2	–	1	–	1	3	1	–
(32)	–	5	–	–	1	–	–	–	–	–	–	–	–	3	–	–
(32)	–	1	–	–	–	1	–	–	–	–	–	–	1	2	–	–
(33)	–	8	–	–	–	2	2	–	1	–	1	1	2	13	–	–
(34)	–	4	–	–	–	1	–	–	–	–	–	–	1	1	1	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	6	–	–	1	2	–	–	1	–	–	–	2	4	–	1
(41)	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
(42, 43)	–	6	–	1	–	4	3	–	–	1	–	–	6	12	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	1	–	2	–	–	–	–	–	–	1	2	–	–
(43)	–	–	–	–	–	1	1	–	–	–	–	–	1	1	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–
(43)	–	2	–	–	–	1	1	–	–	–	–	–	–	2	–	–
(43)	–	3	–	–	–	–	1	–	–	1	–	–	3	3	–	–
	–	7	–	–	1	1	–	–	–	–	–	–	3	18	–	–
(44)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Abridged Int. List No.	Table 19 — Cause of Death.[1]	Allocated Deaths: Housekeepers and stewards.	Hucksters and peddlers.	Inspectors (n. e. s.).[2]	Inspectors, construction.	Inspectors, finance, insurance and real estate.	Inspectors, manufacturing.	Inspectors, scalers and graders (log and lumber).	Inspectors, transportation, communication and utilities.	Inspectors, U. S., State, City and County.
	All Causes.	**110**	**20**	**3**	**2**	**1**	**82**	**3**	**38**	**37**
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1	–	1	–	–	1	–	2	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	1	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	–	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	32	1	–	–	1	18	1	9	9
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	5	1	–	–	–	3	–	–	1
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	1	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–
(21)	Pneumococcic meningitis (81c)	–	–	–	–	–	–	–	–	1
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	9	2	–	–	–	3	–	3	3
(24)	Acute endocarditis (91)	–	–	–	–	–	1	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	13	8	–	–	–	19	–	9	7
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	2	–	–	–	–	1	–	1	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	24	4	1	–	–	13	1	5	9
(25)	Arteriosclerosis (97)	1	–	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	2	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2	1	–	–	–	1	–	1	–
(27)	Lobar pneumonia (108)	1	1	–	–	–	1	–	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	1	–	–	–	–	2	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	1	–
(31)	Cirrhosis of the liver (124)	3	–	–	–	–	3	–	1	1
(32)	Diseases of the stomach (117, 118)	2	–	–	–	–	1	–	1	–
(32)	Hernia, intestinal obstruction (122)	1	1	–	–	–	–	–	1	–
(33)	Nephritis (130–132)	–	–	–	1	–	2	1	–	2
(34)	Other diseases of the urinary and genital systems (133–139)	1	–	–	–	–	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	–	1	–	1	–	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2	1	1	–	–	3	–	2	2
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	–	–	–	–	–	1	1
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	1	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	–	–	–	–	1	–	–	–
(43)	*Accidental injury by fall (186a)*	1	1	–	–	–	–	–	–	–
(43)	*All others*	1	–	1	–	–	2	–	–	1
	All other defined causes	8	–	–	–	–	5	–	1	2
(44)	Cause of death not specified or ill-defined (199, 200)	2	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Inspectors, wholesale and retail trade.	Janitors.	Jewelers, watchmakers, goldsmiths, and silversmiths.	Laborers (n. e. s.).[2]	Laborers, agriculture, forestry and fishery.	Laborers, amusement, recreation and related services.	Laborers, apparel and other fabricated textile products.	Laborers, business and repair services.	Laborers, chemicals and allied products.	Laborers, construction.	Laborers, finance, insurance and real estate.	Laborers, food and kindred products.	Laborers, government.	Laborers, iron and steel and their products.	Laborers, leather and leather products.	Laborers, lumber, furniture and lumber products.
	6	173	36	621	6	1	1	4	17	116	2	13	73	38	16	12
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	7	–	85	–	–	–	–	–	11	–	–	2	3	1	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	2	–	7	–	–	–	–	–	1	–	–	–	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	1	32	5	89	1	–	–	–	2	14	1	1	22	5	1	1
(17)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(18)	–	3	1	13	–	–	–	–	–	2	–	–	1	1	1	1
(19)	–	–	–	10	–	–	–	–	–	3	–	1	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	–	19	2	36	–	–	–	–	2	4	–	1	5	3	1	–
(24)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	1	38	9	64	2	–	–	1	3	17	–	1	13	5	4	2
(24)	1	3	–	5	–	–	–	–	–	3	–	–	1	1	–	–
(24)	2	31	11	145	–	1	1	2	–	19	–	4	15	8	5	2
(25)	–	–	–	6	–	–	–	–	–	–	–	–	1	–	–	–
(26)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	2	–	14	–	–	–	–	–	2	–	–	1	–	–	–
(27)	–	1	–	11	–	–	–	–	–	3	–	1	2	–	–	–
(27)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(28)	–	1	–	5	–	–	–	–	–	1	–	1	–	–	–	–
(30)	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–
(31)	–	5	1	11	–	–	–	–	–	1	–	–	1	2	–	–
(32)	–	2	–	11	–	–	–	–	–	2	–	–	–	–	–	–
(32)	–	1	–	3	–	–	–	–	1	–	–	–	1	–	–	–
(33)	–	3	1	24	–	–	–	–	–	–	–	–	1	2	–	–
(34)	–	1	–	3	–	–	–	–	–	1	–	1	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	2	–	7	1	–	–	–	2	3	–	–	1	1	–	1
(41)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42, 43)	1	10	3	44	–	–	–	–	2	21	1	2	4	5	2	4
(42)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	2	–	9	–	–	–	–	–	7	–	–	–	1	–	2
(43)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
(43)	–	–	–	4	–	–	–	–	1	1	–	1	–	–	–	–
(43)	–	5	–	18	–	–	–	–	1	4	1	–	2	1	2	1
(43)	–	3	3	10	–	–	–	–	–	7	–	1	1	3	–	1
	–	7	3	21	1	–	–	–	5	5	–	–	2	2	1	–
(44)	–	1	–	5	–	–	–	–	–	–	–	–	–	–	–	–

[2] Not elsewhere specified.

Abridged Int. List No.	Table 19 — Cause of Death.[1]	Allocated Deaths: Laborers, machinery.	Laborers, mining.	Laborers, miscellaneous manufacturing industries.	Laborers, nonferrous metals and their products.	Laborers, not specified metal industries.	Laborers, paper and allied products.	Laborers, personal services.	Laborers, petroleum and coal products.	Laborers, printing, publishing and allied industries.
	All Causes.	31	6	77	2	31	11	8	2	3
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	2	–	2	–	–	1	1	–	–
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	–	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	7	–	18	1	11	2	3	1	–
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	1	1	3	–	–	–	–	–	–
(19)	Chronic or acute alcoholism (77)	–	–	1	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–
(21)	Pneumococcic meningitis (81c)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	2	1	5	–	3	–	–	–	–
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	6	1	11	–	8	3	1	1	1
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	–	–	–	1	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	6	1	18	–	6	2	–	–	1
(25)	Arteriosclerosis (97)	–	–	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	1	–	–	–	–	–	–
(27)	Lobar pneumonia (108)	–	–	2	–	1	1	–	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	1	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	1	–	1	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	1	–	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	–	–	1	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	1	1	–	–	–	–	–	–
(33)	Nephritis (130–132)	–	–	2	–	–	–	–	–	1
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	1	–	–	–	1	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	1	–	1	–	–	–	1	–	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	5	–	6	1	1	1	–	–	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	1	–	3	–	–	–	–	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	1	–	1	–	–	–	–	–	–
(43)	*Accidental injury by fall (186a)*	2	–	1	1	1	–	–	–	–
(43)	*All others*	1	–	1	–	–	1	–	–	–
	All other defined causes	1	–	2	–	–	1	–	–	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridgedlist appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Laborers, professional and related services.	Laborers, rubber products.	Laborers, stone, clay and glass products.	Laborers, textile-mill products.	Laborers, transportation, communication and other public utilities.	Laborers, wholesale and retail trade.	Launderers and laundresses.	Lawyers and judges.	Lecturers.	Librarians, assistants and attendants.	Lineman and servicemen, telegraph, telephone, etc.	Longshoremen and stevedores.	Loom fixers.	Lumbermen, raftsmen and woodchoppers.	Machinists.	Mail carriers.
	9	15	5	56	152	71	89	65	1	11	36	31	43	18	427	42
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	1	–	7	10	5	8	2	–	–	1	4	–	–	24	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	1	–	2	–	–	–	–	–	–	1	2	–
(10)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	1	5	–	9	27	17	14	9	–	4	6	6	10	3	57	10
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	–	5	2	1	2	3	–	–	1	1	–	–	9	1
(19)	–	–	1	1	3	1	–	–	–	–	–	1	1	–	1	–
(20)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	1	1	1	4	4	4	6	6	–	–	–	2	5	–	30	3
(24)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
(24)	2	1	1	10	16	7	9	17	–	–	6	2	10	3	110	5
(24)	–	–	–	1	1	1	1	1	–	1	–	–	–	–	8	–
(24)	2	5	1	10	31	8	20	10	–	3	5	4	12	4	67	5
(25)	–	–	–	1	–	–	1	1	–	1	–	–	–	–	2	1
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	–	1	–	–	4	3	1	1	–	2	–	–	1	7	1
(27)	1	–	–	1	6	1	1	1	–	–	1	2	–	1	8	1
(27)	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
(28)	–	–	–	–	3	1	2	–	–	–	1	–	–	–	3	–
(30)	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–
(31)	1	1	–	–	6	2	4	2	–	–	–	3	–	–	7	–
(32)	–	–	–	–	2	–	2	2	–	–	1	–	–	–	9	3
(32)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
(33)	–	–	–	2	6	–	4	1	–	–	–	–	3	–	7	3
(34)	–	–	–	–	2	1	–	–	–	–	2	–	–	–	3	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	1	2	1	1	2	–	1	–	–	–	1	12	4
(41)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–
(42, 43)	1	–	–	2	26	9	6	3	–	–	7	5	–	4	38	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	1	10	1	4	–	–	–	–	1	–	1	12	1
(43)	–	–	–	–	3	1	–	–	–	–	–	–	–	1	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
(43)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	3	–
(43)	–	–	–	–	3	5	1	1	–	–	3	3	–	–	10	1
(43)	–	–	–	1	7	2	1	2	–	–	4	1	–	2	12	–
	–	1	–	2	1	2	3	2	–	1	2	1	2	–	15	2
(44)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–

[2] Not elsewhere specified.

Table 19

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Managers and superintendents, building.	Marshals and constables.	Meat cutters.	Mechanics and repairmen (n. e. s.).[2]	Messenger and office boys and girls.	Messengers, telegraph.	Milliners.	Millwrights.	Miscellaneous service workers, except domestic and protective.
	All Causes.	13	4	93	312	8	2	6	31	60
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	–	1	1	25	1	–	–	1	10
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	1	–	–	2	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	1	5	–	–	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	1	–	22	57	–	1	3	5	9
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	–	3	10	–	–	–	–	–
(19)	Chronic or acute alcoholism (77)	–	–	2	3	–	–	–	–	3
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–
(21)	Pneumococcic meningitis (81c)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	1	1	5	13	–	–	1	2	1
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	6	1	15	71	2	–	2	11	12
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	1	2	–	–	–	–	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	2	1	22	38	2	1	–	4	15
(25)	Arteriosclerosis (97)	–	–	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	2	4	1	–	–	1	–
(27)	Lobar pneumonia (108)	–	–	–	3	–	–	–	–	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	–	3	–	–	–	–	1
(30)	Appendicitis (121)	–	–	2	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	2	2	1	–	–	1	1
(32)	Diseases of the stomach (117, 118)	1	–	1	6	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	1	1	–	–	–	–	–
(33)	Nephritis (130–132)	–	–	5	7	–	–	–	1	–
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	–	–	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	2	7	–	–	–	1	–
(41)	Homicide (165–168)	–	–	–	1	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	–	–	3	32	–	–	–	3	5
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	1	7	–	–	–	–	1
(43)	*Railroad accidents and injuries (169)*	–	–	–	1	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	1	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	–	–	2	–	–	–	–	1
(43)	*Accidental injury by fall (186a)*	–	–	1	8	–	–	–	1	3
(43)	*All others*	–	–	1	13	–	–	–	2	–
	All other defined causes	1	–	3	19	1	–	–	1	1
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	1	–	–	–	–	1

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Motion picture projectionists.	Motormen.	Musicians and teachers of music.	Newsboys.	Officers, pilots, pursers and engineers, ship.	Officials, City.	Officials, County.	Officials, lodge, society, union, etc.	Officials, State.	Officials, United States.	Oilers of machinery.	Operatives (n. e. s.).[2]	Operatives, agriculture, forestry and fishery.	Operatives, amusement, recreation and related services.	Operatives, apparel, and other fabricated textile products.	Operatives, business and repair services.
	8	13	48	2	21	24	3	5	9	22	17	37	4	11	62	13
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	1	2	–	1	–	–	–	–	–	2	6	–	2	6	2
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	2	3	17	–	9	2	1	–	1	3	3	8	1	2	11	1
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	–	1	–	1	–	–	–	2	1	–	–	–	–	2	–
(19)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	1	2	6	–	1	1	1	1	–	3	2	2	–	–	5	1
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(24)	4	–	10	1	3	6	–	2	3	3	3	1	1	1	10	2
(24)	–	–	–	–	1	1	–	1	–	1	–	1	–	–	2	–
(24)	–	2	4	–	2	6	1	–	2	4	3	8	–	2	6	1
(25)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(27)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
(30)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(31)	–	–	1	–	–	–	–	–	–	–	–	1	–	1	3	–
(32)	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
(32)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(33)	–	–	1	–	–	2	–	–	1	–	1	1	1	–	1	1
(34)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(42, 43)	–	2	–	–	2	1	–	1	–	1	–	1	1	1	9	3
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1
(43)	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1
(43)	–	1	–	–	1	1	–	–	–	1	–	–	–	–	6	1
	1	2	4	–	–	3	–	–	–	2	1	3	–	–	2	–
(44)	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–

[2] Not elsewhere specified.

Abridged Int. List No.	Table 19 — Cause of Death.[1]	Allocated Deaths: Operatives, chemicals and allied products.	Operatives, construction.	Operatives, finance, insurance and real estate.	Operatives, food and kindred products.	Operatives, government.	Operatives, iron and steel and their products.	Operatives, leather and leather products.	Operatives, lumber, furniture and lumber products.	Operatives, machinery.
	All Causes.	47	30	6	51	57	146	614	60	184
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1	6	1	1	1	11	25	7	7
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	1	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	1	–	–	–	2	7	1	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	12	5	2	11	13	29	110	9	42
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	–	–	1	1	2	16	1	7
(19)	Chronic or acute alcoholism (77)	–	–	–	1	–	–	3	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	1	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–
(21)	Pneumococcic meningitis (81c)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4	4	–	3	4	10	52	4	9
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	2	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	7	3	–	7	13	31	127	21	36
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	1	2	–	2	5	–	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	6	4	–	9	18	22	129	9	32
(25)	Arteriosclerosis (97)	–	–	–	–	–	–	2	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	–	1	–	1	7	–	1
(27)	Lobar pneumonia (108)	–	–	–	3	–	2	7	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	1	1	–	1
(28)	Other diseases of the respiratory system (104, 105, 110–114)	2	1	–	2	–	1	3	1	3
(30)	Appendicitis (121)	–	–	–	–	–	1	5	–	1
(31)	Cirrhosis of the liver (124)	2	1	1	3	–	4	9	–	5
(32)	Diseases of the stomach (117, 118)	1	–	–	–	3	2	14	–	2
(32)	Hernia, intestinal obstruction (122)	1	–	–	2	–	1	1	–	–
(33)	Nephritis (130–132)	1	–	1	1	1	5	21	1	10
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	–	–	1	4	–	5
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	1	1	–	–	–	1	12	2	4
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	4	3	–	3	–	9	30	–	12
(42)	*Railroad and automobile collisions (170a)*	–	1	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	1	–	–	–	–	4	5	–	7
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	1	–	1
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	1	–	1
(43)	*Accidental drowning (172a, 183)*	1	1	–	–	–	–	4	–	–
(43)	*Accidental injury by fall (186a)*	1	1	–	1	–	1	10	–	–
(43)	*All others*	1	–	–	2	–	4	9	–	3
	All other defined causes	4	1	–	1	3	8	21	4	4
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Operatives, mining.	Operatives, miscellaneous manufacturing industries.	Operatives, nonferrous metals and their products.	Operatives, paper and allied products.	Operatives, personal services.	Operatives, petroleum and coal products.	Operatives, printing, publishing and allied industries.	Operatives, professional and related services.	Operatives, rubber products.	Operatives, stone, clay and glass products.	Operatives, textile-mill products.	Operatives, tobacco manufacturers.	Operatives, transportation and other public utilities.	Operatives, transportation equipment.	Operatives, wholesale and retail trade.	Operators, elevator.
	1	558	59	103	25	1	40	15	78	15	650	6	136	67	82	86
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	50	2	3	4	–	3	–	7	3	34	–	7	8	6	4
(7)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(7)	–	4	–	–	–	–	–	–	1	–	1	–	1	–	1	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	6	–	1	–	–	–	–	1	–	7	–	–	1	1	1
(10)	–	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1
(14)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	–	110	9	16	6	–	7	4	14	3	124	2	21	10	13	10
(17)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	7	2	3	–	–	1	–	–	–	16	–	3	–	–	3
(19)	–	3	–	1	1	–	–	–	–	–	5	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	–	39	5	9	–	–	3	3	5	2	43	–	11	4	10	5
(24)	–	–	1	–	–	–	–	–	1	–	1	–	–	1	–	2
(24)	1	80	14	23	2	–	7	4	15	3	109	1	32	15	11	14
(24)	–	6	1	3	1	–	1	–	–	–	7	–	–	2	–	1
(24)	–	91	12	22	2	–	6	2	10	3	131	2	18	11	13	21
(25)	–	1	–	–	–	–	–	–	–	–	3	–	2	–	–	–
(26)	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(27)	–	10	1	1	–	–	2	–	3	–	9	–	5	1	2	2
(27)	–	11	–	–	1	–	2	–	–	–	2	–	1	–	1	1
(27)	–	1	1	–	–	–	–	–	–	–	3	–	–	1	–	–
(28)	–	4	–	1	–	–	–	–	–	–	4	–	–	–	2	1
(30)	–	1	1	–	–	–	–	–	–	–	4	–	2	–	–	–
(31)	–	10	1	–	2	–	–	–	3	–	10	1	3	–	1	3
(32)	–	3	1	2	1	–	2	–	2	–	7	–	–	1	–	–
(32)	–	3	–	–	–	–	–	–	–	–	5	–	–	–	–	–
(33)	–	16	2	3	–	–	2	–	5	–	19	–	8	2	5	6
(34)	–	6	–	–	–	–	–	–	–	–	6	–	1	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
(36)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	20	2	3	1	1	–	–	1	–	21	–	1	1	2	–
(41)	–	3	–	–	–	–	–	–	–	–	4	–	–	–	–	–
(42, 43)	–	30	3	10	2	–	4	2	6	–	35	–	13	7	6	7
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	8	1	3	1	–	3	–	1	–	11	–	2	2	2	1
(43)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(43)	–	3	–	–	–	–	–	–	1	–	4	–	1	–	1	–
(43)	–	3	–	1	–	–	–	1	–	–	5	–	1	2	–	–
(43)	–	6	2	1	1	–	–	1	1	–	6	–	2	–	1	4
(43)	–	10	–	5	–	–	1	–	3	–	8	–	6	3	2	2
	–	32	1	1	1	–	–	–	3	1	35	–	6	2	7	4
(44)	–	–	–	1	–	–	–	–	–	–	2	–	1	–	1	–

Table 19

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Operators, office machines.	Operators, power station.	Operators, telegraph.	Operators, telephone.	Opticians and lens grinders and polishers.	Optometrists.	Osteopaths.	Painters, construction and maintenance.	Painters, glaziers and varnishers (factory).
	All Causes.	**4**	**3**	**11**	**51**	**12**	**5**	**1**	**286**	**22**
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1	–	–	4	3	–	1	22	4
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	–	–	–	1	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	3	–	–	11	1	–	–	51	2
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	–	1	1	–	–	–	1	–
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	3	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–
(21)	Pneumococcic meningitis (81c)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	–	–	2	3	1	1	–	20	1
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	–	–	1	7	3	3	–	52	5
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	–	–	–	3	–	–	–	3	1
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	–	–	3	6	4	1	–	37	1
(25)	Arteriosclerosis (97)	–	–	–	1	–	–	–	2	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	1	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	2	1	–	–	–	6	–
(27)	Lobar pneumonia (108)	–	–	–	–	–	–	–	3	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	1	–	–	–	–	2	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	1	–	–	–	4	2
(32)	Diseases of the stomach (117, 118)	–	–	–	1	–	–	–	5	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	1	–	–	–	5	–
(33)	Nephritis (130–132)	–	–	–	3	–	–	–	11	–
(34)	Other diseases of the urinary and genital systems (133–139)	–	1	–	–	–	–	–	2	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	–	1	–	–	–	12	1
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	–	1	–	2	–	–	–	33	4
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	–	–	–	–	–	–	–	8	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	1	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	–	–	–	–	–	–	–	2	1
(43)	*Accidental injury by fall (186a)*	–	–	–	–	–	–	–	14	2
(43)	*All others*	–	1	–	2	–	–	–	8	1
	All other defined causes	–	1	1	5	–	–	–	6	1
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	3	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Paper hangers.	Pattern and model makers.	Pharmacists.	Photoengravers and lithographers.	Photographers.	Physicians and surgeons.	Piano and organ tuners.	Plasterers	Plumbers and gas and steam fitters.	Policemen and detectives	Porters.	Postmasters	Practical nurses.	Pressmen and plate printers.	Professional workers (n. e. s.).[2]	Proprietors, managers and officials (n. e. s.).[2]
	14	29	34	13	15	150	3	15	136	126	62	7	69	8	26	59
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	1	–	1	1	–	3	10	4	6	–	1	1	1	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	1	–	1	–	–	1	1	1	–	–	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	2	8	5	4	3	19	–	3	32	23	5	1	27	1	5	11
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	1	2	–	–	5	–	–	–	3	–	–	2	1	–	4
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(20)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
(22)	1	3	5	1	1	14	–	1	9	11	3	1	6	1	3	3
(24)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(24)	2	4	4	4	5	35	2	2	26	25	10	1	4	3	6	12
(24)	–	1	–	–	–	1	–	–	1	1	1	–	1	–	–	2
(24)	2	4	6	1	2	38	–	2	26	19	16	3	14	1	4	8
(25)	–	–	–	–	–	3	–	–	1	–	1	–	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	–	–	–	–	1	–	1	1	2	–	–	1	–	–	1
(27)	–	–	–	–	–	3	–	–	1	–	–	–	1	–	–	1
(27)	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
(28)	1	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–
(30)	–	–	–	–	–	–	–	–	3	3	–	–	–	–	1	–
(31)	–	–	1	–	–	4	–	–	2	5	1	–	2	–	2	–
(32)	1	–	–	–	–	–	–	–	4	3	–	–	1	–	1	–
(32)	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–
(33)	–	–	–	–	1	9	–	–	6	2	6	–	1	–	–	4
(34)	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	–	–	–	–	3	1	–	2	2	1	–	–	–	–	1
(41)	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1
(42, 43)	1	4	–	1	2	4	–	1	5	9	3	–	1	–	2	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	1	–	–	–	1	–	1	–	2	–	–	–	–	1	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	2	–	–	–	–	–	–	–	2	–	–	–	–	1	–
(43)	–	–	–	–	–	2	–	–	1	2	3	–	–	–	–	2
(43)	–	1	–	1	2	1	–	–	4	3	–	–	1	–	–	–
	1	4	6	1	–	8	–	1	4	8	1	–	3	–	1	5
(44)	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1

[2] Not elsewhere specified.

Table 19

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Proprietors, managers and officials, agriculture, forestry and fishery.	Proprietors, managers and officials, amusement, recreation, etc., services.	Proprietors, managers and officials, business and repair services.	Proprietors, managers and officials, construction.	Proprietors, managers and officials, finance, insurance, etc.	Proprietors, managers and officials, manufacturing.	Proprietors, managers and officials, mining.	Proprietors, managers and officials, miscellaneous services and industries.	Proprietors, managers and officials, personal services.
	All Causes.	12	20	36	100	89	316	12	31	62
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	1	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	1	–	–	–	3	2	1	1	2
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	–	–	–	–	–	2	–	–	1
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	1	1	–	1	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	2	2	8	20	15	57	3	7	9
(17)	Chronic rheumatism and gout (59, 60)	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	–	1	–	3	2	9	–	2	2
(19)	Chronic or acute alcoholism (77)	–	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	–	–	–	–
(21)	Pneumococcic meningitis (81c)	–	–	–	–	–	1	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	–	2	3	8	6	21	–	2	7
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	4	5	11	32	33	99	3	4	6
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	1	–	–	1	–	6	–	–	2
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	1	6	4	13	15	48	2	8	9
(25)	Arteriosclerosis (97)	–	–	–	–	–	–	–	–	–
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	2	1	3	–	–	3
(27)	Lobar pneumonia (108)	–	–	1	1	–	–	–	2	1
(27)	Pneumonia (unspecified) (109)	–	–	–	1	–	1	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	–	1	1	–	4	–	–	–
(30)	Appendicitis (121)	–	–	–	1	–	2	–	–	–
(31)	Cirrhosis of the liver (124)	1	1	–	1	2	8	–	–	4
(32)	Diseases of the stomach (117, 118)	–	–	–	–	1	5	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	1	–	–	–
(33)	Nephritis (130–132)	–	–	2	5	4	12	1	2	8
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	–	–	2	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	1	2	2	10	1	–	2
(41)	Homicide (165–168)	–	1	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2	2	4	4	3	10	–	1	4
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	1	2	1	–	1	3	–	–	1
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	1	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	1	–	–	–
(43)	*Accidental drowning (172a, 183)*	1	–	–	–	1	–	–	–	–
(43)	*Accidental injury by fall (186a)*	–	–	1	2	1	1	–	1	1
(43)	*All others*	–	–	2	2	–	4	–	–	2
	All other defined causes	–	–	–	3	2	11	1	2	2
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Proprietors, managers and officials, transportation, communications, etc.	Proprietors, managers and officials, wholesale trade.	Religious workers.	Rollers and roll hands, metal.	Roofers and slaters.	Sailors and deckhands (not in U. S. Navy).	Salesmen, finance, brokerage, etc.	Salesmen and saleswomen.	Sawyers.	Semi-professional workers.	Servants (n. e. s.).[2]	Sheriffs and bailiffs.	Shoemakers and cobblers (not in factory).	Showmen.	Social and welfare workers.	Soldiers, sailors and marines.
	81	88	24	1	41	23	3	500	4	13	351	7	32	3	24	92
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(6)	2	1	1	–	8	7	–	26	–	2	48	–	2	–	–	5
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	1	–	–	1	1	–	2	–	–	5	–	–	–	–	–
(10)	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	13	15	6	–	4	2	–	80	–	1	74	–	6	2	2	10
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	1	4	–	–	–	–	–	17	–	–	8	–	1	–	2	1
(19)	–	–	–	–	1	–	–	7	–	–	2	–	–	–	–	1
(20)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(21)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(22)	4	4	2	–	1	–	–	28	1	–	31	–	5	–	4	5
(24)	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–
(24)	26	30	1	1	5	3	1	118	1	–	34	–	6	–	4	11
(24)	1	1	1	–	–	–	–	10	–	–	2	–	–	–	–	–
(24)	19	15	7	–	7	5	1	83	1	1	76	3	6	–	8	7
(25)	–	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(27)	–	–	–	–	1	2	–	5	–	1	3	–	1	–	1	2
(27)	1	–	–	–	–	1	–	4	–	–	6	1	–	–	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(28)	1	1	1	–	–	–	–	3	–	–	1	–	1	–	–	–
(30)	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–
(31)	3	2	1	–	–	–	–	14	–	–	5	–	–	–	–	1
(32)	1	1	–	–	3	–	–	4	–	–	1	–	–	–	–	–
(32)	–	1	–	–	–	–	–	4	–	–	7	–	–	–	–	1
(33)	3	2	–	–	–	–	–	13	1	1	8	–	1	–	–	2
(34)	1	2	–	–	1	–	–	2	–	–	3	–	–	–	–	1
(35)	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	–	1	–	1	8	–	–	4	–	–	–	–	1
(41)	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	2
(42, 43)	3	2	2	–	6	1	–	30	–	3	10	1	1	–	1	26
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	–	–	–	–	9	–	–	1	–	–	–	–	5
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	3
(43)	1	–	–	–	–	1	–	1	–	1	–	–	–	–	1	3
(43)	–	1	1	–	4	–	–	7	–	1	3	–	1	–	–	1
(43)	2	1	–	–	2	–	–	12	–	1	5	1	–	–	–	14
	2	3	1	–	–	–	–	30	–	3	14	–	2	1	1	9
(44)	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	5

[2] Not elsewhere specified.

Table 19

Abridged Int. List No.	Cause of Death.[1]	Allocated Deaths: Stenographers, typists and secretaries.	Stonecutters and stone carvers.	Structural and ornamental metal workers.	Switchmen and flagmen.	Tailors and tailoresses	Teachers, athletics, school, etc.	Technicians, except laboratory	Technicians and laboratory assistants.	Theatre ushers.
	All Causes.	110	18	11	24	96	196	2	21	1
(1)	Typhoid and paratyphoid fevers (1,2)	–	–	–	–	–	–	–	–	–
(3)	Scarlet-fever (8)	–	–	–	–	–	–	–	–	–
(5)	Diphtheria (10)	–	–	–	–	–	–	–	–	–
(6)	Tuberculosis of the respiratory system (13)	7	3	2	1	3	6	–	5	1
(7)	Tuberculosis of the meninges and central nervous system (14)	–	–	–	–	–	–	–	–	–
(7)	All other forms of tuberculosis (15–22)	1	–	–	–	–	–	–	–	–
(8)	Malaria (28)	–	–	–	–	–	–	–	–	–
(9)	Syphilis (30)	–	–	–	–	1	–	–	–	–
(10)	Influenza (33)	–	–	–	–	–	–	–	–	–
(14)	Cerebrospinal (meningococcus) meningitis (6)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (11)	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–55)	33	2	1	2	16	52	1	–	–
(17)	Chronic rheumatism and gout (59, 60)	1	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (61)	3	1	–	1	7	3	–	1	–
(19)	Chronic or acute alcoholism (77)	1	–	–	–	–	–	–	–	–
(20)	Acute rheumatic fever, including acute rheumatic heart disease (58)	–	–	–	–	–	–	–	–	–
(21)	Meningitis, streptococcus, etc. (81a)	–	–	–	–	–	1	–	–	–
(21)	Pneumococcic meningitis (81c)	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	12	–	–	–	6	21	–	4	–
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–
(24)	Diseases of the coronary arteries and angina pectoris (94)	7	2	1	10	21	29	–	2	–
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	3	–	–	–	2	4	–	1	–
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	11	4	1	7	23	37	–	2	–
(25)	Arteriosclerosis (97)	–	–	–	–	–	1	–	–	–
(26)	Bronchitis (106)	–	–	–	–	1	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	–	–	1	2	–	–	–
(27)	Lobar pneumonia (108)	1	1	–	–	–	–	–	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–
(28)	Other diseases of the respiratory system (104, 105, 110–114)	–	2	–	–	2	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	1	2	–	–	–
(31)	Cirrhosis of the liver (124)	6	2	1	–	1	1	–	–	–
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	2	–	1	–
(32)	Hernia, intestinal obstruction (122)	1	–	–	–	–	3	–	–	–
(33)	Nephritis (130–132)	2	–	1	–	1	8	1	–	–
(34)	Other diseases of the urinary and genital systems (133–139)	–	–	–	–	3	–	–	–	–
(35)	Puerperal infection (140, 147)	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperium (141-146, 148–150)	1	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–
(40)	Suicide (163, 164)	–	–	–	1	–	2	–	1	–
(41)	Homicide (165–168)	–	–	–	–	–	–	–	–	–
(42, 43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	6	–	4	2	1	10	–	3	–
(42)	*Railroad and automobile collisions (170a)*	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (170b)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (170c)*	2	–	–	–	–	5	–	–	–
(43)	*Railroad accidents and injuries (169)*	–	–	–	–	–	–	–	–	–
(43)	*Street car and other road-transport accidents (171)*	–	–	–	–	–	–	–	–	–
(43)	*Burns (conflagration excepted) (181)*	–	–	–	1	–	–	–	–	–
(43)	*Accidental drowning (172a, 183)*	1	–	1	–	1	–	–	1	–
(43)	*Accidental injury by fall (186a)*	–	–	3	–	–	2	–	1	–
(43)	*All others*	3	–	–	1	–	3	–	1	–
	All other defined causes	13	1	–	–	5	12	–	1	–
(44)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	1	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1947.

Abridged Int. List No.	Tinsmiths, coppersmiths and sheet metal workers.	Tool and die makers and setters.	Trained and student nurses.	Upholsterers.	Veterinarians.	Waiters and waitresses.	Watchmen (crossing) and bridge tenders.	Welders and flame cutters.
	42	**41**	**82**	**18**	**5**	**135**	**8**	**43**
(1)	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–
(6)	3	2	5	1	–	18	–	7
(7)	–	–	1	–	–	–	–	–
(7)	–	–	1	–	–	1	–	–
(8)	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	1	–	–
(10)	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–
(15)	7	10	24	2	–	14	–	6
(17)	–	–	–	–	–	–	–	–
(18)	1	1	3	–	–	1	–	–
(19)	–	1	2	–	–	3	–	–
(20)	–	–	–	–	–	–	–	–
(21)	–	–	–	–	–	–	–	1
(21)	–	–	–	–	–	–	–	–
(22)	2	2	1	–	1	13	1	1
(24)	–	–	–	–	–	1	–	–
(24)	7	11	6	7	1	13	2	9
(24)	–	1	–	1	–	–	1	1
(24)	5	3	14	1	2	15	1	3
(25)	–	–	–	–	–	–	–	–
(26)	–	–	–	–	–	1	–	–
(27)	1	–	–	1	–	6	–	1
(27)	–	–	–	–	–	2	–	–
(27)	–	–	–	–	–	–	–	–
(28)	1	–	1	–	–	1	–	–
(30)	1	–	2	–	–	–	–	1
(31)	1	–	1	1	–	6	–	2
(32)	2	1	–	1	–	2	–	1
(32)	–	–	–	–	–	1	–	–
(33)	2	–	4	2	–	3	1	1
(34)	–	2	–	–	–	2	–	–
(35)	–	–	–	–	–	–	–	–
(36)	–	–	1	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–
(40)	2	–	3	–	–	1	–	3
(41)	–	–	–	–	–	–	–	1
(42, 43)	4	3	5	1	1	12	1	5
(42)	–	–	–	–	–	–	–	–
(42)	–	–	–	1	–	–	–	–
(42)	–	–	3	–	1	5	–	1
(43)	–	1	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	–
(43)	–	–	–	–	–	–	–	1
(43)	1	–	–	1	–	–	1	1
(43)	2	1	–	–	–	5	–	–
(43)	1	1	1	–	–	2	–	2
	3	4	8	–	–	17	1	–
(44)	–	–	–	–	–	1	–	–

[2] Not elsewhere specified.

Table 20

Years.	Deaths from Principal Causes: 1923 to 1947.									
	All causes.	Diseases of the heart.	Cancer.	Cerebral hemorrhage, embolism and thrombosis.	Pneumonia.	Nephritis.	Tuberculosis of the respiratory system.	Diabetes.	Respiratory diseases.	Puerperal causes.
		90–95	45–55	83	107–109	130–132	13	61	104–114	140–150
1923 . .	52,380	9,132	4,775	4,847	5,835	3,466	3,062	852	6,618	498
1924 . .	49,466	8,781	5,074	4,881	4,362	3,345	2,953	772	4,971	544
1925 . .	51,890	9,747	5,196	5,050	5,244	3,153	2,883	806	5,898	501
1926 . .	52,888	10,851	5,341	4,239	5,158	4,005	2,961	835	5,820	501
1927 . .	49,324	10,309	5,454	4,113	4,088	3,763	2,774	844	4,663	486
1928 . .	51,442	11,248	5,611	4,371	4,625	3,758	2,690	930	5,152	456
1929 . .	52,171	11,528	5,672	4,299	4,906	3,565	2,561	997	5,502	453
1930 . .	49,503	11,353	5,813	4,228	4,043	3,715	2,423	1,021	4,511	438
1931 . .	48,743	11,959	5,859	4,363	3,844	3,488	2,306	1,060	4,341	408
1932 . .	49,531	13,255	6,153	4,170	3,803	3,678	2,041	1,197	4,250	369
1933 . .	50,832	14,119	6,382	4,359	4,039	3,518	2,059	1,234	4,558	389
1934 . .	50,760	14,543	6,675	4,269	3,631	3,362	1,902	1,327	4,079	317
1935[1] . .	49,634	14,835	6,351	4,167	3,992	3,307	1,813	1,303	4,428	325
1936[1] . .	51,435	16,087	6,599	4,273	4,220	3,186	1,733	1,388	4,689	270
1937[1] . .	51,739	16,233	6,669	4,350	4,174	3,099	1,761	1,495	4,583	252
1938[1] . .	49,285	16,296	6,875	4,292	3,216	3,010	1,536	1,436	3,630	232
1939[1] . .	50,292	17,604	6,914	4,504	3,126	2,916	1,505	1,506	3,519	210
1940[1] . .	50,698	18,148	7,219	4,642	2,661	3,016	1,484	1,570	3,104	181
1941[1] . .	50,456	18,130	7,311	4,561	2,609	2,679	1,520	1,544	2,989	202
1942[1] . .	50,523	17,864	7,350	4,670	2,457	2,608	1,501	1,558	2,872	178
1943[1] . .	54,411	19,807	7,401	4,920	3,176	2,744	1,697	1,647	3,626	170
1944[1] . .	51,454	18,922	7,557	4,708	2,704	2,403	1,612	1,562	3,123	140
1945[1] . .	50,763	18,856	7,742	4,917	2,181	2,255	1,557	1,491	2,538	144
1946[1] . .	51,289	19,214	7,759	4,750	2,279	2,036	1,592	1,594	2,652	125
1947[1] . .	51,583	20,030	8,091	4,655	1,889	2,003	1,495	1,643	2,278	102

[1] Allocated.

Table 21

DEATHS FROM PRINCIPAL COMMUNICABLE DISEASES: 1923 TO 1947.

YEARS.	Scarlet fever.	Whooping cough.	Diphtheria.	Poliomyelitis.	Measles.	Meningococcus meningitis.	Typhoid fever.	Acute infectious encephalitis.	Bacillary dysentery.	Lobar pneumonia.
	8	9	10	36	35	6	1	37a,37b	27a	108
1923	155	493	579	35	321	41	70	–[1]	–	2,166
1924	158	147	534	27	165	39	68	–[1]	2	1,817
1925	117	269	333	52	337	35	73	–[1]	4	2,274
1926	117	391	249	44	367	39	61	–[1]	3	2,315
1927	144	149	268	169	87	43	44	–[1]	6	1,909
1928	90	208	249	65	265	38	36	–[1]	11	2,106
1929	71	137	256	21	121	79	41	–[1]	2	2,154
1930	98	182	182	35	137	59	37	–[1]	4	1,816
1931	101	88	130	114	64	30	30	24	4	1,717
1932	145	107	107	13	64	34	25	19	3	1,688
1933	108	97	86	32	27	25	22	16	3	1,825
1934	76	125	50	9	91	28	14	25	17	1,601
1935[2]	57	67	26	61	37	55	10	16	6	1,731
1936[2]	44	52	27	8	35	100	10	14	4	1,944
1937[2]	38	95	18	22	28	72	13	14	4	1,846
1938[2]	24	35	19	7	13	18	13	19	15	1,312
1939[2]	15	45	15	4	16	17	11	7	9	1,211
1940[2]	19	22	8	2	11	15	8	3	4	925
1941[2]	13	40	12	6	4	25	3	11	–	860
1942[2]	10	27	7	3	16	34	1	8	1	749
1943[2]	19	38	11	18	21	119	5	9	4	967
1944[2]	14	15	10	17	20	81	1	8	6	764
1945[2]	7	22	10	22	10	20	2	10	8	622
1946[2]	2	16	36	19	14	21	2	8	2	592
1947[2]	4	15	12	12	12	12	2	2	17	500

[1] Not tabulated.
[2] Allocated.

Abridged Int. List No.	Table 22 — Cause of Death.[1]	Number of Deaths.[2] 1947.[3]	1946.[3]	1945.[3]	1944.[3]	1943.[3]	1942.[3]	1941.[3]
	All Causes [2]	51,583	51,289	50,763	51,454	54,411	50,523	50,456
I	Infectious and parasitic diseases	2,067	2,263	2,137	2,462	2,730	2,235	2,473
II	Cancers and other tumors	8,283	7,984	7,959	7,776	7,624	7,538	7,472
III	Rheumatic diseases, nutritional diseases, diseases of the endocrine glands and other general diseases	1,769	1,728	1,688	1,754	1,811	1,707	1,719
IV	Diseases of the blood and blood-forming organs	372	371	379	351	342	379	353
V	Chronic poisonings and intoxications	117	109	137	131	152	183	167
VI	Diseases of the nervous system and of the organs of special sense	4,995	5,161	5,384	5,167	5,426	5,106	4,986
VII	Diseases of the circulatory system	21,179	20,334	20,107	20,117	21,094	19,031	19,173
VIII	Diseases of the respiratory system	2,278	2,652	2,538	3,123	3,626	2,872	2,989
IX	Diseases of the digestive system	2,086	2,160	2,148	2,105	2,340	2,232	2,340
X	Diseases of the genitourinary system	2,396	2,493	2,735	2,885	3,264	3,178	3,266
XI	Diseases of pregnancy, childbirth and the puerperal state	102	125	144	140	170	178	202
XII	Diseases of the skin and cellular tissue	48	41	42	36	50	43	42
XIII	Diseases of the bones and organs of locomotion	25	25	22	35	36	46	43
XIV	Congenital malformations	587	545	452	483	516	445	420
XV	Diseases of early infancy	1,760	1,772	1,352	1,415	1,493	1,550	1,317
XVI	Senility	39	48	58	46	69	42	25
XVII	Violent and accidental deaths	3,377	3,369	3,361	3,299	3,588	3,691	3,416
XVIII	Ill-defined causes of death	103	109	120	129	80	67	53
(1)	Typhoid and paratyphoid fevers (1, 2)	4	3	4	2	7	3	4
(3)	Scarlet-fever (8)	4	2	7	14	19	10	13
(4)	Whooping cough (9)	15	16	22	15	38	27	40
(5)	Diphtheria (10)	12	36	10	10	11	7	12
(6)	Tuberculosis of the respiratory system (13)	1,495	1,592	1,557	1,612	1,697	1,501	1,521
(7)	Tuberculosis of the meninges and central nervous system (14)	17	28	20	30	26	29	35
(7)	All other forms of tuberculosis (15–22)	72	54	59	54	83	89	77
(8)	Malaria (28)	4	1	2	7	–	3	1
(9)	Syphilis (30)	178	183	189	233	301	248	267
(10)	Influenza (33)	55	126	60	204	200	100	283
(12)	Measles (35)	12	14	10	20	21	16	4
(14)	Cerebrospinal (meningococcus) meningitis (6)	12	21	20	81	119	34	25
(14)	Erysipelas (11)	1	4	5	6	14	6	12
(14)	Acute poliomyelitis and acute polioencephalitis (36)	12	19	22	17	18	3	6
(15)	Cancer and other malignant tumors (45–55)	8,091	7,759	7,742	7,557	7,401	7,350	7,311
(17)	Chronic rheumatism and gout (59, 60)	37	29	61	57	60	49	48
(18)	Diabetes mellitus (61)	1,643	1,594	1,491	1,562	1,647	1,558	1,544
(19)	Chronic or acute alcoholism (77)	115	99	131	121	142	174	161
(20)	Acute rheumatic fever (58)	17	29	37	47	23	24	21
(21)	Meningitis, streptococcus, pneumococcus, etc. (81a, 81c)	55	52	60	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (83)	4,655	4,750	4,917	4,708	4,920	4,670	4,562
(24)	Acute endocarditis (91)	41	39	60	91	85	97	85
(24)	Diseases of the coronary arteries and angina pectoris (94)	6,673	6,089	6,051	5,988	5,942	5,571	5,615
(24)	Chronic rheumatic diseases of the heart (90a, 92c, 93c, 95b)	414	416	406	462	508	423	409
(24)	Other diseases of the heart (90b, 92a, b, d, e, 93a, b, d, e, 95a, c)	12,902	12,670	12,339	12,381	13,272	11,773	12,021
(25)	Arteriosclerosis (97)	840	881	1,030	990	1,063	947	845
(26)	Bronchitis (106)	90	109	87	111	125	125	102
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1,264	1,554	1,421	1,790	1,996	1,625	1,706
(27)	Lobar pneumonia (108)	500	592	622	764	967	749	860
(27)	Pneumonia (unspecified) (109)	125	133	138	150	213	83	43
(28)	Other diseases of the respiratory system (104, 105, 110–114)	299	264	270	308	325	290	278
(29)	Diarrhea and enteritis (under 2 years of age) (119)	157	163	118	107	139	112	167
(30)	Appendicitis (121)	138	130	171	218	222	216	307
(31)	Cirrhosis of the liver (124)	651	610	584	521	613	580	511
(32)	Diseases of the stomach (117, 118)	314	328	380	325	316	356	347
(32)	Hernia, intestinal obstruction (122)	304	356	370	385	424	365	327
(33)	Nephritis (130–132)	2,003	2,036	2,255	2,403	2,744	2,608	2,680
(34)	Other diseases of the urinary and genital systems (133–139)	393	457	480	482	520	570	586
(35)	Puerperal infection (140, 147)	30	38	41	48	61	67	97
(36)	Other diseases of pregnancy, childbirth and the puerperium (141–146, 148–150)	72	87	103	92	109	111	105
(38)	Congenital malformations (157)	587	545	452	483	516	445	420
(38)	Congenital debility (158)	16	13	19	22	42	22	38
(38)	Premature birth (159)	1,222	1,243	879	941	964	1,034	878
(39)	Senility (162)	39	48	58	46	69	42	25
(40)	Suicide (163, 164)	508	465	483	440	444	505	545
(41)	Homicide (165–168)	66	68	58	55	33	57	65
(42,43)	Violent and accidental deaths (suicide and homicide excepted) (169–198)	2,803	2,836	2,820	2,804	3,111	3,129	2,806
	All other defined causes (3–5, 7, 12, 23–27, 29, 31, 32, 34, 37–44, 56, 57, 62–76, 78–80, 81b, 82, 84–89, 96, 98–103, 115, 116, 120, 123, 125–129, 151–156, 160, 161)	2,523	2,599	2,522	2,561	2,711	2,653	2,590
(44)	Causes of death not specified or ill-defined (199, 200)	103	109	120	129	80	67	53

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abridged Int. List No.	Death Rates[2] per 100,000 Population.							Per Cent Distribution.						
	1947.[3]	1946.[3]	1945.[3]	1944.[3]	1943.[3]	1942.[3]	1941.[3]	1947.[3]	1946.[3]	1945.[3]	1944.[3]	1943.[3]	1942.[3]	1941.[3]
	1,124.7	1,127.5	1,125.1	1,184.1	1,254.1	1,166.3	1,166.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0
I	45.1	49.7	47.4	56.6	63.0	51.6	57.2	4.0	4.4	4.2	4.8	5.0	4.4	4.9
II	180.6	175.5	176.4	178.9	175.7	174.0	172.8	16.1	15.6	15.7	15.1	14.0	14.9	14.8
III	38.6	38.0	37.4	40.4	41.7	39.4	39.7	3 4	3.4	3.3	3.4	3.3	3.4	3.4
IV	8.1	8.2	8.4	8.1	7.9	8.7	8.2	.7	.7	.8	.7	.6	.8	.7
V	2.6	2.4	3.0	3.0	3.5	4.2	3.9	.2	.2	.3	.2	.3	.3	.3
VI	108.9	113.5	119.3	118.9	125.1	117.9	115.3	9.7	10.1	10.6	10.0	10.0	10.1	9.9
VII	461.8	447.0	445.6	463.0	486.2	439.3	443.3	41.1	39.6	39.6	39.1	38.8	37.7	38.0
VIII	49.7	58.3	56.3	71.9	83.6	66.3	69.1	4.4	5.2	5.0	6.1	6.7	5.7	5.9
IX	45.5	47.5	47.6	48.4	53.9	51.5	54.1	4.0	4.2	4.2	4.1	4.3	4.4	4.6
X	52.2	54.8	60.6	66.4	75.2	73.4	75.5	4.6	4.9	5.4	5.6	6.0	6.3	6.5
XI	2.2	2.7	3.2	3.2	3.9	4.1	4.7	.2	.2	.3	.3	.3	.3	.4
XII	1.0	.9	.9	.8	1.2	1.0	.9	.1	.1	.1	.1	.1	.1	.1
XIII	.5	.5	.5	.8	.8	1.1	.9	.1	–[5]	–[5]	.1	.1	.1	.1
XIV	12.8	12.0	10.0	11.1	11.9	10.3	9.7	1.1	1.1	.9	.9	1.0	.9	.8
XV	38.4	39.0	30.0	32.6	34.4	35.8	30.5	3.4	3.4	2.7	2.8	2.7	3.1	2.6
XVI	.9	1.1	1.3	1.1	1.6	1.0	.6	.1	.1	.1	.1	.1	.1	.1
XVII	73.6	74.1	74.5	75.9	82.7	85.2	79.0	6.6	6.6	6.6	6.4	6.6	7.3	6.8
XVIII	2.2	2.4	2.7	3.0	1.8	1.5	1.2	.2	.2	.2	.2	.1	.1	.1
1	.1	.1	.1	–[4]	.2	.1	.1	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]
3	.1	–[4]	.2	.3	.4	.2	.3	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]
4	.3	.4	.5	.3	.9	.6	.9	–[5]	–[5]	–[5]	–[5]	–[5]	.1	.1
5	.3	.8	.2	.2	.2	.1	.3	–[5]	.1	–[5]	–[5]	–[5]	–[5]	–[5]
6	32.6	35.0	34.5	37.1	39.1	34.7	35.2	2.9	3.1	3.1	3.1	3.1	3.0	3.0
7	.4	.6	.4	.7	.6	.7	.8	–[5]	.1	–[5]	.1	–[5]	.1	.1
7	1.6	1.2	1.3	1.2	1.9	2.0	1.8	.1	.1	.1	.1	.2	.2	.2
8	.1	–[4]	.1	.2	–	.1	–[4]	–[5]	–[5]	–[5]	–[5]	–	.1	–[5]
9	3.9	4.0	4.2	5.4	6.9	5.7	6.2	.4	.4	.4	.5	.6	.5	.5
10	1.2	2.8	1.3	4.7	4.6	2.3	6.5	.1	.2	.1	.4	.4	.2	.6
12	.3	.3	.2	.5	.5	.4	.1	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]
14	.3	.5	4	1.9	2.7	.8	.6	–[5]	–[5]	–[5]	.2	.2	.1	–[5]
14	.4	.1	.1	.1	.3	.1	.3	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]
14	.3	.4	.5	.4	.3	.1	.1	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]
15	176.4	170.6	171.6	173.9	170.6	169.7	169.0	15.7	15.1	15.3	14.7	13.6	14.5	14.5
17	.8	.6	1.4	1.3	1.4	1.1	1.1	.1	.1	.1	.1	.1	.1	.1
18	35.8	35.0	33.1	35.9	37.9	36.0	35.7	3.2	3.1	3.0	3.0	3.0	3.1	3.1
19	2.5	2.2	2.9	2.8	3.3	4.0	3.7	.2	.2	.3	.2	.3	.3	.3
20	.4	.6	.8	1.1	1.3	.5	.5	–[5]	.1	.1	.1	–[5]	–[5]	–[5]
21	1.2	1.1	1.3	–	–	–	–	.1	.1	.1	–	–	–	–
22	101.5	104.4	109.0	108.3	113.4	107.8	105.5	9.0	9.3	9.7	9.2	9.0	9.2	9.0
24	.9	.9	1.3	2.1	1.9	2.2	2.0	.1	.1	.1	.2	.2	.2	.2
24	145.5	133.9	134.1	137.8	136.9	128.6	129.8	12.9	11.9	11.9	11.6	10.9	11.0	11.1
24	9.0	9.1	9.0	10.6	11.7	9.8	9.5	.8	.8	.8	.9	.9	.8	.8
24	281.3	278.5	273.5	284.9	305.9	271.8	278.0	25.0	24.7	24.3	24.1	24.4	23.3	23.8
25	18.3	19.4	22.8	22.8	24.5	21.9	19.5	1.6	1.7	2.0	1.9	2.0	1.9	1.7
26	2.0	2.4	1.9	2.5	2.9	2.9	2.4	.2	.2	.2	.2	.2	.2	.2
27	27.6	34.2	31.5	41.2	46.0	37.5	39.4	2.5	3.0	2.8	3.5	3.7	3.2	3.4
27	10.9	13.0	13.8	17.6	22.3	17.3	19.9	1.0	1.2	1.2	1.5	1.7	1.5	1.8
27	2.7	2.9	3.1	3.5	4.9	1.9	1.0	.3	.3	.3	.3	.4	.2	.1
28	6.5	5.8	6.0	7.1	7.5	6.7	6.4	.6	.5	.5	.6	.6	.6	.6
29	3.4	3.6	2.6	2.5	4.3	2.6	3.9	.3	.3	.2	.2	.3	.2	.3
30	3.0	2.9	3.8	5.0	5.1	5.0	7.1	.3	2	.3	.4	.4	.4	.6
31	14.2	13.4	12.9	12.0	14.1	13.4	11.8	1.3	1.2	1.2	1.0	1.1	1.1	1.0
32	6.8	7.2	8.4	7.5	7.3	8.2	8.0	.6	.6	.8	.6	.6	1.1	.7
32	6.6	7.8	8.2	8.9	9.7	8.4	7.6	.6	.7	.7	.8	.8	.7	.7
33	43.7	44.8	50.0	55.3	63.2	60.2	62.0	3.9	4.0	4.5	4.7	5.0	5.1	5.3
34	8.6	10.0	10.6	11.1	12.0	13.2	13.5	.8	.9	1.0	.9	1.0	1.1	1.2
35	.7	.8	.9	1.1	1.4	1.5	2.2	.1	.1	.1	.1	.1	.1	.2
36	1.6	1.9	2.3	2.1	2.5	2.6	2.4	.1	.2	.2	.2	.2	.2	.2
38	12.8	12.0	10.0	11.1	11.9	10.3	9.7	1.1	1.1	.9	.9	.3	.9	.8
38	.3	.3	.4	.5	.9	.5	.8	–[5]	–[5]	–[5]	–[5]	.1	–[5]	.1
38	26.6	27.3	19.5	21.7	22.2	23.9	20.3	2.4	2.4	1.7	1.8	1.8	2.0	1.7
39	.9	1.1	1.3	1.1	1.6	1.0	.6	.1	.1	.1	.1	.1	.1	–[5]
40	11.1	10.2	10.7	10.1	10.2	11.7	12.6	1.0	.9	1.0	.9	1.8	1.0	1.1
41	1.4	1.5	1.3	1.3	.7	1.3	1.5	.1	.1	.1	.1	.1	.1	.1
42, 43	61.1	62.3	62.5	64.5	71.7	72.2	64.9	5.4	5.5	5.6	5.5	5.7	6.2	5.6
44	55.0	57.1	55.9	58.9	62.5	61.2	59.9	4.9	5.1	5.0	5.0	5.0	5.2	5.1
	2.2	2.4	2.7	3.0	1.8	1.5	1.2	.2	.2	.2	.3	.1	.1	.1

[2] Exclusive of stillbirths.
[3] Allocated.
[4] Less than one-tenth of 1 per 100,000.
[5] Less than one-tenth of 1 per cent.

Table 23

Years.	Deaths and Death Rates											
	Number of Deaths[1] and Death											
	Diseases of the Heart.	Rate.	Cancer.	Rate.	Cerebral Hemorrhage.	Rate.	Pneumonia.	Rate.	Nephritis.	Rate.	Tuberculosis (All forms).	Rate.
1900 . .	3,834	136.7	1,998	71.2	2,161	77.0	5,282	188.3	2,259	80.5	7,114	253.6
1901 . .	4,471	159.4	2,080	74.1	2 277	81.2	4,772	170.1	2,239	79.8	6,627	236.2
1902 . .	3,845	137.1	2,141	76.3	2,402	85.6	4,583	163.4	2,330	83.1	6,323	225.4
1903 . .	4,123	146.9	2,243	80.0	2,434	86.8	4,293	153.0	2,609	93.0	6,006	214.1
1904 . .	4,418	157.5	2,421	86.3	2,663	94.9	4,183	149.1	2,561	91.3	6,395	228.0
1905 . .	5,430	180.8	2,501	83.3	2,843	94.7	4,416	147.0	2,556	85.1	6,394	212.9
1906 . .	5,525	183.9	2,603	86.7	2,855	95.1	4,176	139.0	2,565	85.4	6,307	210.0
1907 . .	6,155	204.9	2,744	91.4	3,068	102.1	4,415	147.0	2,816	93.8	5,141	171.1
1908 . .	5,690	189.4	2,814	93.7	2,979	99.2	4,044	134.6	2,610	86.9	4,951	164.8
1909 . .	5,504	183.2	2,871	95.5	3,128	104.1	4,157	138.4	2,882	95.9	5,929	193.3
1910 . .	4,026	119.1	3,028	89.6	3,318	98.2	4,781	141.5	3,052	90.3	6,054	179.0
1911 . .	3,854	111.8	3,199	92.8	3,379	98.1	4,059	117.8	3,560	103.3	5,655	164.2
1912 . .	4,610	131.3	3,282	93.5	3,552	101.1	3,874	110.3	2,922	83.2	5,067	144.3
1913 . .	5,402	151.0	3,526	98.5	3,498	97.8	3,315	92.7	3,330	93.1	5,049	141.1
1914 . .	5,428	149.0	3,586	98.4	2,656	72.9	3,393	93.1	3,377	92.7	5,061	138.9
1915 . .	6,753	182.8	3,708	100.4	3,483	94.3	3,736	101.2	3,486	94.4	5,047	136.7
1916 . .	8,174	216.4	3,990	105.7	3,510	93.0	4,013	106.3	3,490	92.4	5,422	143.6
1917 . .	8,314	216.4	4,057	105.6	3,991	103.9	4,028	104.9	3,508	91.3	5,409	140.9
1918 . .	7,271	186.1	4,098	104.9	4,173	106.8	10,339	264.6	3,945	101.0	5,969	152.8
1919 . .	6,445	168.0	4,112	107.2	4,272	111.4	2,614	68.2	3,672	95.7	4,920	128.2
1920 . .	6,858	178.0	4,494	116.7	4,187	108.7	2,842	73.8	3,561	92.4	4,400	114.1
1921 . .	7,197	185.2	4,645	119.5	4,268	109.8	1,823	46.9	3,157	81.2	3,867	99.5
1922 . .	8,233	209.2	4,650	118.1	4,618	117.3	2,344	59.6	3,186	80.9	3,736	94.9
1923 . .	8,438	212.6	4,775	120.3	4,710	118.7	2,313	58.3	3,348	84.3	3,590	90.4
1924 . .	8,032	200.6	5,074	126.8	4,733	118.2	1,944	48.6	3,227	80.6	3,530	88.2
1925 . .	8,894	214.6	5,196	125.4	4,911	118.5	2,364	57.0	3,032	73.2	3,459	83.6
1926 . .	10,031	238.1	5,341	128.1	4,141	99.3	2,409	57.8	3,867	92.7	3,516	84.3
1927 . .	9,409	223.9	5,454	130.1	3,999	95.4	1,969	47.0	3,647	87.0	3,203	76.4
1928 . .	10,215	236.2	5,611	133.2	4,257	101.1	2,163	51.4	3,650	86.6	3,123	74.1
1929 . .	11,528	263.2	5,672	133.9	4,172	98.5	2,202	52.0	3,460	81.7	2,922	68.8
1930 . .	11,353	267.2	5,813	136.7	4,131	97.2	1,883	44.3	3,617	85.1	2,734	64.7
1931 . .	11,959	279.7	5,859	137.0	4,363	102.0	1,781	41.6	3,375	78.9	2,555	59.5
1932 . .	13,255	308.5	6,153	143.2	4,170	97.0	1,749	40.7	3,575	83.2	2,301	53.2
1933 . .	14,119	327.0	6,382	147.8	4,359	100.9	4,039	93.5	3,394	78.6	2,281	52.8
1934 . .	14,543	335.2	6,675	153.8	4,269	98.4	3,631	83.7	3,247	74.8	2,116	48.7
1935 . .	14,980	344.3	6,351	146.0	4,167	95.8	3,992	91.8	3,251	74.7	1,961	45.1
1936 . .	16,197	369.6	6,599	150.6	4,273	97.5	4,220	96.2	3,149	71.8	1,898	43.2
1937 . .	16,233	368.6	6,669	151.4	4,350	98.8	4,174	94.8	3,128	71.0	1,887	42.8
1938 . .	16,296	368.2	6,875	155.3	4,292	97.0	3,216	72.6	3,010	68.0	1,675	37.9
1939 . .	17,604	395.8	6,914	155.5	4,504	101.3	3,126	70.2	2,916	65.6	1,602	36.0
1940 . .	18,148	420.4	7,219	167.2	4,642	107.5	2,661	61.6	3,016	69.9	1,598	37.1
1941 . .	18,130	419.2	7,311	169.0	4,562	105.5	2,609	60.3	2,680	62.0	1,633	37.8
1942 . .	17,864	412.4	7,350	169.7	4,670	107.8	2,457	56.7	2,608	60.2	1,619	37.4
1943 . .	19,807	456.5	7,401	170.6	4,920	113.4	3,176	73.2	2,744	63.2	1,806	41.6
1944 . .	18,922	435.4	7,557	173.9	4,708	108.3	2,704	62.3	2,403	55.3	1,696	39.0
1945 . .	18,856	417.9	7,742	171.6	4,917	108.9	2,181	48.3	2,255	50.0	1,636	36.2
1946 . .	19,214	422.4	7,759	170.6	4,750	104.4	2,279	50.1	2,036	44.8	1,674	36.8
1947 . .	20,030	436.7	8,091	176.4	4,655	101.5	1,889	41.2	2,003	43.7	1,584	34.5

[1] Allocated since 1935.

FROM IMPORTANT CAUSES.

RATES PER 100,000 POPULATION.

Pulmonary Tuberculosis.	Rate.	Diabetes.	Rate.	All Puerperal Causes.	Rate.	(Meningococcic) Cerebrospinal Meningitis.	Rate.	Poliomyelitis.	Rate.	Influenza.	Rate.	Cirrhosis of the Liver.	Rate.
5,119	185.3	–	–	270	9.6	–	–	–	–	–	–	–	–
5,033	179.4	–	–	274	9.8	–	–	–	–	–	–	–	–
4,685	167.0	–	–	277	9.9	–	–	–	–	–	–	–	–
4,531	161.5	–	–	310	11.1	–	–	–	–	–	–	–	–
4,874	173.7	–	–	339	12.1	–	–	–	–	–	–	–	–
4,702	156.5	–	–	318	10.6	–	–	–	–	–	–	–	–
4,608	153.4	–	–	340	11.3	–	–	–	–	–	–	–	–
4,771	158.8	–	–	386	12.9	–	–	–	–	–	–	–	–
4,445	148.0	–	–	359	12.0	–	–	–	–	–	–	–	–
4,393	146.2	–	–	456	15.2	–	–	–	–	–	–	–	–
4,503	133.2	–	–	402	11.9	–	–	–	–	250	7.4	261	7.7
4,418	128.2	–	–	506	14.7	–	–	–	–	163	4.7	250	7.3
4,309	122.7	–	–	435	12.4	–	–	–	–	170	4.8	283	8.1
4,253	118.9	–	–	467	13.1	–	–	–	–	204	5.7	335	9.4
4,261	116.9	–	–	538	14.8	–	–	–	–	129	3.5	244	6.7
4,283	116.0	–	–	462	12.5	–	–	–	–	232	6.3	302	8.2
4,575	121.2	–	–	525	13.9	–	–	–	–	539	14.3	360	9.5
4,651	121.1	–	–	616	16.0	–	–	–	–	494	12.9	325	8.5
5,177	132.5	–	–	804	20.6	–	–	–	–	13,783	352.7	256	6.6
4,221	110.0	–	–	622	16.2	–	–	–	–	2,872	74.9	181	4.7
3,750	97.3	–	–	698	18.1	–	–	–	–	1,623	42.1	196	5.1
3,272	84.2	–	–	580	14.9	–	–	–	–	153	3.9	147	3.8
3,167	80.5	–	–	559	14.2	–	–	–	–	569	14.5	184	4.7
3,062	77.1	–	–	498	12.5	–	–	–	–	742	18.7	167	4.2
2,953	73.8	–	–	544	13.6	–	–	–	–	277	6.9	177	4.4
2,883	69.6	–	–	501	12.1	–	–	–	–	519	12.5	207	5.0
2,961	71.0	835	20.0	501	12.0	39	.9	44	1.0	718	17.2	220	5.3
2,774	66.2	844	20.1	486	11.6	43	1.0	169	4.0	326	7.8	218	5.2
2,690	63.9	930	22.1	456	10.8	38	.9	65	1.6	520	12.4	272	6.5
2,561	60.4	997	23.5	453	10.6	79	1.8	21	.5	1,185	27.9	251	5.9
2,423	57.0	1,021	24.0	437	10.3	59	1.3	35	.8	270	6.3	282	6.6
2,306	53.9	1,060	24.8	408	9.6	30	.7	114	2.7	432	10.1	292	6.8
2,041	47.5	1,197	27.8	369	8.5	34	.8	13	.3	360	8.4	257	6.0
2,059	47.7	1,234	28.6	389	9.0	25	.6	32	.7	584	13.6	349	8.1
1,902	43.8	1,327	30.6	317	7.3	28	.6	9	.2	268	6.2	368	8.5
1,813	41.7	1,303	29.9	325	7.5	55	1.3	61	1.4	322	7.4	355	8.1
1,733	39.5	1,388	31.7	270	6.1	100	2.3	8	.2	280	6.4	392	8.9
1,761	40.0	1,495	33.9	252	5.7	72	1.6	22	.5	432	9.8	436	9.9
1,536	34.7	1,436	32.4	232	5.2	18	.4	7	.1	155	3.5	436	9.9
1,505	33.8	1,506	33.9	210	4.7	17	.4	4	.1	230	5.2	483	10.9
1,484	34.4	1,570	36.4	181	4.2	15	.3	2	–[2]	147	3.4	401	9.3
1,521	35.2	1,544	35.7	202	4.6	25	.6	6	.1	283	6.5	511	11.8
1,501	34.7	1,558	36.0	178	4.1	34	.8	3	.1	100	2.3	580	13.4
1,697	39.1	1,647	37.9	170	3.9	119	2.7	18	.3	200	4.6	613	14.1
1,612	37.1	1,562	35.9	140	3.2	81	1.9	17	.4	204	4.7	521	12.0
1,557	34.5	1,491	33.0	144	3.2	20	.4	22	.5	60	1.3	584	13.0
1,592	35.0	1,594	35.0	125	2.7	21	.5	19	.4	126	2.8	610	13.4
1,495	32.6	1,643	35.8	102	2.2	12	.3	12	.3	55	1.2	651	14.2

[2]Less than one-tenth of 1 per 100,000.

Table 24

DEATH RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR IS THE MEDIAN YEAR[1] CENSUS YEARS 1910 TO 1945.

YEARS.	All causes.[2]	Scarlet fever.* 8	Diphtheria and croup.* 10	Tuberculosis of the respiratory system.* 13	Measles.* 35	Cancer. 45–55	Diabetes.* 61	Heart Disease.* 90–95	Nephritis.* 130–132
1910 . .	1,556.2	7.0	18.1	130.0	6.9	89.9	16.3	183.6	89.6
1915 . .	1,470.4	5.2	18.8	116.8	7.5	102.2	18.8	214.3	94.7
1920 . .	1,461.1	3.9	15.6	100.2	7.6	114.2	19.8	199.4	93.0
1925 . .	1,249.8	4.1	11.1	70.6	6.2	124.3	20.0	238.4	85.6
1930 . .	1,181.9	2.4	4.3	56.5	3.0	136.9	24.5	279.0	85.6
1935 . .	1,167.2	1.5	1.0	42.5	1.0	149.9	30.9	347.8	75.6
1940 . .	1,150.1	.4	.3	34.5	.3	163.3	34.9	403.0	65.1
1945 . .	1,150.3	.2	.4	35.3	.3	170.9	35.2	429.2	50.7

[1] This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.
[2] Exclusive of stillbirths.

Table 25

DEATHS PRODUCED BY EXTERNAL CAUSES: 1923 TO 1947.

YEARS.	Total accidents. 169–198	Traumatism by fall. 186a	Automobile (including railroad and street-car collisions). 170a, b, c	Drowning. 183	Burns (conflagration excepted). 181	Absorption of poisonous gas. 178	Excessive heat. 191	Excessive cold. 190	Suicide. 163,164	Homicide. 165–168
1923 . . .	3,392	646	638	260	265	192	32	4	452	106
1924 . . .	3,474	674	705	354	257	135	30	14	486	109
1925 . . .	3,573	643	743	273	215	151	135	9	459	109
1926 . . .	3,343	700	682	225	219	157	63	1	473	87
1927 . . .	3,371	692	697	296	198	136	14	7	466	86
1928 . . .	3,567	746	734	318	204	127	34	8	550	82
1929 . . .	3,584	760	785	257	191	160	37	14	540	70
1930 . . .	3,499	817	799	238	189	123	25	7	547	79
1931 . . .	3,582	851	849	242	152	133	38	3	601	89
1932 . . .	3,485	859	804	261	179	94	12	6	639	91
1933 . . .	3,505	933	816	248	126	109	23	13	597	110
1934 . . .	3,142	982	1,016	238	137	71	24	28	598	93
1935 . . .	3,006[1]	1,109	824	232	143	72	21	28	570	74
1936 . . .	3,035[1]	1,130	866	188	135	83	13	15	555	72
1937 . . .	3,014[1]	1,037	864	265	113	67	72	19	642	85
1938 . . .	2,943[1]	1,207	658	295	116	79	11	13	586	61
1939 . . .	2,750[1]	1,206	630	211	123	72	14	12	570	61
1940 . . .	2,677[1]	1,137	646	201	129	67	3	8	570	69
1941 . . .	2,806[1]	1,178	727	155	133	64	12	6	545	65
1942 . . .	3,129[1]	1,173	542	186	120	61	5	20	505	57
1943 . . .	3,111[1]	1,323	485	199	144	108	35	19	444	33
1944 . . .	2,804[1]	1,107	503	196	134	107	40	16	440	55
1945 . . .	2,820[1]	1,221	513	170	129	109	2	17	483	58
1946 . . .	2,836[1]	1,234	575	148	92	111	8	19	465	68
1947 . . .	2,803[1]	1,257	531	166	103	84	10	16	508	66

[1] Allocated.

Table 26

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1947. Total.	Males.	Females.
Infant Mortality Rate.	28.3			
The State	2,201	3,021	1,724	1,297
Abington	5	6	1	5
Acton	4	5	3	2
Acushnet	2	3	1	2
Adams	8	9	6	3
Agawam	4	6	2	4
Alford	–	–	–	–
Amesbury	4	5	2	3
Amherst	6	8	5	3
Andover	4	7	3	4
Arlington	19	23	15	8
Ashburnham	2	2	–	2
Ashby	–	–	–	–
Ashfield	–	–	–	–
Ashland	1	1	–	1
Athol	10	13	10	3
Attleboro	7	13	8	5
Auburn	4	5	1	4
Avon	2	2	1	1
Ayer	3	5	3	2
Barnstable	1	4	–	4
Barre	–	–	–	–
Becket	1	1	1	–
Bedford	2	3	1	2
Belchertown	1	1	–	1
Bellingham	1	1	1	–
Belmont	9	14	9	5
Berkley	–	–	–	–
Berlin	–	1	1	–
Bernardston	1	1	–	1
Beverly	14	18	9	9
Billerica	6	9	6	3
Blackstone	5	5	3	2
Blandford	–	–	–	–
Bolton	–	–	–	–
Boston	465	671	373	298
Bourne	–	1	1	–
Boxborough	1	1	1	–
Boxford	–	–	–	–
Boylston	1	1	–	1
Braintree	16	19	10	9
Brewster	–	–	–	–
Bridgewater	1	2	1	1
Brimfield	1	1	1	–
Brockton	34	43	26	17
Brookfield	–	–	–	–
Brookline	12	18	12	6
Buckland	–	–	–	–
Burlington	–	2	2	–
Cambridge	81	111	66	45
Canton	4	8	4	4
Carlisle	–	–	–	–
Carver	–	1	1	–
Charlemont	–	–	–	–
Charlton	1	3	3	–
Chatham	–	–	–	–
Chelmsford	1	1	1	–
Chelsea	14	21	14	7
Cheshire	–	–	–	–
Chester	1	1	–	1
Chesterfield	–	–	–	–
Chicopee	21	33	15	18
Chilmark	–	–	–	–
Clarksburg	–	–	–	–
Clinton	5	6	3	3
Cohasset	1	3	2	1
Colrain	–	–	–	–
Concord	3	4	3	1
Conway	2	2	1	1
Cummington	–	–	–	–
Dalton	1	2	2	–
Danvers	4	4	4	–
Dartmouth	2	5	4	1
Dedham	4	6	2	4
Deerfield	1	1	1	–
Dennis	–	–	–	–
Dighton	1	2	2	–
Douglas	3	3	1	2
Dover	–	–	–	–
Dracut	2	2	1	1
Dudley	3	3	2	1
Dunstable	–	–	–	–
Duxbury	1	2	1	1
East Bridgewater	2	2	1	1
East Brookfield	–	–	–	–
East Longmeadow	1	2	1	1
Eastham	–	–	–	–
Easthampton	5	7	4	3
Easton	2	2	2	–
Edgartown	–	–	–	–
Egremont	–	–	–	–
Erving	1	1	–	1
Essex	–	–	–	–
Everett	25	30	14	16
Fairhaven	5	8	6	2
Fall River	60	85	49	36
Falmouth	4	7	4	3
Fitchburg	17	23	15	8
Florida	–	–	–	–
Foxborough	3	3	2	1
Framingham	10	14	9	5
Franklin	2	2	1	1
Freetown	1	1	1	–
Gardner	9	12	9	3
Gay Head	–	–	–	–
Georgetown	3	3	2	1
Gill	–	–	–	–
Gloucester	7	12	6	6
Goshen	–	–	–	–
Gosnold	–	–	–	–
Grafton	1	2	1	1
Granby	–	–	–	–
Granville	–	–	–	–
Great Barrington	2	3	2	1
Greenfield	13	16	12	4
Groton	2	2	2	–
Groveland	1	2	1	1
Hadley	1	2	1	1
Halifax	–	1	1	–
Hamilton	1	1	1	–
Hampden	1	1	–	1
Hancock	–	–	–	–
Hanover	4	5	3	2
Hanson	3	3	3	–
Hardwick	–	1	–	1
Harvard	–	–	–	–
Harwich	3	4	2	2
Hatfield	–	–	–	–
Haverhill	26	35	17	18
Hawley	–	–	–	–
Heath	–	–	–	–
Hingham	6	8	6	2
Hinsdale	2	2	1	1
Holbrook	–	1	–	1
Holden	5	5	4	1
Holland	–	–	–	–
Holliston	1	2	1	1
Holyoke	42	55	28	27
Hopedale	–	–	–	–
Hopkinton	1	1	–	1
Hubbardston	1	1	1	–
Hudson	6	9	8	1
Hull	3	3	1	2
Huntington	–	–	–	–
Ipswich	2	4	2	2
Kingston	1	1	1	–
Lakeville	1	2	2	–
Lancaster	1	1	1	–
Lanesborough	2	2	2	–
Lawrence	53	63	32	31
Lee	4	5	4	1
Leicester	2	2	1	1
Lenox	3	6	4	2
Leominster	20	21	14	7
Leverett	–	–	–	–
Lexington	3	4	2	2

[1]Exclusive of stillbirths.

Table 26

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1947.		
		Total.	Males.	Females.
Leyden	1	1	–	1
Lincoln	1	2	1	1
Littleton	–	–	–	–
Longmeadow	1	3	1	2
Lowell	31	53	31	22
Ludlow	4	5	4	1
Lunenburg	1	1	1	–
Lynn	48	63	38	25
Lynnfield	–	1	–	1
Malden	27	31	17	14
Manchester	1	1	1	–
Mansfield	3	3	2	1
Marblehead	5	7	4	3
Marion	2	2	1	1
Marlborough	3	7	4	3
Marshfield	–	–	–	–
Mashpee	–	–	–	–
Mattapoisett	1	1	1	–
Maynard	2	4	1	3
Medfield	–	–	–	–
Medford	25	36	17	19
Medway	–	–	–	–
Melrose	11	13	9	4
Mendon	2	2	1	1
Merrimac	1	1	1	–
Methuen	10	11	10	1
Middleborough	7	8	3	5
Middlefield	–	–	–	–
Middleton	–	–	–	–
Milford	4	6	5	1
Millbury	3	3	2	1
Millis	1	1	1	–
Millville	1	1	1	–
Milton	6	8	5	3
Monroe	–	–	–	–
Monson	1	2	1	1
Montague	2	5	2	3
Monterey	–	–	–	–
Montgomery	–	–	–	–
Mount Washington	–	–	–	–
Nahant	1	1	–	1
Nantucket	1	2	2	–
Natick	8	8	4	4
Needham	6	7	5	2
New Ashford	1	1	1	–
New Bedford	44	64	37	27
New Braintree	–	–	–	–
New Marlborough	–	–	–	–
New Salem	–	–	–	–
Newbury	1	1	1	–
Newburyport	11	18	8	10
Newton	24	26	15	11
Norfolk	1	1	1	–
North Adams	8	8	5	3
North Andover	3	4	1	3
North Attleborough	4	10	9	1
North Brookfield	2	3	2	1
North Reading	–	–	–	–
Northampton	7	11	7	4
Northborough	1	3	–	3
Northbridge	8	10	5	5
Northfield	4	4	2	2
Norton	1	1	1	–
Norwell	–	1	–	1
Norwood	7	11	8	3
Oak Bluffs	1	2	–	2
Oakham	1	1	1	–
Orange	1	2	1	1
Orleans	1	1	1	–
Otis	1	1	1	–
Oxford	–	1	–	1
Palmer	8	9	4	5
Paxton	–	–	–	–
Peabody	13	17	8	9
Pelham	–	1	1	–
Pembroke	2	2	–	2
Pepperell	–	1	1	–
Peru	1	1	–	1
Petersham	–	–	–	–

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1947.		
		Total.	Males.	Females.
Phillipston	–	–	–	–
Pittsfield	25	29	19	10
Plainfield	–	–	–	–
Plainville	1	1	1	–
Plymouth	7	10	8	2
Plympton	–	1	–	1
Princeton	–	1	–	1
Provincetown	1	2	–	2
Quincy	40	54	33	21
Randolph	5	7	3	4
Raynham	–	–	–	–
Reading	11	11	9	2
Rehoboth	–	–	–	–
Revere	15	21	14	7
Richmond	–	–	–	–
Rochester	–	–	–	–
Rockland	7	8	4	4
Rockport	2	2	2	–
Rowe	–	–	–	–
Rowley	1	1	1	–
Royalston	–	1	–	1
Russell	2	2	1	1
Rutland	3	3	2	1
Salem	16	19	11	8
Salisbury	2	3	–	3
Sandisfield	1	1	–	1
Sandwich	1	1	–	1
Saugus	6	9	4	5
Savoy	–	–	–	–
Scituate	3	4	2	2
Seekonk	2	2	1	1
Sharon	1	2	2	–
Sheffield	1	1	–	1
Shelburne	2	2	2	–
Sherborn	–	1	1	–
Shirley	–	–	–	–
Shrewsbury	3	4	2	2
Shutesbury	–	–	–	–
Somerset	4	6	3	3
Somerville	47	74	39	35
South Hadley	6	6	2	4
Southampton	–	–	–	–
Southborough	1	1	1	–
Southbridge	5	8	4	4
Southwick	1	2	–	2
Spencer	1	1	1	–
Springfield	88	119	68	51
Sterling	1	4	3	1
Stockbridge	1	1	–	1
Stoneham	7	9	5	4
Stoughton	3	4	2	2
Stow	–	1	–	1
Sturbridge	–	–	–	–
Sudbury	1	1	–	1
Sunderland	–	–	–	–
Sutton	–	1	1	–
Swampscott	1	4	1	3
Swansea	3	3	3	–
Taunton	11	18	13	5
Templeton	4	4	3	1
Tewksbury	1	1	1	–
State Infirmary	–	–	–	–
Tisbury	1	1	1	–
Tolland	–	–	–	–
Topsfield	–	1	–	1
Townsend	3	4	2	2
Truro	1	1	1	–
Tyngsborough	1	1	–	1
Tyringham	–	–	–	–
Upton	–	–	–	–
Uxbridge	5	5	3	2
Wakefield	7	9	3	6
Wales	–	–	–	–
Walpole	1	2	1	1
Waltham	24	30	14	16
Ware	8	10	7	3
Wareham	4	6	2	4
Warren	–	1	1	–
Warwick	–	–	–	–

[1] Exclusive of stillbirths.

Table 26

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1947.			Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1947.		
		Total.	Males.	Females.			Total.	Males.	Females.
Washington	–	–	–	–	Weston	–	–	–	–
Watertown	12	26	15	11	Westport	–	1	1	–
Wayland	1	2	–	2	Westwood	3	6	–	6
Webster	10	10	7	3	Weymouth	21	24	16	8
Wellesley	12	14	6	8	Whately	–	–	–	–
Wellfleet	1	1	1	–	Whitman	5	8	6	2
Wendell	–	–	–	–	Wilbraham	–	–	–	–
Wenham	–	–	–	–	Williamsburg	–	–	–	–
West Boylston	–	–	–	–	Williamstown	1	3	2	1
West Bridgewater	1	2	2	–	Wilmington	1	4	3	1
West Brookfield	2	3	2	1	Winchendon	3	5	2	3
West Newbury	1	1	1	–	Winchester	4	5	2	3
West Springfield	9	10	6	4	Windsor	–	–	–	–
West Stockbridge	–	1	–	1	Winthrop	14	16	10	6
West Tisbury	–	–	–	–	Woburn	12	18	6	12
Westborough	6	7	3	4	Worcester	100	128	72	56
Westfield	14	15	10	5	Worthington	–	–	–	–
Westford	2	4	3	1	Wrentham	2	2	2	–
Westhampton	–	–	–	–	Yarmouth	1	1	1	–
Westminster	–	2	2	–					

[1] Exclusive of stillbirths.

Table 27

Counties.	Infant and Maternal Deaths[1] and Death Rates[1], for the State and Counties. 1947.			
	Total deaths[2] under 1 year of age.	Per 1,000 live births.	All puerperal causes.	Per 10,000 live births.
The State	**3,021**	**28.3**	**102**	**9.6**
Barnstable	23	22.3	1	9.7
Berkshire	77	24.2	3	9.4
Bristol	227	26.1	8	9.2
Dukes	3	23.8	–	–
Essex	319	26.6	12	10.0
Franklin	35	27.5	1	7.9
Hampden	266	30.8	8	9.3
Hampshire	46	25.3	1	5.5
Middlesex	625	25.8	25	10.3
Nantucket	2	26.7	–	–
Norfolk	207	25.5	5	6.2
Plymouth	132	30.8	5	11.7
Suffolk	729	35.0	21	10.1
Worcester	330	26.6	12	9.7

[1] Allocated. [2] Exclusive of stillbirths.

Table 28

Municipalities. (Grouped in order of population, 1945.)	Infant Deaths[1] per 1,000 Live Births in Municipalities having over 15,000 Inhabitants in 1945: 1940 to 1947.							
	1947.[2]	1946.[2]	1945.[2]	1944.[2]	1943.[2]	1942.[2]	1941.[2]	1940.[2]
The State	**28**	**31**	**32**	**33**	**34**	**32**	**35**	**38**
Over 100,000								
Boston	36	35	34	37	35	34	38	42
Worcester	28	42	38	37	31	34	34	33
Springfield	30	26	28	33	30	30	33	28
Fall River	31	34	41	42	43	36	33	48
Cambridge	35	33	32	33	32	37	33	43
New Bedford	26	29	35	42	46	39	36	48
Somerville	29	28	32	29	37	24	28	37
Lynn	25	28	28	30	40	37	38	37
Lowell	22	34	26	47	61	35	41	45
50,000 to 100,000								
Lawrence	33	35	36	34	37	32	37	49
Quincy	26	24	29	26	34	28	34	28
Newton	16	29	16	23	23	21	20	29
Medford	24	30	25	21	23	30	23	37
Brockton	31	25	29	26	42	39	34	43
Malden	22	19	32	32	30	30	25	49
Brookline (town)	21	23	16	39	29	24	28	20
Pittsfield	42	33	35	28	37	31	41	29
Holyoke	22	31	38	24	29	35	46	26
25,000 to 50,000								
Everett	26	25	31	22	21	35	23	36
Haverhill	32	24	27	32	50	25	29	41
Chicopee	28	23	27	33	40	24	47	54
Fitchburg	22	25	25	32	34	32	37	42
Waltham	26	24	24	30	31	28	17	39
Arlington (town)	27	23	33	34	19	23	26	36
Salem	20	46	29	41	34	31	30	30
Chelsea	22	33	44	29	39	36	30	34
Taunton	20	34	38	49	27	40	44	34
Watertown (town)	33	27	21	33	22	35	20	19
Revere	24	27	29	26	37	21	53	39
Belmont (town)	27	26	37	29	34	20	28	32
Weymouth (town)	31	23	44	23	32	34	25	30
Melrose	24	20	34	24	36	36	20	12
Beverly	27	27	32	27	41	35	27	29
Framingham (town)	23	33	31	11	35	23	70	35
15,000 to 25,000								
Northampton	20	21	18	23	23	30	38	28
Gloucester	19	41	36	35	37	42	27	45
Leominster	35	38	33	38	34	35	34	38
Methuen (town)	21	25	52	52	39	35	51	33
Attleboro	26	31	37	56	47	26	39	41
Peabody	34	39	28	22	29	26	54	46
North Adams	15	35	25	65	25	40	41	35
Milton (town)	21	27	24	20	34	17	39	9
Braintree (town)	37	23	18	16	23	27	31	28
Gardner	32	44	31	42	22	49	52	48
Westfield	29	22	29	27	51	31	74	55
Woburn	34	27	44	40	39	27	27	30
West Springfield (town)	22	31	34	28	21	28	39	33
Winthrop (town)	36	34	41	24	18	20	27	17
Wakefield (town)	19	34	22	32	39	14	29	29
Wellesley (town)	40	33	63	22	23	16	21	19
Southbridge (town)	17	51	40	31	31	9	26	34
Greenfield (town)	37	35	17	33	24	34	40	41
Dedham (town)	16	26	35	14	24	32	20	30
Saugus (town)	23	34	32	–	–	–	–	–
Norwood (town)	29	32	36	14	34	53	33	32
Milford (town)	18	26	34	25	23	47	39	31
Natick (town)	19	45	27	–	–	–	–	–
Marlborough	21	23	26	34	29	33	37	42
Winchester (town)	17	7	7	53	29	29	37	48

[1] Exclusive of stillbirths. [2] Allocated.

Table 29

Municipalities. (Grouped in order of population, 1945.)	Birth Rates,[1] Death Rates,[1] Natural Increase Infant Mortality Rates, and Survivorship, in Municipalities having over 15,000 Inhabitants in 1945: 1947.					
	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	Survivors at end of first year of life.	
					Number.	Per 1,000 births.[2]
The State	**23.3**	**11.2**	**12.1**	**28.3**	**103,669**	**972**
Over 100,000						
Boston	24.2	13.1	11.1	36.1	17,894	964
Worcester	22.8	11.4	11.4	27.9	4,454	972
Springfield	24.1	11.1	13.0	29.9	3,860	970
Fall River	24.1	12.1	12.0	30.6	2,689	969
Cambridge	28.4	12.2	16.2	35.2	3,044	965
New Bedford	22.1	12.2	9.9	26.3	2,371	974
Somerville	23.6	10.6	13.0	29.0	2,474	971
Lynn	22.8	11.3	11.5	25.3	2,423	975
Lowell	23.3	11.6	11.7	22.5	2,303	978

[1] Allocated. [2] Exclusive of stillbirths.

Table 29

BIRTH RATES,[1] DEATH RATES,[1] NATURAL INCREASE, INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1945: 1947.—*Con.*

MUNICIPALITIES. (Grouped in order of population, 1945.)	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	SURVIVORS AT END OF FIRST YEAR OF LIFE. Number.	Per 1,000 births.[3]
50,000 TO 100,000						
Lawrence	22.1	11.2	10.9	33.0	1,845	967
Quincy	24.8	9.8	15.0	25.7	2,044	974
Newton	20.0	9.8	10.2	16.1	1,592	984
Medford	21.6	9.4	12.2	24.2	1,454	976
Brockton	21.1	12.6	8.5	30.7	1,358	969
Malden	23.6	11.0	12.6	21.8	1,394	978
Brookline (town)	14.4	11.4	3.0	20.9	845	979
Pittsfield	24.1	10.4	13.7	21.6	1,312	978
Holyoke	24.1	13.3	10.8	42.4	1,242	958
25,000 to 50,000						
Everett	23.4	8.8	14.6	25.9	1,128	974
Haverhill	23.7	13.8	9.9	32.0	1,058	968
Chicopee	25.9	8.5	17.4	27.6	1,162	972
Fitchburg	23.7	10.2	13.5	21.6	1,040	978
Waltham	25.8	10.2	15.6	25.7	1,139	974
Arlington (town)	18.7	9.6	9.1	27.2	823	973
Salem	22.3	11.8	10.5	19.5	955	980
Chelsea	23.5	10.8	12.7	22.3	919	978
Taunton	23.1	10.0	13.1	19.8	892	980
Watertown (town)	20.4	8.4	12.0	33.2	758	967
Revere	24.2	9.4	14.8	24.3	844	976
Belmont (town)	17.3	8.8	8.5	27.1	503	973
Weymouth (town)	26.4	10.2	16.2	30.7	757	969
Melrose	18.9	11.0	7.9	23.5	540	976
Beverly	24.6	11.2	13.4	26.6	658	973
Framingham (town)	22.9	9.9	13.0	23.0	596	977
15,000 TO 25,000						
Northampton	22.2	11.9	10.3	19.8	545	980
Gloucester	25.5	12.2	13.3	18.6	633	981
Leominster	24.7	9.9	14.8	35.1	578	965
Methuen (town)	22.2	10.2	12.0	20.8	517	979
Attleboro	22.5	13.2	9.3	25.6	494	974
Peabody	22.3	10.7	11.6	33.8	486	966
North Adams	24.3	12.1	12.2	14.8	532	985
Milton (town)	16.4	9.2	7.2	21.3	368	979
Braintree (town)	23.2	9.8	13.4	37.5	488	963
Gardner	18.7	9.8	8.9	31.6	368	968
Westfield	24.8	10.7	14.1	29.5	494	971
Woburn	26.6	11.4	15.2	33.9	513	966
West Springfield (town)	22.2	7.5	14.7	21.9	447	978
Winthrop (town)	23.6	11.8	11.8	36.3	425	964
Wakefield (town	24.0	8.7	15.3	18.8	470	981
Wellesley (town)	18.9	8.3	10.6	39.8	338	960
Southbridge (town)	26.6	9.2	17.4	16.7	470	983
Greenfield (town)	24.2	11.5	12.7	37.5	411	963
Dedham (town)	22.6	9.4	13.2	15.5	381	984
Saugus (town)	22.0	9.4	12.6	23.2	379	977
Norwood (town)	22.0	10.6	11.4	29.4	363	971
Milford (town)	20.9	8.2	12.7	17.9	329	982
Natick (town)	25.5	10.6	14.9	18.7	420	981
Marlborough	20.9	12.0	8.9	21.0	326	979
Winchester (town)	19.5	9.9	9.6	16.7	295	983

[1] Allocated. [2] Exclusive of stillbirths.

Table 30

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER OF THE STATE OUTSIDE OF BOSTON: 1931 TO 1947.

YEARS	MASSACHUSETTS. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.	BOSTON. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.	REMAINDER OF STATE OUTSIDE BOSTON. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.
1931	69,385	3,803	54.8	17,137	1,039	60.6	52,248	2,764	52.9
1932	68,518	3,635	53.1	17,271	1,025	59.3	51,247	2,610	50.9
1933	63,457	3,294	51.9	16,249	958	58.9	47,208	2,436	51.6
1934	63,767	3,136	49.2	15,825	871	55.0	47,942	2,265	47.2
1935	62,416[1]	3,014	48.3	12,371	607	49.1	50,045	2,407	48.1
1936	61,184[1]	2,854	46.6	12,117	615	50.8	49,067	2,239	45.6
1937	61,272[1]	2,684	43.8	12,101	587	48.5	49,171	2,097	42.6
1938	62,382[1]	2,439	39.1	11,943	522	43.7	50,139	1,917	38.0
1939	62,575[1]	2,338	37.4	11,965	449	37.5	50,610	1,889	37.3
1940	65,369[1]	2,450	37.5	12,429	527	42.4	52,940	1,923	36.3
1941	70,228[1]	2,480	35.3	12,701	483	38.0	57,527	1,997	34.7
1942	83,371[1]	2,651	31.8	15,063	510	33.9	68,308	2,141	31.3
1943	85,743[1]	2,939	34.3	15,352	543	35.4	70,391	2,396	34.0
1944	78,140[1]	2,582	33.0	14,264	525	36.8	63,876	2,057	32.2
1945	76,455[1]	2,433	31.8	13,670	469	34.3	62,785	1,964	31.2
1946	96,903[1]	2,996	30.9	16,902	588	34.8	80,001	2,408	30.1
1947	106,690[1]	3,021	28.3	18,565	671	36.1	88,125	2,350	26.7

[1] Allocated.

Table 31

Years.	Survivors at End of First Year of Life: 1922 to 1947. Per 1,000 population.	Per 1,000 live births.	Years.	Survivors at End of First Year of Life: 1922 to 1947. Per 1,000 population.	Per 1,000 live births.
1922	20.5	919	1935	13.7[1]	952[1]
1923	20.7	922	1936	13.3[1]	953[1]
1924	21.3	932	1937	13.3[1]	956[1]
1925	19.2	927	1938	13.5[1]	961[1]
1926	18.4	927	1939	13.5[1]	963[1]
1927	18.0	935	1940	14.6[1]	963[1]
1928	17.1	935	1941	15.7[1]	965[1]
1929	15.9	938	1942	18.6[1]	968[1]
1930	16.3	940	1943	19.1[1]	966[1]
1931	15.5	945	1944	17.4[1]	967[1]
1932	11.9	946	1945	16.4[1]	968[1]
1933	13.9	948	1946	20.6[1]	969[1]
1934	14.0	951	1947	22.6[1]	972[1]

[1] Allocated.

Table 32

Detailed Int. List No.	Causes.	Infant Deaths per 1,000 Live Births, by Causes: 1940 to 1947. 1947.[1]	1946.[1]	1945.[1]	1944.[1]	1943.[1]	1942.[1]	1941.[1]	1940.[1]
	All Causes	**28.3**	**30.9**	**31.8**	**33.0**	**34.3**	**31.8**	**35.3**	**37.5**
	Developmental and wasting diseases*	16.6	18.1	17.1	17.9	17.1	17.6	18.4	18.8
159	Premature birth*	11.5	12.8	11.5	12.0	11.2	12.4	12.5	13.1
157	Congenital malformations*	5.0	5.2	5.4	5.6	5.4	4.9	5.4	5.3
158	Congenital debility, etc.*	.1	.1	.2	.3	.5	.3	.5	.4
119	Diarrhea and enteritis*	1.4	1.6	1.5	1.2	2.1	1.3	2.3	1.9
107	Bronchopneumonia*	2.1	2.6	3.1	3.6	4.1	2.9	3.2	4.7
108	Lobar pneumonia*	.4	.4	.5	.5	.8	.6	.7	.8
86	Convulsions	–	–	.1	.1	–	.1	.1	.2
106	Bronchitis*	.1	.1	.2	.1	.1	.2	.2	.2
9	Whooping cough*	.1	.1	.2	.2	.2	.2	.4	.3
6, 81	Meningitis	.2	.1	.3	.4	.6	.3	.5	.4
14	Tuberculous meningitis	–[2]	–	–	–	.1	–	–	–
30	Syphilis	–	–	–	–	–	–	.1	.1
109	Pneumonia, undefined	.3	.4	.3	.3	.4	.3	.2	.2
36	Acute anterior poliomyelitis	–[2]	–	–	–	–	–	–	–
	All other causes	7.1	7.5	8.5	8.7	8.8	8.3	9.2	9.9

[1] Allocated. [2] Less than one-tenth of one per 1,000.

Table 33

Months.	Deaths under 2 Years of Age from Diarrhea and Enteritis (119)*, by Months: 1940 to 1947. 1947.[1]	1946.[1]	1945.[1]	1944.[1]	1943.[1]	1942.[1]	1941.[1]	1940.[1]
The Year	**157**	**163**	**118**	**107**	**189**	**112**	**167**	**127**
January	15	9	8	9	21	13	18	5
February	20	6	9	8	16	5	13	6
March	34	7	7	8	19	7	11	5
April	23	25	9	12	14	4	15	8
May	9	17	7	6	14	12	16	9
June	7	15	11	7	18	12	19	10
July	14	9	10	6	9	7	23	9
August	5	11	17	14	20	8	13	8
September	5	9	10	10	11	7	17	13
October	6	18	8	10	13	22	13	25
November	6	19	11	10	21	12	4	12
December	13	18	11	7	13	3	5	17
	Per Cent Distribution.							
The Year	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
January	9.6	5.5	6.8	8.4	11.1	11.6	10.7	4.0
February	12.7	3.7	7.6	7.5	8.5	4.5	7.8	4.7
March	21.7	4.3	5.9	7.5	10.0	6.3	6.6	4.0
April	14.6	15.3	7.6	11.2	7.4	3.5	9.0	6.3
May	5.7	10.4	5.9	5.6	7.4	10.7	9.6	7.1
June	4.5	9.2	9.3	6.5	9.5	10.7	11.3	7.8
July	8.9	5.5	8.5	5.6	4.8	6.3	13.8	7.1
August	3.2	6.7	14.5	13.0	10.6	7.1	7.8	6.3
September	3.2	5.5	8.5	9.4	5.8	6.3	10.2	10.2
October	3.8	11.1	6.8	9.4	6.9	19.6	7.8	19.7
November	3.8	11.7	9.3	9.4	11.1	10.7	2.4	9.4
December	8.3	11.1	9.3	6.5	6.9	2.7	3.0	13.4

[1] Allocated.

Table 34

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State.[2]	T	3,021	1,067	272	219	302	1,860	139	96	106	2,201	193	160	229	151	87
		M	1,724	587	164	137	176	1,064	89	51	67	1,271	111	86	122	92	42
		F	1,297	480	108	82	126	796	50	45	39	930	82	74	107	59	45
6	Cerebrospinal (meningococcus) meningitis	M	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	8	–	–	–	–	–	–	–	–	–	–	2	2	2	2
		F	5	–	–	–	–	–	–	–	–	–	–	2	2	1	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Tuberculosis of the respiratory system	M	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
14	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
15–22	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
30	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Influenza	M	5	–	–	–	–	–	–	–	–	–	–	–	3	2	–
		F	4	–	–	–	1	1	–	–	–	1	–	–	2	1	–
35	Measles	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
64	Diseases of thymus gland	M	6	–	–	–	–	–	1	–	1	2	1	2	–	1	–
		F	6	1	–	–	1	2	1	–	–	3	1	2	–	–	–
81	Meningitis (not due to meningococcus)	M	16	–	–	1	2	3	–	–	–	3	4	1	5	1	2
		F	4	–	–	–	–	–	–	–	–	–	–	–	1	1	2
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	7	–	–	–	–	–	–	–	–	–	–	1	5	1	–
		F	6	–	–	–	–	–	–	–	–	–	–	2	1	1	2
107	Bronchopneumonia	M	117	2	1	2	8	13	8	8	5	34	14	11	25	29	4
		F	103	3	3	1	4	11	3	6	4	24	11	21	25	11	11
108, 109	Pneumonia	M	39	2	–	1	5	8	2	–	5	15	2	6	8	4	4
		F	38	1	1	1	4	7	–	1	–	8	2	6	12	7	3
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–	2	–	–	1	–
119	Diarrhea and enteritis	M	90	–	–	–	1	1	5	5	12	23	21	10	13	17	6
		F	58	–	–	–	–	–	2	3	6	11	19	7	9	9	3
122*b*	Intestinal obstruction	M	8	–	–	–	1	1	1	1	–	3	3	1	1	–	–
		F	4	–	–	–	1	1	1	–	–	2	–	–	–	–	2
157	Congenital malformations	M	285	58	22	19	38	137	24	11	17	189	28	21	22	18	7
		F	244	67	14	14	26	121	14	10	8	153	23	16	28	14	10
158, 161*c*	Congenital debility, icterus, sclerema	M	68	17	12	8	19	56	2	1	–	59	3	3	1	1	1
		F	52	21	5	4	9	39	4	1	1	45	–	2	3	1	1
159	Premature birth	M	698	395	91	66	63	615	32	13	18	678	14	4	–	2	–
		F	524	298	63	43	52	456	20	19	14	509	12	1	2	–	–
160	Injuries at birth	M	107	38	12	17	19	86	7	5	2	100	3	1	1	2	–
		F	66	33	6	9	11	59	1	1	2	63	1	–	1	–	1
161*a*, *b*	Other diseases of early infancy	M	143	72	23	21	17	133	4	1	1	139	1	1	2	–	–
		F	102	52	16	10	16	94	4	1	–	99	1	1	1	–	–
165–198	External causes	M	47	1	3	–	–	4	–	2	1	7	6	9	20	3	2
		F	34	3	–	–	–	3	–	2	2	7	4	11	7	2	3
199, 200	Unknown or ill-defined diseases	M	5	–	–	–	–	–	1	–	–	1	1	2	–	1	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other causes	M	69	2	–	2	3	7	2	4	5	18	10	11	12	8	10
		F	38	1	–	–	1	2	–	1	2	5	5	3	10	9	6

[1] Exclusive of stillbirths.
[2] Allocated.

Table 35

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR BOSTON: 1947.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BOSTON.[2]	T	671	231	39	37	60	367	29	30	39	465	61	34	54	45	12
		M	373	127	24	25	36	212	18	12	23	265	28	18	32	23	7
		F	298	104	15	12	24	155	11	18	16	200	33	16	22	22	5
6	Cerebrospinal (meningococcus) meningitis	M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of the respiratory system	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15–22	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
30	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	Diseases of thymus gland	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81	Meningitis (not due to meningococcus)	M	4	-	-	-	1	1	-	-	-	1	-	1	1	-	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	20	-	-	1	1	2	1	1	-	4	2	2	6	6	-
		F	24	-	1	-	-	1	2	2	1	6	3	4	5	4	2
108, 109	Pneumonia	M	6	-	-	1	1	2	1	-	1	4	-	1	1	-	-
		F	9	1	-	-	1	2	-	-	-	2	1	-	3	3	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-
119	Diarrhea and enteritis	M	41	-	-	-	-	-	3	2	6	11	9	4	6	9	2
		F	26	-	-	-	-	-	-	1	3	4	10	4	5	3	-
122*b*	Intestinal obstruction	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	38	12	1	1	3	17	2	1	5	25	5	-	5	3	-
		F	47	16	2	2	2	22	3	3	1	29	6	3	3	4	2
158, 161*c*	Congenital debility, icterus, sclerema	M	14	1	2	1	4	8	2	-	-	10	-	3	1	-	-
		F	4	2	1	-	1	4	-	-	-	4	-	-	-	-	-
159	Premature birth	M	179	95	17	18	18	148	7	7	9	171	5	2	-	1	-
		F	129	66	10	6	13	95	5	10	9	119	8	1	1	-	-
160	Injuries at birth	M	13	5	2	2	2	11	-	1	-	12	1	-	-	-	-
		F	9	4	-	1	2	7	-	1	1	9	-	-	-	-	-
161*a*, *b*	Other diseases of early infancy	M	24	13	2	1	6	22	1	-	-	23	-	-	1	-	-
		F	25	13	1	3	5	22	1	-	-	23	1	-	1	-	-
165–198	External causes	M	9	1	-	-	-	1	-	-	-	1	3	1	3	1	-
		F	12	2	-	-	-	2	-	1	1	4	2	4	1	1	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	18	-	-	-	-	-	1	-	2	3	3	3	3	3	3
		F	6	-	-	-	-	-	-	-	-	-	-	-	1	4	1

[1] Exclusive of stillbirths.
[2] Allocated.

Table 36

Deaths[1] from Lobar Pneumonia, by Months, in Municipalities Having Over 10,000 Inhabitants at the State Census of 1945: 1947.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State	500	69	45	66	69	34	21	26	26	24	28	31	61
Adams	2	–	–	–	–	2	–	–	–	–	–	–	–
Amesbury	3	1	1	–	–	–	–	–	–	–	–	–	1
Andover	2	2	–	–	–	–	–	–	–	–	–	–	–
Arlington	2	–	–	–	–	–	–	1	–	–	–	–	1
Athol	6	3	–	–	1	–	–	–	–	–	–	1	1
Attleboro	2	2	–	–	–	–	–	–	–	–	–	–	–
Belmont	3	1	–	1	–	–	1	–	–	–	–	–	–
Beverly	4	–	1	–	–	–	–	–	1	–	–	2	–
Boston	126	15	11	18	21	9	9	8	2	6	7	4	16
Braintree	2	–	–	1	–	–	–	–	–	–	1	–	–
Brockton	7	–	2	2	1	–	–	–	–	–	1	–	1
Brookline	2	1	–	–	1	–	–	–	–	–	–	–	–
Cambridge	17	4	1	2	2	1	2	–	1	1	–	1	2
Chelsea	4	1	–	–	–	–	–	–	1	–	–	–	2
Chicopee	1	–	1	–	–	–	–	–	–	–	–	–	–
Clinton	1	–	–	–	–	–	–	1	–	–	–	–	–
Danvers	1	–	1	–	–	–	–	–	–	–	–	–	–
Dedham	–	–	–	–	–	–	–	–	–	–	–	–	–
Easthampton	–	–	–	–	–	–	–	–	–	–	–	–	–
Everett	–	–	–	–	–	–	–	–	–	–	–	–	–
Fairhaven	–	–	–	–	–	–	–	–	–	–	–	–	–
Fall River	–	–	–	–	–	–	–	–	–	–	–	–	–
Fitchburg	7	1	–	1	2	2	–	–	–	–	–	1	–
Framingham	2	–	–	–	1	–	–	–	–	–	–	1	–
Gardner	4	1	1	1	1	–	–	–	–	–	–	–	–
Gloucester	4	1	–	1	–	1	1	–	–	–	–	–	–
Greenfield	5	2	–	1	2	–	–	–	–	–	–	–	–
Haverhill	1	–	–	–	–	–	–	–	–	–	–	–	1
Holyoke	2	–	–	–	–	–	–	–	–	–	1	–	1
Lawrence	12	1	–	1	1	1	–	–	1	1	–	2	4
Leominster	5	–	1	–	1	–	–	–	1	–	–	2	–
Lexington	3	–	–	2	1	–	–	–	–	–	–	–	–
Lowell	1	–	–	–	1	–	–	–	–	–	–	–	–
Lynn	15	2	2	2	1	1	–	–	–	2	2	1	2
Malden	12	3	2	1	–	–	1	1	1	1	1	–	1
Marblehead	7	–	1	–	2	1	–	1	1	1	–	–	–
Marlborough	–	–	–	–	–	–	–	–	–	–	–	–	–
Medford	2	–	–	1	–	–	–	–	–	–	1	–	–
Melrose	4	–	1	–	1	–	–	1	1	–	–	–	–
Methuen	2	1	–	–	–	–	–	–	1	–	–	–	–
Milford	–	–	–	–	–	–	–	–	–	–	–	–	–
Milton	3	–	–	1	–	–	–	1	–	–	–	–	1
Natick	1	–	–	–	–	–	–	–	–	–	–	–	1
Needham	4	–	1	1	–	–	–	–	1	–	–	–	1
New Bedford	–	–	–	–	–	–	–	–	–	–	–	–	–
Newburyport	1	1	–	–	–	–	–	–	–	–	–	–	–
Newton	–	–	–	–	–	–	–	–	–	–	–	–	–
North Adams	13	1	1	2	3	1	–	2	–	1	–	–	2
North Attleborough	4	1	–	1	–	–	–	–	1	–	–	–	1
Northampton	1	–	–	1	–	–	–	–	–	–	–	–	–
Northbridge	1	–	–	1	–	–	–	–	–	–	–	–	–
Norwood	2	1	–	–	–	–	–	–	1	–	–	–	–
Peabody	–	–	–	–	–	–	–	–	–	–	–	–	–
Pittsfield	1	–	–	–	–	1	–	–	–	–	–	–	–
Plymouth	3	–	1	–	–	–	–	–	–	–	–	–	2
Quincy	–	–	–	–	–	–	–	–	–	–	–	–	–
Reading	13	1	2	1	2	1	1	–	–	–	2	–	3
Revere	–	–	–	–	–	–	–	–	–	–	–	–	–
Salem	5	–	–	2	1	1	–	–	–	–	1	–	–
Saugus	6	1	1	1	1	1	–	–	–	–	–	–	1
Somerville	1	–	–	–	1	–	–	–	–	–	–	–	–
Southbridge	9	–	3	1	2	1	–	–	–	1	–	1	–
Springfield	–	–	–	–	–	–	–	–	–	–	–	–	–
Stoneham	21	–	2	2	1	2	1	2	2	2	2	2	3
Swampscott	–	–	–	–	–	–	–	–	–	–	–	–	–
Taunton	1	–	–	–	–	–	–	–	1	–	–	–	–
Wakefield	4	1	–	1	1	–	–	–	–	–	1	–	–
Waltham	2	–	–	–	–	–	–	1	–	–	–	–	1
Watertown	8	3	–	1	2	1	–	1	–	–	–	–	–
Webster	1	–	–	–	1	–	–	–	–	–	–	–	–
Wellesley	–	–	–	–	–	–	–	–	–	–	–	–	–
West Springfield	1	–	–	–	–	–	–	–	1	–	–	–	–
Westfield	1	–	–	–	–	–	1	–	–	–	–	–	–
Weymouth	2	–	–	1	–	–	–	–	–	–	–	1	–
Winchester	2	–	–	1	1	–	–	–	–	–	–	–	–
Winthrop	2	–	–	–	–	–	–	–	–	–	–	–	1
Woburn	1	–	–	–	–	–	–	–	–	–	–	–	1
Worcester	6	2	1	–	1	–	–	–	–	–	–	–	2
	26	4	–	2	6	1	2	1	2	2	2	3	1

[1] Allocated.

Table 37

Deaths[1] from Bronchopneumonia, by Months, in Municipalities Having Over 10,000 Inhabitants at the State Census of 1945: 1947.

Municipalities.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State	1,264	177	134	127	143	106	81	68	64	65	97	83	119
Adams	–	–	–	–	–	–	–	–	–	–	–	–	–
Amesbury	2	2	–	–	–	–	–	–	–	–	–	–	–
Andover	2	–	–	–	–	–	1	–	–	–	–	–	1
Arlington	7	1	1	1	3	–	–	–	–	–	–	–	1
Athol	5	–	–	3	–	1	–	–	–	–	1	–	–
Attleboro	5	1	1	1	1	1	–	–	–	–	–	–	–
Belmont	9	2	2	–	1	–	–	–	–	–	1	–	3
Beverly	12	1	1	2	2	1	–	1	1	–	2	–	1
Boston	336	33	34	32	31	35	25	27	19	13	24	24	39
Braintree	7	1	–	–	–	1	2	–	–	1	–	–	2
Brockton	27	5	2	1	7	–	1	1	1	1	3	3	2
Brookline	15	3	1	1	3	1	2	1	–	2	1	–	–
Cambridge	34	3	3	5	6	2	1	1	2	1	4	2	4
Chelsea	12	3	–	3	1	2	1	1	–	–	–	–	1
Chicopee	10	2	2	–	–	–	–	–	–	2	4	–	–
Clinton	1	–	–	1	–	–	–	–	–	–	–	–	–
Danvers	3	–	1	–	–	1	–	–	–	–	–	–	1
Dedham	4	–	–	2	1	–	1	–	–	–	–	–	–
Easthampton	2	–	–	–	–	–	1	–	–	1	–	–	–
Everett	12	1	2	–	1	–	1	–	1	3	1	2	–
Fairhaven	3	–	1	–	2	–	–	–	–	–	–	–	–
Fall River	32	4	6	3	2	2	2	2	1	1	2	2	5
Fitchburg	9	5	–	1	1	–	1	1	–	–	–	–	–
Framingham	7	2	–	2	1	–	–	1	–	1	–	–	–
Gardner	2	1	–	–	–	–	–	–	1	–	–	–	–
Gloucester	2	–	1	–	1	–	–	–	–	–	–	–	–
Greenfield	1	–	–	–	–	–	–	–	–	–	–	–	1
Haverhill	12	1	1	1	1	2	1	–	1	1	1	1	1
Holyoke	17	4	2	1	1	1	–	1	1	1	3	2	–
Lawrence	13	3	2	1	1	4	–	1	–	–	–	–	1
Leominster	4	1	–	–	–	–	–	–	1	1	–	–	1
Lexington	5	1	–	1	2	1	–	–	–	–	–	–	–
Lowell	23	6	–	4	–	2	4	2	1	1	–	–	3
Lynn	27	5	5	2	2	4	2	1	–	2	2	1	1
Malden	11	1	1	2	2	–	–	–	–	1	–	2	2
Marblehead	3	–	–	–	1	–	–	–	–	–	1	1	–
Marlborough	3	–	–	–	–	–	–	–	2	–	1	–	–
Medford	17	1	2	2	4	1	2	1	1	1	–	1	1
Melrose	3	–	1	–	–	1	–	–	–	–	1	–	–
Methuen	2	–	–	–	1	–	–	–	–	–	–	1	–
Milford	2	–	–	1	–	–	–	1	–	–	–	–	–
Milton	8	1	1	1	–	–	1	–	1	–	1	1	1
Natick	5	1	–	3	–	–	1	–	–	–	–	–	–
Needham	2	–	1	–	–	1	–	–	–	–	–	–	–
New Bedford	38	3	1	5	8	6	–	1	4	2	2	2	4
Newburyport	10	–	3	1	–	–	1	–	–	–	3	1	1
Newton	21	2	1	1	2	3	2	1	2	2	1	1	3
North Adams	1	–	–	–	–	1	–	–	–	–	–	–	–
North Attleborough	3	–	–	–	–	1	–	–	1	1	–	–	–
Northampton	7	–	–	–	1	1	1	–	3	–	–	–	1
Northbridge	3	1	–	–	–	–	1	1	–	–	–	–	–
Norwood	10	2	–	–	1	–	–	–	1	1	1	3	1
Peabody	3	–	1	–	–	–	–	–	–	–	–	1	1
Pittsfield	9	2	3	–	1	1	–	–	–	–	1	1	–
Plymouth	3	–	–	–	1	–	–	–	–	–	–	–	2
Quincy	21	3	2	5	3	1	1	–	–	3	2	–	1
Reading	4	–	1	–	1	1	–	–	1	–	–	–	–
Revere	9	2	2	1	–	–	–	–	–	–	2	1	1
Salem	8	1	2	1	–	–	–	–	1	2	–	–	1
Saugus	1	–	–	1	–	–	–	–	–	–	–	–	–
Somerville	42	7	5	4	6	3	4	2	2	2	2	3	2
Southbridge	1	–	–	–	–	–	–	–	–	–	1	–	–
Springfield	34	5	5	5	2	–	1	3	–	4	1	1	7
Stoneham	1	–	–	–	–	–	–	–	–	–	–	1	–
Swampscott	2	–	1	–	–	–	1	–	–	–	–	–	–
Taunton	8	1	1	1	3	–	–	–	1	–	1	–	–
Wakefield	6	–	–	1	1	–	–	1	1	–	1	–	1
Waltham	16	2	2	1	5	1	1	–	–	1	2	–	1
Watertown	14	3	2	2	–	2	2	–	1	–	1	–	1
Webster	–	–	–	–	–	–	–	–	–	–	–	–	–
Wellesley	8	1	–	2	1	1	–	–	–	–	2	1	–
West Springfield	–	–	–	–	–	–	–	–	–	–	–	–	–
Westfield	–	–	–	–	–	–	–	–	–	–	–	–	–
Weymouth	5	–	1	–	1	1	1	–	–	–	–	1	–
Winchester	1	–	–	–	1	–	–	–	–	–	–	–	–
Winthrop	4	–	2	–	–	–	–	1	1	–	–	–	–
Woburn	5	1	–	–	–	–	–	–	–	–	2	1	1
Worcester	45	12	2	4	4	4	–	2	2	1	4	8	2

[1] Allocated.

Maternal Mortality.

Table 38

Deaths and Death Rates per 100,000 Population from Diseases caused by Pregnancy and Confinement*: 1923 to 1947.

Years.	Deaths. Total. 140-150.	Deaths. Puerperal septicemia. 140, 147.	Deaths. All others. 141-146, 148-150.	Death rates — per 100,000 population. Total.	Death rates — per 100,000 population. Puerperal septicemia.	Death rates — per 100,000 population. All others.	Death rates — per 100,000 female population. Total.	Death rates — per 100,000 female population. Puerperal septicemia.	Death rates — per 100,000 female population. All others.
1923	498	128	370	12.5	3.2	9.3	24.6	6.3	18.3
1924	544	161	383	13.6	4.0	9.6	26.7	7.9	18.8
1925	501	140	361	12.1	3.4	8.7	24.1	6.7	17.4
1926	501	150	351	11.9	3.6	8.3	23.9	7.2	16.7
1927	486	141	345	11.4	3.3	8.1	22.9	6.6	16.3
1928	456	123	333	10.5	2.8	7.7	21.3	5.7	15.6
1929	453	147	306	10.4	3.4	7.0	21.0	6.8	14.2
1930	438	141	297	10.3	3.3	7.0	20.1	6.5	13.6
1931	408	119	289	9.5	2.8	6.7	18.5	5.4	13.1
1932	369	96	273	8.6	2.2	6.4	16.6	4.3	12.3
1933	389	103	286	9.0	2.4	6.6	17.3	4.6	12.7
1934	317	93	224	7.3	2.1	5.2	14.0	4.1	9.9
1935[1]	325	104	221	7.5	2.4	5.1	14.3	4.6	9.7
1936[1]	270	80	190	6.1	1.8	4.3	11.7	3.5	8.2
1937[1]	252	67	185	5.7	1.5	4.2	10.8	2.9	7.9
1938[1]	232	61	171	5.2	1.4	3.8	9.9	2.6	7.3
1939[1]	210	65	145	4.7	1.4	3.3	8.8	2.7	6.1
1940[1]	181	72	109	4.2	1.7	2.5	8.2	3.3	4.9
1941[1]	202	97	105	4.7	2.3	2.4	9.1	4.4	4.7
1942[1]	178	67	111	4.1	1.5	2.6	8.0	3.0	5.0
1943[1]	170	61	109	3.9	1.4	2.5	7.6	2.7	4.9
1944[1]	140	48	92	3.2	1.1	2.1	6.3	2.2	4.1
1945[1]	144	41	103	3.2	.9	2.3	6.4	1.8	4.6
1946[1]	125	38	87	2.7	.8	1.9	5.3	1.6	3.7
1947[1]	102	30	72	2.3	.7	1.6	4.6	1.4	3.2

[1] Allocated.

Maternal Mortality.

Table 39

Death Rates per 10,000 Confinements and per 10,000 Births[1] from Diseases caused by Pregnancy and Confinement (140-150)*: 1923 to 1947.

Years.	Per 10,000 confinements.[1] Total. 140-150.	Per 10,000 confinements.[1] Puerperal septicemia. 140, 147.	Per 10,000 confinements.[1] All others. 141-146,148-150.	Per 10,000 births.[2] Total. 140-150.	Per 10,000 births.[2] Puerperal septicemia. 140, 147.	Per 10,000 births.[2] All others. 141-146,148-150.	Per 10,000 live births. Total. 140-150.	Per 10,000 live births. Puerperal septicemia. 140, 147.	Per 10,000 live births. All others. 141-146,148-150.
1923	54	14	40	54	14	40	56	14	41
1924	58	17	41	57	17	40	59	17	42
1925	57	16	41	56	16	40	58	16	42
1926	59	18	41	58	17	41	60	18	42
1927	58	17	41	57	17	40	59	17	42
1928	56	15	41	56	15	41	58	16	42
1929	62	20	42	59	19	40	61	20	41
1930	58	19	39	57	18	39	59	19	40
1931	57	17	40	57	17	40	59	17	42
1932	53	14	39	52	14	38	54	14	40
1933	60	16	44	59	16	43	61	16	45
1934	49	14	35	48	14	34	50	15	35
1935[3]	51	16	35	50	16	34	52	17	35
1936[3]	45	13	32	43	13	30	44	13	31
1937[3]	40	11	29	40	11	29	41	11	30
1938[3]	37	10	27	36	9	27	37	10	27
1939[3]	34	11	23	33	10	23	33	10	23
1940[3]	27	11	16	27	11	16	28	11	17
1941[3]	28	13	15	28	13	15	29	14	15
1942[3]	21	8	13	21	8	13	21	8	13
1943[3]	20	7	13	19	7	12	20	7	13
1944[3]	18	6	12	18	6	12	18	6	12
1945[3]	18	5	13	18	5	13	18	5	13
1946[3]	13	4	9	13	4	9	13	4	9
1947[3]	10	3	7	9	3	6	10	3	7

[1] Inclusive of stillbirths and making proper deductions for plural births.
[2] Inclusive of stillbirths.
[3] Allocated.

Table 40

Detailed Int. List No.	Cause of Death.	Sex.	Deaths Due to Violence and Other and Months, and by: All deaths investigated.	Months: January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	[1]10,396	–	–	–	–	–	–	–	–	–	–	–	–
		M	6,775	629	565	541	576	533	560	553	550	526	535	546	661
		F	3,621	353	312	312	298	292	276	270	305	253	319	310	321
	All Causes (exclusive of stillbirths).	T	10,336	–	–	–	–	–	–	–	–	–	–	–	–
		M	6,736	626	565	537	569	529	558	548	545	523	532	544	660
		F	3,600	350	308	309	296	290	275	269	304	252	319	309	319
	Violence.	T	3,149	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,017	154	155	153	154	164	186	190	173	153	173	164	198
		F	1,132	108	95	93	96	101	86	99	82	81	103	94	94
	Suicide.	T	520	–	–	–	–	–	–	–	–	–	–	–	–
		M	376	34	24	39	23	36	24	30	33	38	30	29	36
		F	144	12	11	8	10	14	10	11	8	14	20	19	7
163	Suicide by solid or liquid poisons or by poisonous gases	T	188	–	–	–	–	–	–	–	–	–	–	–	–
		M	113	13	8	6	6	11	8	5	9	11	8	12	16
		F	75	7	8	5	6	6	6	7	4	6	9	8	3
163*a*	Arsenic and compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	Barbituric acid and derivatives	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	1	–	1	1	2	–	–
		F	24	2	2	2	3	4	4	4	–	–	–	2	1
163*c*	Cresol compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
163*d*	Mercury and compounds	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
163*e*	Nux vomica and strychnine	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	Carbolic acid and phenol	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	Other solid or liquid poisons	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	1	2	–	1	2	2	1	2	1	2	1	4
		F	5	–	1	–	1	–	–	–	–	1	2	–	–
163*h*	Illuminating gas	T	104	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	8	4	6	4	4	5	4	5	7	2	7	8
		F	40	4	5	3	2	1	2	2	4	4	7	4	2
163*m*	Motor-vehicle exhaust gas	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	3	1	–	1	4	–	–	1	2	2	3	3
		F	3	–	–	–	–	1	–	–	–	–	–	2	–
163*o*	Other carbon monoxide gas	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	Other poisonous gases	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
164	Suicide by other means	T	332	–	–	–	–	–	–	–	–	–	–	–	–
		M	263	21	16	33	17	25	16	25	24	27	22	17	20
		F	69	5	3	3	4	8	4	4	4	8	11	11	4
164*a*	Hanging or strangulation	T	141	–	–	–	–	–	–	–	–	–	–	–	–
		M	110	9	11	15	9	10	5	11	9	11	8	6	6
		F	31	4	2	2	–	4	2	–	1	3	4	6	3
164*b*	Drowning	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	1	1	4	3	4	2	1	3	3	3	2	2
		F	15	–	–	–	2	1	1	2	1	3	3	2	–
164*c*	Firearms and explosives	T	107	–	–	–	–	–	–	–	–	–	–	–	–
		M	98	8	3	11	3	8	7	9	10	11	10	8	10
		F	9	–	–	–	–	2	–	–	1	1	2	2	1
164*d*	Cutting or piercing instruments	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	1	2	–	–	–	2	–	2	1	–	1
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
164*e*	Jumping from high places	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	–	1	3	–	2	2	–	–	1	1
		F	10	–	1	–	1	1	1	2	1	1	1	1	–
164*f*	Crushing	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	2	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
164*g*	Other or unspecified means	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	1	–	–	–	–	–	–	–	–
		F	2	1	–	–	1	–	–	–	–	–	–	–	–
	Homicide.	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	2	4	2	1	4	5	1	3	2	5	4	5
		F	22	2	1	2	1	4	–	5	1	4	2	–	–
165	Infanticide (homicide of infants under 1 year of age)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	1	–	–	–	–	–	–	1
		F	2	2	–	–	–	–	–	–	–	–	–	–	–

[1] Not including 1,225 views for cremation.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1947.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	64	147	105	79	44	76	241	394	799	1,400	1,622	1,271	533	–
	38	103	67	31	17	33	95	123	301	472	721	908	712	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	25	147	105	79	44	76	241	394	799	1,400	1,622	1,271	533	–
	17	103	67	31	17	33	95	123	301	472	721	908	712	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	39	69	71	38	66	205	217	274	292	326	248	168	–
	2	34	35	25	13	21	52	50	84	106	133	246	331	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	5	32	64	80	74	72	40	9	–
	–	–	–	–	–	4	15	15	32	39	24	14	1	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	10	21	28	26	13	9	5	–
	–	–	–	–	–	4	8	8	19	16	11	8	1	–
163*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	2	–	–	1	–	–
	–	–	–	–	–	1	5	3	6	4	2	3	–	–
163*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–
163*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–
163*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	2	3	5	2	2	2	2	–
	–	–	–	–	–	–	1	1	2	–	1	–	–	–
163*h*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	5	12	16	16	7	6	2	–
	–	–	–	–	–	3	1	3	11	10	6	5	1	–
163*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	4	5	6	3	–	–	–
	–	–	–	–	–	–	1	1	–	1	–	–	–	–
163*o*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
164	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	4	22	43	52	48	59	31	4	–
	–	–	–	–	–	–	7	7	13	23	13	6	–	–
164*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	9	15	24	18	27	14	1	–
	–	–	–	–	–	–	1	2	9	12	6	1	–	–
164*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	6	5	9	5	4	–	–
	–	–	–	–	–	–	1	1	1	6	4	2	–	–
164*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	9	18	19	18	18	11	3	–
	–	–	–	–	–	–	4	2	1	1	1	–	–	–
164*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	2	2	2	3	1	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
164*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	2	2	1	4	1	–	–
	–	–	–	–	–	–	–	2	2	1	2	3	–	–
164*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
164*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	3	–	1	1	6	11	4	5	4	–	–	–
	1	1	–	2	2	1	2	6	4	3	–	–	–	–
165	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 40

DEATHS DUE TO VIOLENCE AND OTHER CAUSES, BY MONTHS, AND BY

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
166	Firearms	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	1	–	2	1	–	–	–	1	2	–
		F	9	–	–	1	–	4	–	2	–	2	–	–	–
167	Cutting or piercing instruments	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	–	–	–	–	2	1	1	–	1	1	1
		F	2	–	–	–	–	–	–	2	–	–	–	–	–
168	Other means	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	2	1	1	1	2	–	2	2	3	1	3
		F	9	–	1	1	1	–	–	1	1	2	2	–	–
	Accidental deaths.	T	2,569	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,603	118	127	112	130	124	157	159	137	113	138	131	157
		F	966	94	83	83	85	83	76	83	73	63	81	75	87
169	Railway accidents (except collisions with motor vehicles)	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	2	4	1	7	3	4	8	–	3	2	1	6
		F	2	–	–	1	–	–	–	–	–	–	1	–	–
170	Motor-vehicle accidents	T	530	–	–	–	–	–	–	–	–	–	–	–	–
		M	410	28	24	33	30	26	43	31	35	39	45	40	36
		F	120	4	13	6	8	7	12	8	14	15	9	13	11
170*a*	Collisions between automobiles and trains	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	1	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
170*b*	Collisions between automobiles and streetcars	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
170*c*	Automobile accidents	T	511	–	–	–	–	–	–	–	–	–	–	–	–
		M	394	28	23	32	28	23	42	27	34	38	44	39	36
		F	117	4	13	6	8	6	12	7	13	15	9	13	11
170*d*	Motorcycle accidents (except collisions with automobiles)	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	–	1	1	3	1	2	1	1	1	–	–
		F	3	–	–	–	–	1	–	1	1	–	–	–	–
171	Streetcar and other road-transport accidents	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	–	1	1	3	2	2	1	–	–	1	2
		F	9	–	2	2	–	–	–	–	–	1	–	1	3
171*a*	Streetcar accidents (except collisions with trains or motor vehicles)	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	1	1	1	–	–	–	–	–	–	1
		F	6	–	1	2	–	–	–	–	–	1	–	1	1
171*b*	Other and unspecified road-transport accidents	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	2	2	2	1	–	–	1	1
		F	3	–	1	–	–	–	–	–	–	–	–	–	2
172	Water-transport accidents	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	–	–	2	1	4	3	4	2	3	–	2	2
		F	2	–	–	–	–	–	1	–	1	–	–	–	–
172*a*	Accidental drowning from water transports	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	–	–	2	1	4	3	4	2	3	–	1	1
		F	2	–	–	–	–	–	1	–	1	–	–	–	–
172*b*	Other water-transport accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
173	Air-transport accidents	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	1	–	2	3	2	4	4	2	–	1	–	1
		F	3	–	–	–	–	–	–	1	2	–	–	–	–
174	Accidents in mines and quarries	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
175	Agricultural and forestry accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	1	–	–	2	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
176	Other accidents involving machinery	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	2	4	1	1	4	1	3	1	3	4	1	3
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
177	Food poisoning	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	82	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	5	4	1	7	3	–	1	2	1	11	6	9
		F	32	5	4	3	2	2	1	1	–	–	4	–	10
178*a*	Illuminating gas	T	66	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	4	2	1	6	3	–	1	2	1	7	3	8
		F	28	4	3	3	2	2	1	1	–	–	3	–	9
178*b*	Motor-vehicle exhaust gas	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	1	–	–	–	–	–	3	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178*c*	Other carbon monoxide gas	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	–	–	–	–	–	–	–	1	3	–
		F	4	1	1	–	–	–	–	–	–	–	1	–	1
178*x*	Other poisonous gases	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1947.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
166	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	2	3	–	1	1	–	–	–
	–	–	–	–	1	–	1	3	2	2	–	–	–	–
167	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	4	–	2	1	–	–	–
	–	–	–	–	–	–	–	2	–	–	–	–	–	–
168	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	1	3	4	4	2	2	–	–	–
	–	–	–	2	1	1	1	1	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	39	66	71	37	60	167	142	190	213	250	208	159	–
	1	33	35	23	11	16	35	29	48	64	109	232	330	–
169	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	5	2	–	3	5	8	8	7	1	1	–
	–	–	–	–	–	–	1	–	–	–	–	1	–	–
170	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	25	25	6	23	78	42	31	42	63	59	15	–
	–	3	12	9	1	8	13	4	7	21	21	17	4	–
170*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	25	25	6	20	71	38	29	42	63	59	15	–
	–	3	12	9	1	6	12	4	7	21	21	17	4	–
170*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	3	6	2	–	–	–	–	–	–
	–	–	–	–	–	2	1	–	–	–	–	–	–	–
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	–	–	–	2	–	3	3	–	2	2	–
	–	–	–	2	1	–	–	–	1	–	1	3	1	–
171*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	2	1	–	1	–	–
	–	–	–	–	–	–	–	–	1	–	1	3	1	–
171*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	2	–	1	2	–	1	2	–
	–	–	–	2	1	–	–	–	–	–	–	–	–	–
172	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	1	6	3	5	4	1	1	–	–
	–	–	–	–	–	–	2	–	–	–	–	–	–	–
172*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	1	6	2	5	4	–	1	–	–
	–	–	–	–	–	–	2	–	–	–	–	–	–	–
172*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
173	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	14	3	3	–	–	–	–	–
	–	–	–	–	–	1	2	–	–	–	–	–	–	–
174	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	3	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	1	4	2	5	7	6	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
177	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
178	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	3	10	10	11	7	4	4	–
	–	–	–	–	–	1	3	4	2	3	8	7	4	–
178*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	2	5	9	9	5	4	3	–
	–	–	–	–	–	1	3	4	1	3	7	7	2	–
178*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	2	–	2	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
178*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	3	1	–	1	–	1	–
	–	–	–	–	–	–	–	–	1	–	1	–	2	–
178*x*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 40

DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
179	Acute accidental poisoning by solids or liquids	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	3	1	2	4	–	3	1	1	1	5	3	–
		F	26	1	2	3	2	5	2	1	–	5	2	1	2
179a	Arsenic and compounds	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
179b	Barbituric acid and derivatives	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	1	–	–	–	–	1	–	2	3	–
		F	16	1	–	2	1	3	1	1	–	3	2	1	1
179c	Cresol compounds	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179d	Mercury and compounds	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179e	Nux vomica and strychnine	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179f	Carbolic acid and phenol	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179g	Lye and potash	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	3	–	1	–	–	1	1	–	–	–	–	–	–
179h	Tobacco and derivatives	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179m	Narcotics	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179o	Methanol and other alcohols	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
179x	Other and unspecified substances	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	1	1	4	–	3	–	–	1	2	–	–
		F	5	–	1	1	1	1	–	–	–	1	–	–	–
180	Conflagration	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	6	4	8	2	1	–	–	1	1	4	3	8
		F	22	5	4	5	2	2	–	–	–	–	1	–	3
181	Accidental burns (except conflagration)	T	97	–	–	–	–	–	–	–	–	–	–	–	–
		M	57	8	8	4	7	6	3	5	3	1	3	2	7
		F	40	5	6	6	5	2	1	3	1	1	2	3	5
182	Accidental mechanical suffocation	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	4	1	3	1	5	5	2	2	4	4	2	2
		F	17	2	3	2	2	2	1	–	1	–	–	1	3
183	Accidental drowning	T	185	–	–	–	–	–	–	–	–	–	–	–	–
		M	156	5	16	7	7	15	24	28	31	10	5	5	3
		F	29	–	3	3	1	2	4	7	5	–	3	–	1
184	Accidental injury by firearms	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	2	2	1	3	–	2	4	1	–	2	5	6
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
185	Accidental injury by cutting or piercing instruments	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
186	Accidental injury by fall or crushing	T	1,063	–	–	–	–	–	–	–	–	–	–	–	–
		M	482	36	44	34	38	35	46	51	28	34	37	45	54
		F	581	67	34	48	55	52	43	58	40	34	54	51	45
186a	Fall	T	1,057	–	–	–	–	–	–	–	–	–	–	–	–
		M	476	36	43	34	38	33	44	50	28	34	37	45	54
		F	581	67	34	48	55	52	43	58	40	34	54	51	45
186b	Crushing	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	–	–	2	2	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Cataclysm (all deaths attributed to a cataclysm, regardless of their nature)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	1	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	2	–	–	–	–	–	–	1	1	1	3
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	2	1	7	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1947.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
179	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	1	2	1	1	3	8	3	2	–	–	–
179a	–	–	2	1	–	2	3	2	9	3	2	2	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–
179b	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	2	3	–	1	–	–	–
	–	–	–	–	–	1	1	1	8	2	1	2	–	–
179c	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179d	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179e	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179f	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179g	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	1	–	–	1	–	–	–	1	–	–	–
179h	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179m	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
179o	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–
179x	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	2	1	–	1	3	2	1	–	–	–
	–	–	2	–	–	–	1	–	1	1	–	–	–	–
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	7	2	1	–	3	5	4	4	5	4	3	–
	–	1	5	1	2	–	1	4	3	2	2	1	–	–
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	5	3	2	1	5	5	7	9	8	6	5	–
	–	1	1	1	–	1	–	1	5	9	5	9	7	–
182	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	22	1	–	–	1	1	–	2	2	5	1	–	–
	–	15	–	–	–	–	–	–	–	–	1	1	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	12	25	14	16	16	16	16	13	15	6	3	–
	–	–	3	7	5	3	3	1	3	4	–	–	–	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	5	8	4	3	1	2	2	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–
185	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	4	3	3	6	9	21	49	76	96	106	107	–
	–	2	6	–	1	–	4	6	13	17	57	181	294	–
186a	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	4	2	2	6	9	21	48	75	94	106	107	–
	–	2	6	–	1	–	4	6	13	17	57	181	294	–
186b	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	1	1	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
187	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	1	1	–	1	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	1	–	3	1	1	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	3	3	1	1	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 40

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths Due to Violence and Other and Months, and by												
192	Lightning	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents (except lightning)	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	1	–	–	–	3	1	–	3	–	–
		F	3	–	1	–	–	–	–	–	1	–	1	–	–
194	Poisoning by venomous animals (not occurring in the course of agricultural and forestry operations)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195	Other accidents	T	233	–	–	–	–	–	–	–	–	–	–	–	–
		M	156	14	12	10	16	14	14	11	17	9	11	13	15
		F	77	5	10	4	8	9	11	3	7	7	4	5	4
195*a*	Sequelae of preventive immunization, inoculation or vaccination	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195*b*	Other accidents due to medical or surgical intervention	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
195*c*	Lack of care of the newborn	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
195*d*	Obstruction, suffocation, or puncture by ingested objects	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	3	–	1	4	4	1	3	1	–	2	2	5
		F	24	2	2	1	2	2	3	1	3	1	2	3	2
195*e*	Other and unspecified accidents	T	180	–	–	–	–	–	–	–	–	–	–	–	–
		M	128	11	12	9	11	10	13	8	16	9	9	11	9
		F	52	3	7	3	6	7	8	2	4	6	2	2	2
196	Deaths of military personnel during operations of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Deaths of civilians due to operations of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	2	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not due to violence	T	7,187	–	–	–	–	–	–	–	–	–	–	–	–
		M	4,719	472	410	384	415	365	372	358	372	370	359	380	462
		F	2,468	242	213	216	200	189	189	170	222	171	216	215	225
	Stillbirths	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	3	–	4	7	4	2	5	5	3	3	2	1
		F	21	3	4	3	2	2	1	1	1	1	–	1	2

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX
CAUSES, SEX AND AGE: 1947.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	2	3	1	1	2	–	–	–
	–	–	–	–	–	–	1	2	–	–	–	–	–	–
194	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	9	5	3	1	4	8	17	31	24	23	14	16	–
	1	11	5	2	1	–	2	4	5	5	11	10	20	–
195*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
195*c*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–
195*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	9	3	–	1	–	–	4	2	1	2	2	1	–
	–	11	2	1	–	–	–	3	2	2	3	–	–	–
195*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	3	–	4	8	13	28	23	20	12	15	–
	–	–	3	1	1	–	2	1	3	3	8	10	20	–
196	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
197	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
198	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	21	108	36	8	6	10	36	177	525	1,108	1,296	1,023	365	–
	15	69	32	6	4	12	43	73	217	366	588	662	381	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	39	–	–	–	–	–	–	–	–	–	–	–	–	–
	21	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS INVESTIGATED BY

Line No.	Table 41 — Cause of Death.	Deaths (inclusive of Stillbirths) — The State. Number.	Per Cent. Distribution.	Coun — Barnstable.	Berkshire.	Bristol.
1	**All Causes.**	**11,621**	**100.0**	**100**	**226**	**1,046**
2	VIOLENCE.	3,149	27.1	35	76	230
3	*Suicide.*	520	4.5	6	15	46
4	Poisons (163a–163g)	59	.5	–	2	5
5	Asphyxia by poisonous gas (163h–163x)	129	1.1	1	5	16
6	Hanging (164a)	141	1.2	–	3	13
7	Drowning (164b)	44	.4	1	–	3
8	Firearms (164c)	107	.9	3	4	8
9	Cutting or piercing instruments (164d)	12	.1	1	–	1
10	Other means	28	.3	–	1	–
11	*Homicide.*	60	.5	1	–	6
12	Infanticide (165)	5	–[1]	–	–	–
13	Firearms (166)	17	.2	–	–	2
14	Cutting (167)	11	.1	–	–	1
15	Other means (168)	27	.2	1	–	3
16	*Accident or Negligence.*	2,569	22.1	28	61	178
17	Public travel (railroads, vehicles, etc.) (169–171, 172b, 173)	621	5.3	8	22	47
18	Drowning (172a, 183)	208	1.8	9	8	17
19	Machinery (175a, 175d, 176)	32	.3	–	–	2
20	Asphyxia, other than drowning (178, 182)	134	1.2	2	7	10
21	Poisons (179)	50	.4	–	2	2
22	Burns and scalds (180, 181)	157	1.4	3	1	14
23	Firearms and other weapons (184)	29	.2	–	2	3
24	Falls, blows and falling bodies (186, 195e)	1,243	10.7	6	17	76
25	Weather agencies (190–192)	20	.2	–	–	3
26	Other accidental causes	75	.6	–	2	4
27	CAUSES NOT DUE TO VIOLENCE.	7,187	61.9	62	150	782
28	Natural causes	7,037	60.6	60	149	778
29	Alcoholism	121	1.0	–	–	2
30	Unknown or ill-defined causes	29	.3	2	1	2
31	Cremations	1,225	10.5	3	–	6
32	STILLBIRTHS.	60	.5	–	–	28
33	**Autopsies.**					
34	Number	1,136	–	3	6	32

[1] Less than one-tenth of one per cent.

Line No.	Table 42 — Counties.	Deaths (inclusive of Stillbirths) investigated and Autopsies made by — 10 years, 1938 to 1947. Views.	Autopsies. Number.	Per cent.	1947. Views.	Autopsies.	1946. Views.	Autopsies.	1945. Views.	Autopsies.	1944. Views.	Autopsies.
1	**The State.**	**108,072**	**10,505**	**9.7**	**11,621**	**1,136**	**10,926**	**1,251**	**10,971**	**1,005**	**10,378**	**986**
2	Barnstable	1,031	29	2.8	100	3	96	4	121	5	100	5
3	Berkshire	2,314	50	2.2	226	6	235	5	212	5	238	4
4	Bristol	9,029	660	7.3	1,046	32	986	50	950	35	946	56
5	Dukes	111	8	7.2	10	1	13	2	10	1	12	–
6	Essex	11,680	519	4.4	1,474	78	1,358	93	1,320	62	1,091	68
7	Franklin	864	20	2.3	84	3	80	3	90	5	74	–
8	Hampden	10,798	295	2.7	1,124	19	1,112	53	1,162	33	1,116	21
9	Hampshire	1,826	84	4.6	202	8	180	10	207	10	234	5
10	Middlesex	20,829	750	3.6	2,303	112	1,926	108	1,891	49	1,748	49
11	Nantucket	132	16	12.1	19	5	20	2	17	1	11	3
12	Norfolk	7,387	401	5.4	736	54	737	66	731	81	741	62
13	Plymouth	4,123	284	6.9	444	25	416	25	433	17	437	16
14	Suffolk	25,780	6,549	25.4	2,577	691	2,527	737	2,627	645	2,456	646
15	Worcester	12,168	840	6.9	1,276	99	1,240	94	1,200	56	1,174	51

INVESTIGATED BY MEDICAL EXAMINERS, BY CAUSE OF DEATH, IN EACH COUNTY: 1947.

TIES.

Line No.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	**10**	**1,474**	**84**	**1,124**	**202**	**2,303**	**19**	**736**	**444**	**2,577**	**1,276**
2	3	317	36	204	58	619	6	195	162	796	412
3	1	67	9	31	11	91	–	28	36	118	61
4	–	7	1	3	1	11	–	–	3	22	4
5	–	27	–	4	2	24	–	11	7	22	10
6	1	19	4	9	3	28	–	8	12	22	19
7	–	5	–	2	1	7	–	–	3	14	8
8	–	6	3	12	3	18	–	7	9	17	17
9	–	2	1	1	1	1	–	1	2	1	–
10	–	1	–	–	–	2	–	1	–	20	3
11	–	7	–	4	–	13	–	–	1	26	2
12	–	1	–	–	–	1	–	–	1	2	–
13	–	–	–	3	–	4	–	–	–	6	2
14	–	3	–	1	–	1	–	–	–	5	–
15	–	3	–	–	–	7	–	–	–	13	–
16	2	243	27	169	47	515	6	167	125	652	349
17	1	59	9	39	12	133	1	41	34	116	99
18	–	19	2	13	6	34	2	24	21	31	22
19	–	–	3	4	–	6	–	1	1	12	3
20	–	13	1	10	–	24	–	16	4	33	14
21	–	7	–	4	1	8	–	2	–	22	2
22	–	19	–	14	3	24	2	5	11	45	16
23	–	5	–	2	1	7	–	3	3	2	1
24	–	113	11	79	22	262	1	72	45	359	180
25	–	3	1	2	–	2	–	–	2	5	2
26	1	5	–	2	2	15	–	3	4	27	10
27	7	1,025	48	659	128	1,398	13	524	272	1,263	856
28	7	1,001	41	652	124	1,377	13	521	268	1,192	854
29	–	21	3	5	2	13	–	3	3	68	1
30	–	3	4	2	2	8	–	–	1	3	1
31	–	126	–	255	16	281	–	15	7	508	8
32	–	6	–	6	–	5	–	2	3	10	–
33											
34	1	78	3	19	8	112	5	54	25	691	99

MEDICAL EXAMINERS IN EACH COUNTY: 1938 TO 1947.

Line No.	1943.		1942.		1941.		1940.		1939.		1938.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	**11,465**	**972**	**10,970**	**1,061**	**10,552**	**1,060**	**10,598**	**1,012**	**10,353**	**894**	**10,238**	**1,002**
2	107	1	80	3	114	3	118	2	95	2	100	1
3	230	2	274	1	222	8	237	7	225	6	215	6
4	970	67	851	109	878	87	820	91	796	72	786	61
5	11	1	9	–	10	1	14	2	7	–	15	–
6	1,236	35	1,034	25	1,084	53	1,058	34	1,063	25	962	46
7	90	1	81	1	81	1	98	2	103	2	83	2
8	1,150	23	981	35	926	28	1,116	42	1,073	20	1,038	21
9	188	4	166	9	148	10	167	16	182	5	152	7
10	2,201	37	2,118	71	2,196	79	2,228	78	2,104	74	2,114	93
11	17	2	9	1	10	1	10	–	8	–	11	1
12	795	30	758	16	744	22	773	33	688	12	684	25
13	485	13	425	15	431	9	370	13	316	18	366	8
14	2,764	696	2,955	691	2,460	653	2,359	566	2,523	574	2,532	650
15	1,221	60	1,229	84	1,248	105	1,230	126	1,170	84	1,180	81

BIRTH STATISTICS

Introduction 220–223
Birth registration 220
Importance of birth records 220, 221
Adoptions 221
Records impounded 222
Treatment of Infants' Eyes 222
Allocation 222
Live births 222
Birth rate 222
Changes in birth rate 222
Stillbirths 222
Birth rates, highest 222, 223
Sex proportion at birth 223
Nativity of parents 223
Plural births 223
Natural increase 223
Statistical tables 224–242

INTRODUCTION.

Birth Registration.—Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the town of birth. Parents, within forty days, are required to give notice to the registration official of children born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

Returns are made in the first instance to the local clerks of the city or town in which the birth occurred with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1841. During this time 6,262,893 births have been filed and indexed. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are beginning more and more to realize the importance of birth records, so complete registration should soon be an accomplished fact.

Importance of Birth Records.—Records of birth are becoming more important every day. Government and other agencies are demanding proof of citizenship through birth certificates. This has caused a tremendous increase in the issuance of certified copies of birth records. The applications for certified copies are being made in person and by mail from all parts of the country. As Massachusetts is one of the few states that have records previous to 1912 there is a great demand at all times. This great demand for birth records will continue as they are also required for Old Age Assistance, Social Security and for allotment purposes.

There is hardly a relation of life, social, legal, or economic, in which the evidence

* Midwives are not recognized in Massachusetts. The courts have held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;
7. As evidence to determine the liability of parents for the debts of a minor;
8. As evidence in the administration of estates, the settlement of insurance and pensions;
9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;
10. As evidence in the enforcement of laws relating to education and to child labor;
11. As evidence to determine the relations of guardians and wards;
12. As proof of citizenship in order to obtain a passport;
13. As evidence in the claim for exemption from or the right to jury and military service.

Copies of records of births occurring during the preceding year are required by statute to be forwarded annually to the Division of Vital Statistics but many of the clerks co-operate with the Division by making periodic returns during the year.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns are accepted unless by affidavit made by the parents, supported by written evidence at the time of birth, or by affidavit of the attending physician at the time of birth, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance, except that in cases of delayed returns when no deponent is available the clerk may under the provisions of Chapter 542, Acts of 1945, accept a return without affidavit on written evidence satisfactory to him and if he rejects an affidavit for filing a delayed return, the person concerned can appeal to a Probate Judge in the county in which the birth occurred, and if the Probate Judge orders the birth to be recorded, the clerk is then required to make a record of the birth. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are required to exercise considerable care by requesting written evidence made soon after the time of birth before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimatized through the subsequent marriage of its parents; in these cases the record may be amended, so that the child will appear on the record as the legitimate offspring of its parents.

As a means of eliminating errors from physicians' returns of births, Chapter 434, Acts of 1941 requires that registrars send a supplemental report of the physician's return to the parents for their verification; and when the certificate is returned properly signed by a parent it is filed with the physician's certificate. This is a splendid system as it eliminates any claim later that an error has been made in the return of birth.

Adoptions.—Chapter 97, Acts of 1938 amended the statute relating to adoptions and provides that legally adopted children may have their birth records amended so as to appear as the natural children of the adoptive parents. Illegitimate children who have had their names legally changed may have their birth records amended to agree with the name decreed by court.

Certain Records Impounded.—Returns and records of illegitimate and abnormal sex births are impounded by statute from inspection. The law prohibits the issuance of copies of such records to the general public. These records can be inspected by or copies issued only to the child, the mother, attorney for the child, its legal guardian or to others by order of the court. Chapter 65, Acts of 1945 provided that in cases of illegitimate records which have been amended to appear as legitimate records through intermarriage of the parents or by adoption, no notation shall appear on certified copies that are issued that amendment has been made. This is a further protection to the illegitimate child.

Treatment of Infants' Eyes after Birth.—Chapter 46, Acts of 1943 requires attending physician to record on the birth certificate the use of a prophylactic remedy with which he has treated the eyes of a child whose birth he has personally attended.

Allocation.—Births are charged to the place of the event and also are allocated to the place of residence of the parents. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. These cities and towns in the past have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all births occurring outside the State as well as for those in the State. In the case of institutions, births have been allocated to the place of residence before entrance.

Live Births. — In the Commonwealth in 1947 there were 108,264 live births registered, an increase of 9,829 or 10 per cent as compared with the number registered in 1946. There was an increase in 1947 of 9,352, or 10.9 per cent in the number of infants born to native parents; a decrease of 100, or 4.4 per cent to foreign-born parents; and an increase of 579 or five and four-tenths per cent, to mixed parents, namely, one parent native, the other foreign-born, as compared with 1946. The allocated births numbered 106,690 for 1947.

Birth Rate. — In proportion to the total population, the total births registered were equivalent to a rate of 23.6 per 1,000 population, and is an increase of 2.0 per 1,000 over that of 1946. This rate is 4.3 per 1,000 above the average for the five years 1942 to 1946. The allocated births for 1947 had a birth rate of 23.3.

Changes in Birth Rate — The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a marked decline, and a gradual decline since 1924 until 1940, when an upward trend was shown and has since continued with the exception of 1944 and 1945. During this period the infant death rate has also declined, the infant mortality rate for 1947 being the lowest ever recorded, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is shown in the infant mortality tables.

Stillbirths. — Chapter 113, Acts of 1945, defines stillborn children for the purposes of Vital Statistics: "A stillborn child shall be deemed to be a foetus born after a period of gestation of not less than 20 weeks, in which foetus there is no attempt at respiration, no action of heart and no movement of voluntary muscle—." Previous to 1936 there was no statute defining a stillbirth, consequently many returns had been made which, under this definition, would not have been returned. The statute now clearly defines a stillbirth and precludes any misunderstanding as to what returns should be made.

Stillbirths allocated in 1947 numbered 2,123. The rate per 1,000 live births allocated was 22.0 in 1946, 22.9 in 1945, 23.7 in 1944 and 23.5 in 1943. The rate for 1947 is 19.9.

Birth Rates, Highest. — The six municipalities having 15,000 inhabitants or more showing the highest registered birth rates in 1947 are: Winchester, 70.4; Norwood, 57.7; Attleboro, 52.9; Northampton, 50.1; Winthrop, 48.2 and Greenfield, 47.7.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing

therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth. The allocated birth rates help to substantiate this statement. The communities showing the highest rates are: Cambridge, 28.4; Woburn and Southbridge, 26.6; Weymouth, 26.4; Chicopee, 25.9; Waltham, 25.8 and Gloucester and Natick, 25.5. Cambridge which showed the highest registered rate (36.2) of any place in the State of over 100,000 population also has the highest rate (28.4) through the allocation of births.

Sex Proportion at Birth. — It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. Registered births of males in 1947, numbered 55,888 and those of females 52,375, corresponding to a ratio of 1,067 male births to 1,000 female births. Allocated births numbered 55,074 males and 51,615 females in 1947, with the same ratio as the registered births of male to female births.

Nativity of Parents. — The number of registered births where both parents were native (94,808) exceeded the number of births where both parents were foreign-born (2,158) by 92,650, or 4,293.3 per cent in 1947. Children of mixed parents (one parent native and one parent foreign-born) numbered 11,295 in 1947 as compared with 10,716 in 1946. Allocated births numbered 93,395 children born of native parents, 2,019 of foreign parents and 11,273 of mixed parentage.

The proportion of children born of native parents declined from 1890 until 1910, since then the proportion has steadily increased. In 1947 the proportion was 87.6 for registered births and 87.5 for allocated births.

The proportion of children born of parents, one of whom was native and the other foreign-born was 10.4 for registered births and 10.6 for allocated births in 1947 as compared with 10.9 in 1946 for both registered and allocated births.

Plural Births. — In 1947 there were 1,038 cases of plural births (allocated), 1,030 cases of twins and 8 cases of triplets, or 9.7 pairs of twins per 1,000 live births (allocated), and .07 of one case of triplets.

Natural Increase. — The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1947 was 12.3 per 1,000 population for registered births and averaged 7.5 for the five years 1942 to 1946. The rate of increase was 12.1 for allocated births in 1947.

The number of births is greatly in excess of the number of deaths, and this fact coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounted to 89.9 per cent in 1946; 50.6 per cent in 1945; 43.6 per cent in 1944; 57.6 per cent in 1943 and 65 per cent in 1942. The excess of registered births over registered deaths in 1947 was 56,228 or 108.1 per cent, while the increase of allocated births over allocated deaths was 55,107 or 106.8 per cent.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31, 1919, Public Document No. 1.

Table 43

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1947.

COUNTIES AND MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Population (Estimated, July 1, 1947.)	Birth Rate per 1,000 population.
The State.	108,264	55,888	52,375	1	94,808	2,158	11,295	3	4,586,206	23.6
COUNTIES.										
Barnstable	694	359	335	–	631	1	62	–	38,901	17.8
Berkshire	3,367	1,754	1,613	–	3,087	37	243	–	130,577	25.8
Bristol	9,209	4,636	4,573	–	8,118	115	976	–	380,232	24.2
Dukes	119	53	66	–	113	–	6	–	5,050	23.6
Essex	11,703	5,984	5,718	1	10,317	154	1,232	–	531,770	22.0
Franklin	1,140	564	576	–	1,063	6	71	–	52,077	21.9
Hampden	9,223	4,714	4,509	–	8,233	116	873	1	361,446	25.5
Hampshire	1,743	892	851	–	1,630	10	103	–	75,752	23.0
Middlesex	22,372	11,594	10,778	–	19,246	511	2,615	–	1,048,578	21.3
Nantucket	71	37	34	–	60	1	10	–	2,870	24.7
Norfolk	5,474	2,862	2,612	–	4,726	205	543	–	378,959	14.4
Plymouth	4,254	2,203	2,051	–	3,860	46	348	–	185,735	22.9
Suffolk	26,723	13,946	12,777	–	22,986	789	2,946	2	860,709	31.0
Worcester	12,172	6,290	5,882	–	10,738	167	1,267	–	533,550	22.8
MUNICIPALITIES.										
Abington	4	2	2	–	3	–	1	–	6,674	.6
Acton	2	–	2	–	2	–	–	–	2,959	.7
Acushnet	897	438	459	–	790	18	89	–	4,350	206.2
Adams	343	192	151	–	315	5	23	–	12,785	26.8
Agawam	–	–	–	–	–	–	–	–	8,703	–
Alford	–	–	–	–	–	–	–	–	207	–
Amesbury	317	150	167	–	267	4	46	–	10,824	29.3
Amherst	3	3	–	–	3	–	–	–	7,474	.4
Andover	5	2	3	–	4	–	1	–	12,343	.4
Arlington	397	221	176	–	341	8	48	–	45,284	8.8
Ashburnham	4	1	3	–	4	–	–	–	2,355	1.7
Ashby	1	–	1	–	1	–	–	–	1,140	.9
Ashfield	–	–	–	–	–	–	–	–	963	–
Ashland	2	2	–	–	2	–	–	–	3,151	.6
Athol	15	8	7	–	13	1	1	–	12,133	1.2
ATTLEBORO	1,194	587	607	–	1,057	9	128	–	22,577	52.9
Auburn	2	2	–	–	2	–	–	–	8,524	.2
Avon	–	–	–	–	–	–	–	–	2,604	–
Ayer	270	144	126	–	238	1	31	–	4,168	64.8
Barnstable	647	333	314	–	590	1	56	–	8,768	73.8
Barre	1	–	1	–	1	–	–	–	3,485	.3
Becket	3	1	2	–	3	–	–	–	682	4.4
Bedford	–	–	–	–	–	–	–	–	4,341	–
Belchertown	3	1	2	–	3	–	–	–	3,930	.8
Bellingham	2	1	1	–	2	–	–	–	3,716	.5
Belmont	3	1	2	–	2	–	1	–	29,882	.1
Berkley	1	1	–	–	1	–	–	–	1,212	.8
Berlin	1	–	1	–	1	–	–	–	1,149	.9
Bernardston	1	–	1	–	1	–	–	–	1,052	1.0
BEVERLY	1,070	569	501	–	953	14	103	–	27,478	38.9
Billerica	2	1	1	–	2	–	–	–	8,795	.2
Blackstone	4	–	4	–	2	1	1	–	4,349	.9
Blandford	1	–	1	–	1	–	–	–	551	1.8
Bolton	1	–	1	–	1	–	–	–	880	1.1
BOSTON	23,887	12,464	11,423	–	20,524	741	2,620	2	766,386	31.2
Bourne	5	2	3	–	5	–	–	–	3,600	1.4
Boxborough	1	–	1	–	1	–	–	–	358	2.8
Boxford	–	–	–	–	–	–	–	–	841	–
Boylston	–	–	–	–	–	–	–	–	1,313	–
Braintree	8	2	6	–	7	–	1	–	21,835	.4
Brewster	1	–	1	–	1	–	–	–	757	1.3
Bridgewater	14	5	9	–	13	–	1	–	8,641	1.6
Brimfield	–	–	–	–	–	–	–	–	975	–
BROCKTON	2,866	1,469	1,397	–	2,601	27	238	–	66,460	43.1
Brookfield	–	–	–	–	–	–	–	–	1,390	–
Brookline	914	480	434	–	752	137	25	–	59,800	15.3
Buckland	3	1	2	–	3	–	–	–	1,525	2.0
Burlington	1	1	–	–	–	–	1	–	2,857	.4
CAMBRIDGE	4,032	2,094	1,938	–	3,380	120	532	–	111,244	36.2
Canton	6	2	4	–	4	–	2	–	6,835	.9
Carlisle	1	1	–	–	1	–	–	–	697	1.4
Carver	4	3	1	–	3	–	1	–	1,383	2.9
Charlemont	–	–	–	–	–	–	–	–	812	–
Charlton	3	2	1	–	2	–	1	–	3,320	.9
Chatham	–	–	–	–	–	–	–	–	2,213	–
Chelmsford	4	2	2	–	2	–	2	–	9,047	.4
CHELSEA	1,512	783	729	–	1,321	24	167	–	39,940	37.9
Cheshire	1	–	1	–	1	–	–	–	1,718	.6
Chester	–	–	–	–	–	–	–	–	1,252	–
Chesterfield	–	–	–	–	–	–	–	–	375	–
CHICOPEE	22	15	7	–	19	1	2	–	46,104	.5

[1] Cities are printed in small CAPITALS. [2] Including nonresidents.

Table 43

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1947.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Population (Estimated, July 1, 1947.)	Birth Rate per 1,000 population.
Chilmark	–	–	–	–	–	–	–	–	230	–
Clarksburg	3	3	–	–	3	–	–	–	1,431	2.1
Clinton	443	228	215	–	400	5	38	–	12,885	34.4
Cohasset	64	39	25	–	59	–	5	–	3,731	17.2
Colrain	8	1	7	–	7	–	1	–	1,455	5.5
Concord	508	255	253	–	452	6	50	–	8,583	59.2
Conway	1	–	1	–	1	–	–	–	867	1.2
Cummington	–	–	–	–	–	–	–	–	532	–
Dalton	–	–	–	–	–	–	–	–	4,558	–
Danvers	80	35	45	–	70	1	9	–	14,857	5.4
Dartmouth	13	3	10	–	9	1	3	–	10,559	1.2
Dedham	10	5	5	–	8	–	2	–	17,114	.6
Deerfield	4	2	2	–	2	–	2	–	3,252	1.2
Dennis	3	3	–	–	3	–	–	–	1,807	1.7
Dighton	102	48	54	–	90	1	11	–	3,051	33.4
Douglas	–	–	–	–	–	–	–	–	2,697	–
Dover	–	–	–	–	–	–	–	–	1,637	–
Dracut	2	1	1	–	2	–	–	–	7,494	.3
Dudley	5	2	3	–	4	1	–	–	4,784	1.0
Dunstable	–	–	–	–	–	–	–	–	440	–
Duxbury	4	2	2	–	4	–	–	–	2,462	1.6
East Bridgewater	3	2	1	–	3	–	–	–	4,088	.7
East Brookfield	–	–	–	–	–	–	–	–	1,100	–
East Longmeadow	1	–	1	–	1	–	–	–	4,004	.2
Eastham	1	1	–	–	1	–	–	–	604	1.7
Easthampton	3	–	3	–	3	–	–	–	10,739	.3
Easton	5	4	1	–	3	1	1	–	6,126	.8
Edgartown	–	–	–	–	–	–	–	–	1,296	–
Egremont	–	–	–	–	–	–	–	–	624	–
Erving	2	1	1	–	2	–	–	–	1,315	1.5
Essex	–	–	–	–	–	–	–	–	1,654	–
EVERETT	1,066	534	532	–	913	26	127	–	49,449	21.6
Fairhaven	12	7	5	–	11	–	1	–	12,876	.9
FALL RIVER	3,724	1,870	1,854	–	3,305	42	377	–	115,062	32.4
Falmouth	5	3	2	–	3	–	2	–	8,050	.6
FITCHBURG	1,254	655	599	–	1,074	21	159	–	44,789	28.0
Florida	2	2	–	–	2	–	–	–	401	5.0
Foxborough	8	4	4	–	8	–	–	–	6,528	1.2
Framingham	1,236	621	615	–	1,094	18	124	–	26,659	46.4
Franklin	3	2	1	–	2	–	1	–	7,602	.4
Freetown	7	1	6	–	7	–	–	–	1,985	3.5
GARDNER	830	452	378	–	715	20	95	–	20,275	40.9
Gay Head	3	–	3	–	3	–	–	–	114	26.3
Georgetown	7	3	4	–	7	–	–	–	2,071	3.4
Gill	–	–	–	–	–	–	–	–	918	–
GLOUCESTER	650	321	329	–	570	11	69	–	25,285	25.7
Goshen	–	–	–	–	–	–	–	–	308	–
Gosnold	–	–	–	–	–	–	–	–	107	–
Grafton	3	2	1	–	3	–	–	–	8,238	.4
Granby	–	–	–	–	–	–	–	–	1,173	–
Granville	–	–	–	–	–	–	–	–	656	–
Great Barrington	332	159	173	–	306	2	24	–	6,443	51.5
Greenfield	844	421	423	–	789	3	52	–	17,681	47.7
Groton	104	53	51	–	92	6	6	–	2,976	34.9
Groveland	3	1	2	–	2	1	–	–	2,150	1.4
Hadley	5	2	3	–	4	–	1	–	2,636	1.9
Halifax	2	1	1	–	2	–	–	–	1,047	1.9
Hamilton	–	–	–	–	–	–	–	–	2,570	–
Hampden	–	–	–	–	–	–	–	–	1,208	–
Hancock	–	–	–	–	–	–	–	–	349	–
Hanover	2	–	2	–	2	–	–	–	3,098	.6
Hanson	4	1	3	–	4	–	–	–	2,671	1.5
Hardwick	1	1	–	–	1	–	–	–	2,115	.5
Harvard	–	–	–	–	–	–	–	–	1,065	–
Harwich	1	1	–	–	1	–	–	–	2,071	.5
Hatfield	–	–	–	–	–	–	–	–	2,188	–
HAVERHILL	1,193	585	608	–	1,118	7	68	–	46,162	25.8
Hawley	–	–	–	–	–	–	–	–	203	–
Heath	3	3	–	–	3	–	–	–	327	9.2
Hingham	2	2	–	–	1	–	1	–	10,405	.2
Hinsdale	1	–	1	–	1	–	–	–	1,306	.8
Holbrook	1	1	–	–	–	–	1	–	3,877	.3
Holden	238	126	112	–	218	3	17	–	5,325	44.7
Holland	–	–	–	–	–	–	–	–	265	–
Holliston	–	–	–	–	–	–	–	–	3,452	–
HOLYOKE	2,212	1,121	1,091	–	1,931	31	250	–	53,775	41.1
Hopedale	–	–	–	–	–	–	–	–	3,436	–
Hopkinton	–	–	–	–	–	–	–	–	2,946	–

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 43

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1947.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	Female.	Unknown.	PARENT NATIVITY. Native.	Foreign.	Mixed.	Unknown.	Population (Estimated, July 1, 1947.)	Birth Rate per 1,000 population.
Hubbardston	1	–	1	–	1	–	–	–	1,019	1.0
Hudson	6	4	2	–	4	–	2	–	8,156	.7
Hull	3	–	3	–	3	–	–	–	3,918	.8
Huntington	–	–	–	–	–	–	–	–	1,242	–
Ipswich	183	94	89	–	153	3	27	–	6,763	27.1
Kingston	–	–	–	–	–	–	–	–	2,972	–
Lakeville	–	–	–	–	–	–	–	–	1,555	–
Lancaster	1	1	–	–	1	–	–	–	3,067	.3
Lanesborough	–	–	–	–	–	–	–	–	1,677	–
LAWRENCE	2,472	1,236	1,236	–	2,156	32	284	–	86,267	28.7
Lee	4	3	1	–	4	–	–	–	4,408	.9
Leicester	10	5	5	–	10	–	–	–	5,303	1.9
Lenox	–	–	–	–	–	–	–	–	2,981	–
LEOMINSTER	634	339	295	–	544	10	80	–	24,238	26.2
Leverett	–	–	–	–	–	–	–	–	594	–
Lexington	3	1	2	–	3	–	–	–	15,085	.2
Leyden	–	–	–	–	–	–	–	–	254	–
Lincoln	1	1	–	–	1	–	–	–	2,118	.5
Littleton	–	–	–	–	–	–	–	–	1,673	–
Longmeadow	–	–	–	–	–	–	–	–	6,724	–
LOWELL	3,200	1,631	1,569	–	2,908	40	252	–	101,229	31.6
Ludlow	470	244	226	–	433	2	35	–	8,065	58.3
Lunenburg	–	–	–	–	–	–	–	–	2,896	–
LYNN	2,770	1,446	1,324	–	2,370	47	353	–	108,847	25.4
Lynnfield	1	1	–	–	–	–	1	–	3,254	.3
MALDEN	1,366	689	677	–	1,163	27	176	–	60,350	22.6
Manchester	2	–	2	–	2	–	–	–	2,569	.8
Mansfield	3	3	–	–	2	1	–	–	7,304	.4
Marblehead	96	48	48	–	85	1	10	–	13,398	7.2
Marion	5	3	2	–	5	–	–	–	2,170	2.3
MARLBOROUGH	488	261	227	–	445	7	36	–	15,941	30.6
Marshfield	2	–	2	–	2	–	–	–	2,405	.8
Mashpee	–	–	–	–	–	–	–	–	343	–
Mattapoisett	5	3	2	–	4	–	1	–	2,174	2.3
Maynard	1	–	1	–	–	–	1	–	7,137	.1
Medfield	–	–	–	–	–	–	–	–	4,199	–
MEDFORD	1,161	633	528	–	986	29	146	–	69,101	16.8
Medway	2	1	1	–	2	–	–	–	3,393	.6
MELROSE	870	469	401	–	759	12	99	–	29,308	29.7
Mendon	–	–	–	–	–	–	–	–	1,593	–
Merrimac	4	2	2	–	3	–	1	–	2,414	1.7
Methuen	507	250	257	–	443	3	61	–	23,824	21.3
Middleborough	300	170	130	–	284	2	14	–	9,846	30.5
Middlefield	1	1	–	–	1	–	–	–	226	4.4
Middleton	4	3	1	–	4	–	–	–	2,445	1.6
Milford	670	339	331	–	582	7	81	–	16,010	41.8
Millbury	2	2	–	–	2	–	–	–	8,025	.2
Millis	4	–	4	–	4	–	–	–	2,359	1.7
Millville	1	–	1	–	1	–	–	–	1,616	.6
Milton	62	32	30	–	58	–	4	–	22,921	2.7
Monroe	–	–	–	–	–	–	–	–	171	–
Monson	2	–	2	–	1	–	1	–	5,692	.4
Montague	259	128	131	–	241	3	15	–	7,602	34.1
Monterey	–	–	–	–	–	–	–	–	305	–
Montgomery	1	1	–	–	1	–	–	–	137	7.3
Mount Washington	–	–	–	–	–	–	–	–	53	–
Nahant	–	–	–	–	–	–	–	–	2,699	–
Nantucket	71	37	34	–	60	1	10	–	2,870	24.7
Natick	487	265	222	–	414	9	64	–	16,775	29.0
Needham	212	117	95	–	179	5	28	–	15,345	13.8
New Ashford	1	–	1	–	1	–	–	–	99	10.1
NEW BEDFORD	2,255	1,158	1,097	–	1,950	34	271	–	110,308	20.4
New Braintree	–	–	–	–	–	–	–	–	409	–
New Marlborough	–	–	–	–	–	–	–	–	896	–
New Salem	1	1	–	–	1	–	–	–	364	2.7
Newbury	–	–	–	–	–	–	–	–	1,666	–
NEWBURYPORT	452	247	205	–	422	4	26	–	14,172	31.9
NEWTON	1,529	798	731	–	1,302	35	192	–	81,024	18.9
Norfolk	2	1	1	–	2	–	–	–	2,006	1.0
NORTH ADAMS	619	308	311	–	561	5	53	–	22,230	27.8
North Andover	2	2	–	–	2	–	–	–	8,149	.2
North Attleborough	74	39	35	–	56	2	16	–	12,404	6.0
North Brookfield	12	8	4	–	12	–	–	–	3,121	3.8
North Reading	1	1	–	–	1	–	–	–	3,209	.3
NORTHAMPTON	1,256	636	620	–	1,170	8	78	–	25,074	50.1
Northborough	–	–	–	–	–	–	–	–	3,257	–
Northbridge	304	149	155	–	258	5	41	–	10,212	29.8
Northfield	3	2	1	–	3	–	–	–	2,113	1.4

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 43

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1947.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Population (Estimated, July 1, 1947.)	Birth Rate per 1,000 population.
Norton	4	2	2	–	2	–	2	–	3,096	1.3
Norwell	2	1	1	–	2	–	–	–	2,277	.9
Norwood	978	501	477	–	845	20	113	–	16,963	57.7
Oak Bluffs	116	53	63	–	110	–	6	–	1,345	86.2
Oakham	–	–	–	–	–	–	–	–	424	–
Orange	5	3	2	–	4	–	1	–	5,834	.9
Orleans	–	–	–	–	–	–	–	–	1,584	–
Otis	1	–	1	–	1	–	–	–	377	2.7
Oxford	7	5	2	–	6	–	1	–	5,231	1.3
Palmer	209	114	95	–	191	–	18	–	9,999	20.9
Paxton	–	–	–	–	–	–	–	–	880	–
PEABODY	389	201	187	1	336	8	45	–	22,606	17.2
Pelham	1	–	1	–	1	–	–	–	512	2.0
Pembroke	1	1	–	–	1	–	–	–	1,871	.5
Pepperell	1	1	–	–	1	–	–	–	3,119	.3
Peru	1	–	1	–	1	–	–	–	116	8.6
Petersham	1	–	1	–	1	–	–	–	743	1.3
Phillipston	–	–	–	–	–	–	–	–	475	–
PITTSFIELD	2,050	1,084	966	–	1,883	25	142	–	55,610	36.9
Plainfield	1	1	–	–	1	–	–	–	224	4.5
Plainville	–	–	–	–	–	–	–	–	2,059	–
Plymouth	481	255	226	–	424	9	48	–	13,736	35.0
Plympton	1	–	1	–	1	–	–	–	545	1.8
Princeton	1	–	1	–	1	–	–	–	955	1.0
Provincetown	25	13	12	–	21	–	4	–	3,564	7.0
QUINCY	1,814	947	867	–	1,547	30	237	–	84,609	21.4
Randolph	4	2	2	–	4	–	–	–	8,817	.5
Raynham	3	2	1	–	3	–	–	–	2,244	1.3
Reading	4	3	1	–	1	–	3	–	13,080	.3
Rehoboth	1	–	1	–	1	–	–	–	3,238	.3
REVERE	423	221	202	–	365	8	50	–	35,687	11.9
Richmond	–	–	–	–	–	–	–	–	646	–
Rochester	1	–	1	–	1	–	–	–	1,107	.9
Rockland	2	2	–	–	2	–	–	–	8,833	.2
Rockport	1	1	–	–	–	1	–	–	4,235	.2
Rowe	1	–	1	–	1	–	–	–	178	5.6
Rowley	1	1	–	–	1	–	–	–	1,615	.6
Royalston	1	–	1	–	1	–	–	–	750	1.3
Russell	1	–	1	–	–	–	1	–	1,221	.8
Rutland	–	–	–	–	–	–	–	–	1,561	–
SALEM	1,488	783	705	–	1,344	17	127	–	43,677	34.1
Salisbury	2	1	1	–	2	–	–	–	2,745	.7
Sandisfield	–	–	–	–	–	–	–	–	370	–
Sandwich	–	–	–	–	–	–	–	–	1,585	–
Saugus	2	1	1	–	2	–	–	–	17,626	.1
Savoy	1	–	1	–	1	–	–	–	294	3.4
Scituate	7	2	5	–	5	–	2	–	5,203	1.3
Seekonk	4	1	3	–	4	–	–	–	5,498	.7
Sharon	1	1	–	–	1	–	–	–	4,204	.2
Sheffield	1	1	–	–	1	–	–	–	1,782	.6
Shelburne	3	1	2	–	3	–	–	–	1,656	1.8
Sherborn	–	–	–	–	–	–	–	–	1,036	–
Shirley	–	–	–	–	–	–	–	–	2,459	–
Shrewsbury	–	–	–	–	–	–	–	–	10,195	–
Shutesbury	–	–	–	–	–	–	–	–	201	–
Somerset	6	4	2	–	6	–	–	–	7,512	.8
SOMERVILLE	1,766	924	842	–	1,440	68	258	–	107,772	16.4
South Hadley	–	–	–	–	–	–	–	–	7,641	–
Southampton	–	–	–	–	–	–	–	–	1,199	–
Southborough	–	–	–	–	–	–	–	–	2,389	–
Southbridge	555	296	259	–	485	7	63	–	17,950	30.9
Southwick	–	–	–	–	–	–	–	–	2,030	–
Spencer	10	3	7	–	7	–	3	–	6,824	1.5
SPRINGFIELD	5,619	2,867	2,752	–	5,010	76	532	1	165,038	34.0
Sterling	–	–	–	–	–	–	–	–	1,986	–
Stockbridge	2	1	1	–	1	–	1	–	1,739	1.2
Stoneham	582	287	295	–	498	13	71	–	12,665	46.0
Stoughton	30	16	14	–	21	1	8	–	9,254	3.2
Stow	1	–	1	–	1	–	–	–	1,397	.7
Sturbridge	2	–	2	–	1	–	1	–	2,388	.8
Sudbury	1	–	1	–	1	–	–	–	2,192	.5
Sunderland	–	–	–	–	–	–	–	–	1,018	–
Sutton	3	1	2	–	3	–	–	–	2,610	1.1
Swampscott	1	–	1	–	–	–	1	–	12,409	.1
Swansea	7	3	4	–	7	–	–	–	6,168	1.1
TAUNTON	890	459	431	–	807	6	77	–	39,464	22.6
Templeton	3	2	1	–	2	–	1	–	4,435	.7
Tewksbury	1	–	1	–	1	–	–	–	5,949	.2

[1] Cities are printed in small CAPITALS.

[2] Including nonresidents.

Table 43

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1947.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Population (Estimated, July 1, 1947.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
State Infirmary	117	52	65	–	111	2	4	–	–	–
Tisbury	–	–	–	–	–	–	–	–	1,719	–
Tolland	–	–	–	–	–	–	–	–	111	–
Topsfield	–	–	–	–	–	–	–	–	1,153	–
Townsend	3	1	2	–	3	–	–	–	2,418	1.2
Truro	3	2	1	–	3	–	–	–	582	5.2
Tyngsborough	1	1	–	–	1	–	–	–	1,495	.7
Tyringham	–	–	–	–	–	–	–	–	211	–
Upton	6	5	1	–	5	–	1	–	2,447	2.5
Uxbridge	5	1	4	–	5	–	–	–	6,754	.7
Wakefield	13	9	4	–	9	1	3	–	19,924	.7
Wales	–	–	–	–	–	–	–	–	354	–
Walpole	–	–	–	–	–	–	–	–	8,774	–
WALTHAM	1,544	794	750	–	1,265	54	225	–	45,376	34.0
Ware	469	248	221	–	443	2	24	–	7,578	61.9
Wareham	529	273	256	–	482	8	39	–	7,919	66.8
Warren	4	1	3	–	3	–	1	–	3,498	1.1
Warwick	2	–	2	–	2	–	–	–	401	5.0
Washington	–	–	–	–	–	–	–	–	242	–
Watertown	2	1	1	–	1	–	1	–	38,454	.1
Wayland	1	–	1	–	1	–	–	–	4,102	.2
Webster	469	238	231	–	431	2	36	–	13,713	34.2
Wellesley	2	–	2	–	2	–	–	–	18,581	.1
Wellfleet	2	–	2	–	2	–	–	–	851	2.4
Wendell	–	–	–	–	–	–	–	–	348	–
Wenham	–	–	–	–	–	–	–	–	1,499	–
West Boylston	2	1	1	–	2	–	–	–	2,681	.7
West Bridgewater	4	3	1	–	4	–	–	–	3,755	1.1
West Brookfield	3	1	2	–	3	–	–	–	1,487	2.0
West Newbury	1	1	–	–	1	–	–	–	1,503	.7
West Springfield	12	8	4	–	11	–	1	–	20,617	.6
West Stockbridge	1	–	1	–	1	–	–	–	1,059	.9
West Tisbury	–	–	–	–	–	–	–	–	239	–
Westborough	3	2	1	–	2	–	1	–	6,784	.4
WESTFIELD	672	343	329	–	633	6	33	–	20,523	32.7
Westford	3	2	1	–	1	1	1	–	3,815	.8
Westhampton	–	–	–	–	–	–	–	–	413	–
Westminster	1	–	1	–	1	–	–	–	2,153	.5
Weston	–	–	–	–	–	–	–	–	4,905	–
Westport	7	6	1	–	7	–	–	–	5,198	1.3
Westwood	1	–	1	–	1	–	–	–	5,354	.2
Weymouth	1,345	708	637	–	1,217	12	116	–	29,584	45.5
Whately	–	–	–	–	–	–	–	–	973	–
Whitman	6	3	3	–	4	–	2	–	8,520	.7
Wilbraham	1	1	–	–	1	–	–	–	3,442	.3
Williamsburg	–	–	–	–	–	–	–	–	1,925	–
Williamstown	1	–	1	–	1	–	–	–	4,804	.2
Wilmington	–	–	–	–	–	–	–	–	6,026	–
Winchendon	299	169	130	–	270	5	24	–	6,461	46.3
Winchester	1,086	573	513	–	967	16	103	–	15,420	70.4
Windsor	–	–	–	–	–	–	–	–	274	–
Winthrop	901	478	423	–	776	16	109	–	18,696	48.2
WOBURN	501	262	239	–	433	12	56	–	19,946	25.1
WORCESTER	6,357	3,243	3,114	–	5,657	79	621	–	201,403	31.6
Worthington	1	–	1	–	1	–	–	–	363	2.8
Wrentham	1	–	1	–	1	–	–	–	5,258	.2
Yarmouth	1	1	–	–	1	–	–	–	2,522	.4

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 44

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1947.

COUNTIES AND MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Population (Estimated, July 1, 1947.)	Birth Rate per 1,000 population.
The State.	**106,690**	**55,074**	**51,615**	**1**	**93,395**	**2,019**	**11,273**	**3**	**4,586,206**	**23.3**
COUNTIES.										
Barnstable	1,030	540	490	–	938	6	86	–	38,901	26.5
Berkshire	3,180	1,662	1,518	–	2,968	37	235	–	130,577	24.4
Bristol	8,688	4,378	4,310	–	7,680	105	903	–	380,232	22.8
Dukes	126	55	71	–	120	–	6	–	5,050	25.0
Essex	11,997	6,123	5,873	1	10,585	159	1,253	–	531,770	22.6
Franklin	1,273	628	645	–	1,196	7	70	–	52,077	24.4
Hampden	8,635	4,413	4,222	–	7,695	113	826	1	361,446	23.9
Hampshire	1,816	931	885	–	1,683	11	122	–	75,752	24.0
Middlesex	24,264	12,591	11,673	–	20,868	572	2,824	–	1,048,578	23.1
Nantucket	75	40	35	–	63	1	11	–	2,870	26.1
Norfolk	8,121	4,240	3,881	–	7,088	139	893	1	378,959	21.4
Plymouth	4,289	2,244	2,045	–	3,901	42	346	–	185,735	23.1
Suffolk	20,811	10,798	10,013	–	17,718	660	2,432	1	860,709	24.2
Worcester	12,385	6,431	5,954	–	10,952	167	1,266	–	533,550	23.2
MUNICIPALITIES.										
Abington	191	96	95	–	175	–	16	–	6,674	28.6
Acton	79	33	46	–	69	1	9	–	2,959	26.7
Acushnet	100	46	54	–	86	–	14	–	4,350	23.0
Adams	295	170	125	–	269	5	21	–	12,785	23.1
Agawam	211	111	100	–	200	1	10	–	8,703	24.2
Alford	6	3	3	–	4	–	2	–	207	29.0
Amesbury	257	119	138	–	217	3	37	–	10,824	23.7
Amherst	223	110	113	–	205	2	16	–	7,474	29.8
Andover	258	129	129	–	231	4	23	–	12,343	20.9
Arlington	846	474	372	–	726	22	98	–	45,284	18.7
Ashburnham	64	30	34	–	55	–	9	–	2,355	27.2
Ashby	27	12	15	–	25	–	2	–	1,140	23.7
Ashfield	14	7	7	–	14	–	–	–	963	14.5
Ashland	80	31	49	–	73	1	6	–	3,151	25.4
Athol	298	170	128	–	259	7	32	–	12,133	24.6
ATTLEBORO	507	239	268	–	449	4	54	–	22,577	22.5
Auburn	168	83	85	–	158	–	10	–	8,524	19.7
Avon	55	22	33	–	50	–	5	–	2,604	21.1
Ayer	232	119	113	–	209	3	20	–	4,168	55.7
Barnstable	286	148	138	–	259	–	27	–	8,768	32.6
Barre	78	42	36	–	69	–	9	–	3,485	22.4
Becket	22	12	10	–	21	–	1	–	682	32.3
Bedford	63	35	28	–	58	1	4	–	4,341	14.5
Belchertown	48	24	24	–	44	–	4	–	3,930	12.2
Bellingham	82	37	45	–	70	4	8	–	3,716	22.1
Belmont	517	271	246	–	438	14	65	–	29,882	17.3
Berkley	34	18	16	–	32	–	2	–	1,212	28.1
Berlin	36	22	14	–	31	–	5	–	1,149	31.3
Bernardston	19	8	11	–	19	–	–	–	1,052	18.1
BEVERLY	676	361	315	–	587	13	76	–	27,478	24.6
Billerica	239	125	114	–	201	3	35	–	8,795	27.2
Blackstone	111	55	56	–	97	3	11	–	4,349	25.5
Blandford	10	5	5	–	9	–	1	–	551	18.1
Bolton	25	16	9	–	23	–	2	–	880	28.4
BOSTON	18,566	9,645	8,921	–	15,752	620	2,194	–	766,386	24.2
Bourne	98	55	43	–	90	1	7	–	3,600	27.2
Boxborough	3	–	3	–	3	–	–	–	358	8.4
Boxford	14	7	7	–	12	–	2	–	841	16.6
Boylston	40	20	20	–	34	1	5	–	1,313	30.5
Braintree	507	269	238	–	451	6	50	–	21,835	23.2
Brewster	16	10	6	–	15	–	1	–	757	21.1
Bridgewater	169	89	80	–	151	1	17	–	8,641	19.6
Brimfield	32	20	12	–	31	–	1	–	975	32.8
BROCKTON	1,401	727	674	–	1,294	12	95	–	66,460	21.1
Brookfield	37	17	20	–	34	–	3	–	1,390	26.6
Brookline	863	446	417	–	729	29	104	1	59,800	14.4
Buckland	36	18	18	–	34	1	1	–	1,525	23.6
Burlington	68	41	27	–	55	1	12	–	2,857	23.8
CAMBRIDGE	3,155	1,658	1,497	–	2,679	86	390	–	111,244	28.4
Canton	180	89	91	–	165	2	13	–	6,835	26.3
Carlisle	16	9	7	–	16	–	–	–	697	23.0
Carver	24	12	12	–	22	–	2	–	1,383	17.4
Charlemont	16	9	7	–	15	–	1	–	812	19.7
Charlton	65	32	33	–	60	–	5	–	3,320	19.6
Chatham	57	26	31	–	55	1	1	–	2,213	25.8
Chelmsford	173	82	91	–	159	–	14	–	9,047	19.1
CHELSEA	939	481	458	–	807	19	113	–	39,940	23.5
Cheshire	48	30	18	–	44	2	2	–	1,718	27.9
Chester	23	12	11	–	22	–	1	–	1,252	18.4
Chesterfield	15	6	9	–	12	–	3	–	375	40.0
CHICOPEE	1,195	597	598	–	1,057	14	124	–	46,104	25.9

[1] Cities are printed in small capitals.

Table 44

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1947.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Population (Estimated, July 1, 1947.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Chilmark	6	2	4	–	6	–	–	–	230	26.1
Clarksburg	32	15	17	–	32	–	–	–	1,431	22.4
Clinton	299	149	150	–	272	5	22	–	12,885	23.2
Cohasset	75	40	35	–	69	1	5	–	3,731	20.1
Colrain	35	16	19	–	34	–	1	–	1,455	24.1
Concord	176	83	93	–	156	3	17	–	8,583	20.5
Conway	18	6	12	–	18	–	–	–	867	20.8
Cummington	18	11	7	–	16	–	2	–	532	33.8
Dalton	114	61	53	–	110	–	4	–	4,458	25.6
Danvers	277	143	134	–	256	1	20	–	14,857	18.6
Dartmouth	242	122	120	–	212	5	25	–	10,559	22.9
Dedham	387	194	193	–	324	11	52	–	17,114	22.6
Deerfield	75	37	38	–	70	–	5	–	3,252	23.1
Dennis	46	18	28	–	40	–	6	–	1,807	25.5
Dighton	60	32	28	–	56	–	4	–	3,051	19.7
Douglas	61	28	33	–	59	–	2	–	2,697	22.6
Dover	33	16	17	–	31	–	2	–	1,637	20.2
Dracut	190	97	93	–	161	3	26	–	7,494	25.4
Dudley	108	59	49	–	102	1	5	–	4,784	22.6
Dunstable	12	5	7	–	11	–	1	–	440	27.3
Duxbury	84	38	46	–	79	–	5	–	2,462	34.1
East Bridgewater	114	57	57	–	102	–	12	–	4,088	27.9
East Brookfield	23	11	12	–	23	–	–	–	1,100	20.9
East Longmeadow	81	43	38	–	70	1	10	–	4,004	20.2
Eastham	16	8	8	–	13	–	3	–	604	26.5
Easthampton	271	134	137	–	253	3	15	–	10,739	25.2
Easton	133	81	52	–	121	4	8	–	6,126	21.7
Edgartown	29	9	20	–	28	–	1	–	1,296	22.4
Egremont	15	7	8	–	13	–	2	–	624	24.0
Erving	42	20	22	–	40	1	1	–	1,315	31.9
Essex	33	17	16	–	30	1	2	–	1,654	20.0
EVERETT	1,158	611	547	–	972	32	154	–	49,449	23.4
Fairhaven	257	132	125	–	228	6	23	–	12,876	20.0
FALL RIVER	2,774	1,406	1,368	–	2,469	25	280	–	115,062	24.1
Falmouth	229	116	113	–	204	3	22	–	8,050	28.4
FITCHBURG	1,063	547	516	–	897	18	148	–	44,789	23.7
Florida	9	3	6	–	9	–	–	–	401	22.4
Foxborough	142	75	67	–	128	1	13	–	6,528	21.8
Framingham	610	316	294	–	528	7	75	–	26,659	22.9
Franklin	170	87	83	–	143	2	25	–	7,602	22.4
Freetown	66	30	36	–	61	–	5	–	1,985	33.2
GARDNER	380	196	184	–	310	16	54	–	20,275	18.7
Gay Head	6	–	6	–	6	–	–	–	114	52.6
Georgetown	50	25	25	–	43	–	7	–	2,071	24.1
Gill	21	13	8	–	18	–	3	–	918	22.9
GLOUCESTER	645	333	312	–	564	12	69	–	25,285	25.5
Goshen	6	1	5	–	6	–	–	–	308	19.5
Gosnold	2	1	1	–	2	–	–	–	107	18.7
Grafton	137	67	70	–	123	1	13	–	8,238	16.6
Granby	22	12	10	–	19	–	3	–	1,173	18.8
Granville	23	10	13	–	21	–	2	–	656	35.1
Great Barrington	162	78	84	–	148	1	13	–	6,443	25.1
Greenfield	427	210	217	–	393	2	32	–	17,681	24.2
Groton	70	34	36	–	64	2	4	–	2,976	23.5
Groveland	48	19	29	–	46	1	1	–	2,150	22.3
Hadley	62	31	31	–	58	–	4	–	2,636	23.5
Halifax	20	12	8	–	19	–	1	–	1,047	19.1
Hamilton	64	32	32	–	60	1	3	–	2,570	24.9
Hampden	20	11	9	–	18	1	1	–	1,208	16.6
Hancock	10	5	5	–	9	–	1	–	349	28.7
Hanover	80	39	41	–	68	1	11	–	3,098	25.8
Hanson	67	42	25	–	60	–	7	–	2,671	25.1
Hardwick	54	30	24	–	52	–	2	–	2,115	25.5
Harvard	28	17	11	–	26	–	2	–	1,065	26.3
Harwich	59	31	28	–	54	–	5	–	2,071	28.5
Hatfield	53	27	26	–	51	–	2	–	2,188	24.2
HAVERHILL	1,093	533	560	–	1,021	7	65	–	46,162	23.7
Hawley	6	1	5	–	6	–	–	–	203	29.6
Heath	6	5	1	–	6	–	–	–	327	18.3
Hingham	276	144	132	–	255	2	19	–	10,405	26.5
Hinsdale	34	17	17	–	33	1	–	–	1,306	26.0
Holbrook	111	67	44	–	101	3	7	–	3,877	28.6
Holden	123	64	59	–	111	2	10	–	5,325	23.1
Holland	6	3	3	–	5	–	1	–	265	22.6
Holliston	80	36	44	–	73	–	7	–	3,452	23.2
HOLYOKE	1,297	674	623	–	1,130	23	144	–	53,775	24.1
Hopedale	55	28	27	–	49	–	6	–	3,436	16.0
Hopkinton	91	41	50	–	84	1	6	–	2,946	30.9

[1] Cities are printed in small CAPITALS.

Table 44

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; Population; and Birth Rates: 1947.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Parent nativity. Native.	Parent nativity. Foreign.	Parent nativity. Mixed.	Parent nativity. Unknown.	Population (Estimated, July 1, 1947.)	Birth Rate per 1,000 population.
Hubbardston	25	16	9	–	24	–	1	–	1,019	24.5
Hudson	209	101	108	–	189	1	19	–	8,156	25.6
Hull	81	45	36	–	73	–	8	–	3,918	20.7
Huntington	32	17	15	–	26	–	6	–	1,242	25.8
Ipswich	173	84	89	–	143	2	28	–	6,763	25.6
Kingston	73	37	36	–	64	–	9	–	2,972	24.6
Lakeville	30	15	15	–	29	–	1	–	1,555	19.3
Lancaster	84	37	47	–	77	–	7	–	3,067	27.4
Lanesborough	37	17	20	–	35	–	2	–	1,677	22.1
LAWRENCE	1,908	942	966	–	1,644	24	240	–	86,267	22.1
Lee	137	71	66	–	123	3	11	–	4,408	31.1
Leicester	154	76	78	–	140	1	13	–	5,303	29.0
Lenox	71	39	32	–	61	1	9	–	2,981	23.8
LEOMINSTER	599	329	270	–	513	11	75	–	24,238	24.7
Leverett	23	11	12	–	23	–	–	–	594	38.7
Lexington	296	152	144	–	258	4	34	–	15,085	19.6
Leyden	7	4	3	–	5	–	2	–	254	27.6
Lincoln	51	24	27	–	40	2	9	–	2,118	24.1
Littleton	79	41	38	–	68	3	8	–	1,673	47.2
Longmeadow	104	45	59	–	91	1	12	–	6,724	15.5
LOWELL	2,356	1,198	1,158	–	2,157	28	171	–	101,229	23.3
Ludlow	191	101	90	–	173	1	17	–	8,065	23.7
Lunenburg	75	41	34	–	65	2	8	–	2,896	25.9
LYNN	2,486	1,295	1,191	–	2,154	40	292	–	108,847	22.8
Lynnfield	72	39	33	–	65	–	7	–	3,254	22.1
MALDEN	1,425	718	707	–	1,210	32	183	–	60,350	23.6
Manchester	57	28	29	–	49	1	7	–	2,569	22.2
Mansfield	171	80	91	–	153	3	15	–	7,304	23.4
Marblehead	306	161	145	–	278	2	26	–	13,398	22.8
Marion	57	28	29	–	53	–	4	–	2,170	26.3
MARLBOROUGH	333	183	150	–	305	5	23	–	15,941	20.9
Marshfield	65	34	31	–	57	–	8	–	2,405	27.0
Mashpee	6	3	3	–	6	–	–	–	343	17.5
Mattapoisett	30	16	14	–	29	–	1	–	2,174	13.8
Maynard	153	81	72	–	133	1	19	–	7,137	21.4
Medfield	69	44	25	–	62	2	5	–	4,199	16.4
MEDFORD	1,490	762	728	–	1,271	36	183	–	69,101	21.6
Medway	71	28	43	–	60	1	10	–	3,393	20.9
MELROSE	553	302	251	–	489	5	59	–	29,308	18.9
Mendon	26	16	10	–	24	–	2	–	1,593	16.3
Merrimac	65	35	30	–	56	–	9	–	2,414	26.9
Methuen	528	277	251	–	475	5	48	–	23,824	22.2
Middleborough	217	129	88	–	206	2	9	–	9,846	22.0
Middlefield	5	2	3	–	4	–	1	–	226	22.1
Middleton	58	28	30	–	50	–	8	–	2,445	23.7
Milford	335	166	169	–	285	2	48	–	16,010	20.9
Millbury	172	95	77	–	150	2	20	–	8,025	21.4
Millis	46	24	22	–	42	–	4	–	2,359	19.5
Millville	39	20	19	–	36	–	3	–	1,616	24.1
Milton	376	186	190	–	340	4	32	–	22,921	16.4
Monroe	5	2	3	–	4	–	1	–	171	29.2
Monson	96	54	42	–	85	–	11	–	5,692	16.9
Montague	173	92	81	–	162	3	8	–	7,602	22.8
Monterey	8	5	3	–	7	–	1	–	305	26.2
Montgomery	5	3	2	–	4	–	1	–	137	36.5
Mount Washington	1	1	–	–	1	–	–	–	53	18.9
Nahant	62	29	33	–	58	1	3	–	2,699	23.0
Nantucket	75	40	35	–	63	1	11	–	2,870	26.1
Natick	428	228	200	–	358	10	60	–	16,775	25.5
Needham	338	177	161	–	287	7	44	–	15,345	22.0
New Ashford	2	1	1	–	2	–	–	–	99	20.2
NEW BEDFORD	2,435	1,225	1,210	–	2,108	41	286	–	110,308	22.1
New Braintree	6	5	1	–	5	1	–	–	409	14.7
New Marlborough	17	3	14	–	16	–	1	–	896	19.0
New Salem	13	7	6	–	12	–	1	–	364	35.7
Newbury	42	19	23	–	39	–	3	–	1,666	25.2
NEWBURYPORT	317	177	140	–	295	2	20	–	14,172	22.4
NEWTON	1,618	827	791	–	1,406	35	177	–	81,024	20.0
Norfolk	37	19	18	–	33	1	3	–	2,006	18.4
NORTH ADAMS	540	278	262	–	486	5	49	–	22,230	24.3
North Andover	147	70	77	–	121	–	26	–	8,149	18.0
North Attleborough	288	144	144	–	255	2	31	–	12,404	23.2
North Brookfield	94	46	48	–	88	–	6	–	3,121	30.1
North Reading	69	38	31	–	61	–	8	–	3,209	21.5
NORTHAMPTON	556	292	264	–	511	4	41	–	25,074	22.2
Northborough	72	48	24	–	69	2	1	–	3,257	22.1
Northbridge	239	117	122	–	194	3	42	–	10,212	23.4
Northfield	54	27	27	–	50	–	4	–	2,113	25.6

[1]Cities are printed in small capitals.

Table 44

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1947.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Population (Estimated, July 1, 1947.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
Norton	86	42	44	–	71	3	12	–	3,096	27.8
Norwell	45	23	22	–	44	–	1	–	2,277	19.8
Norwood	374	189	185	–	328	5	41	–	16,963	22.0
Oak Bluffs	36	17	19	–	35	–	1	–	1,345	26.8
Oakham	11	5	6	–	10	–	1	–	424	25.9
Orange	144	79	65	–	138	–	6	–	5,834	24.7
Orleans	34	19	15	–	34	–	–	–	1,584	21.5
Otis	14	6	8	–	14	–	–	–	377	37.1
Oxford	153	81	72	–	137	–	16	–	5,231	29.2
Palmer	222	123	99	–	203	–	19	–	9,999	22.2
Paxton	53	32	21	–	48	–	5	–	880	60.2
PEABODY	503	260	243	–	436	6	61	–	22,606	22.3
Pelham	13	7	6	–	12	–	1	–	512	25.4
Pembroke	60	29	31	–	56	2	2	–	1,871	32.1
Pepperell	71	34	37	–	68	1	2	–	3,119	22.8
Peru	3	2	1	–	2	–	1	–	116	25.9
Petersham	18	13	5	–	18	–	–	–	743	24.2
Phillipston	22	11	11	–	20	–	2	–	475	46.3
PITTSFIELD	1,341	703	638	–	1,230	14	97	–	55,610	24.1
Plainfield	9	4	5	–	9	–	–	–	224	40.2
Plainville	48	23	25	–	44	–	4	–	2,059	23.3
Plymouth	331	182	149	–	289	8	34	–	13,736	24.1
Plympton	14	8	6	–	13	–	1	–	545	25.7
Princeton	19	11	8	–	19	–	–	–	955	19.9
Provincetown	82	46	36	–	74	–	8	–	3,564	23.0
QUINCY	2,098	1,127	971	–	1,828	31	239	–	84,609	24.8
Randolph	211	102	109	–	181	3	27	–	8,817	23.9
Raynham	57	26	31	–	57	–	–	–	2,244	25.4
Reading	334	192	142	–	291	5	38	–	13,080	25.5
Rehoboth	47	20	27	–	36	1	10	–	3,238	14.5
REVERE	865	440	425	–	759	16	89	1	35,687	24.2
Richmond	19	12	7	–	19	–	–	–	646	29.4
Rochester	23	12	11	–	21	1	1	–	1,107	20.8
Rockland	220	110	110	–	199	3	18	–	8,833	24.9
Rockport	85	34	51	–	80	1	4	–	4,235	20.1
Rowe	5	2	3	–	5	–	–	–	178	28.1
Rowley	37	24	13	–	33	–	4	–	1,615	22.9
Royalston	19	11	8	–	19	–	–	–	750	25.3
Russell	24	12	12	–	19	1	4	–	1,221	19.7
Rutland	56	34	22	–	51	–	5	–	1,561	35.9
SALEM	974	521	452	1	872	18	84	–	43,677	22.3
Salisbury	67	33	34	–	62	2	3	–	2,745	24.4
Sandisfield	8	2	6	–	7	–	1	–	370	21.6
Sandwich	22	11	11	–	20	1	1	–	1,585	13.9
Saugus	388	189	199	–	338	9	41	–	17,626	22.0
Savoy	8	4	4	–	8	–	–	–	294	27.2
Scituate	145	79	66	–	125	3	17	–	5,203	27.9
Seekonk	131	72	59	–	110	1	20	–	5,498	23.8
Sharon	88	46	42	–	83	1	4	–	4,204	20.9
Sheffield	27	12	15	–	26	1	–	–	1,782	15.2
Shelburne	55	20	35	–	54	–	1	–	1,656	33.2
Sherborn	26	14	12	–	24	–	2	–	1,036	25.1
Shirley	45	28	17	–	39	–	6	–	2,459	18.3
Shrewsbury	229	119	110	–	203	2	24	–	10,195	22.5
Shutesbury	5	1	4	–	5	–	–	–	201	24.9
Somerset	163	75	88	–	149	3	11	–	7,512	21.7
SOMERVILLE	2,548	1,341	1,207	–	2,055	101	392	–	107,772	23.6
South Hadley	207	108	99	–	152	–	15	–	7,641	27.1
Southampton	23	11	12	–	21	–	2	–	1,199	19.2
Southborough	50	28	22	–	49	–	1	–	2,389	20.9
Southbridge	478	261	217	–	406	6	66	–	17,950	26.6
Southwick	62	29	33	–	52	1	9	–	2,030	30.5
Spencer	134	64	70	–	122	–	12	–	6,824	19.6
SPRINGFIELD	3,979	2,026	1,953	–	3,538	63	377	1	165,038	24.1
Sterling	72	41	31	–	66	–	6	–	1,986	36.3
Stockbridge	43	25	18	–	40	1	2	–	1,739	24.7
Stoneham	296	138	158	–	269	5	22	–	12,665	23.4
Stoughton	224	118	106	–	199	2	23	–	9,254	24.2
Stow	35	16	19	–	31	1	3	–	1,397	25.1
Sturbridge	60	30	30	–	51	1	8	–	2,388	25.1
Sudbury	49	22	27	–	45	–	4	–	2,192	22.4
Sunderland	32	17	15	–	31	–	1	–	1,018	31.4
Sutton	79	41	38	–	72	1	6	–	2,610	30.3
Swampscott	226	119	107	–	195	3	28	–	12,409	18.2
Swansea	118	56	62	–	112	1	5	–	6,168	19.1
TAUNTON	910	472	438	–	814	5	91	–	39,464	23.1
Templeton	132	80	52	–	114	2	16	–	4,435	29.8
Tewksbury	89	45	44	–	83	2	4	–	5,949	15.0

[1] Cities are printed in small capitals.

Table 44

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; POPULATION; AND BIRTH RATES: 1947.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Population (Estimated, July 1, 1947.)	Birth Rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.		
State Infirmary	–	–	–	–	–	–	–	–	–	–
Tisbury	42	24	18	–	38	–	4	–	1,719	24.4
Tolland	–	–	–	–	–	–	–	–	111	–
Topsfield	30	14	16	–	28	–	2	–	1,153	26.0
Townsend	55	26	29	–	50	1	4	–	2,418	22.7
Truro	16	13	3	–	14	–	2	–	582	27.5
Tyngsborough	50	30	20	–	45	1	4	–	1,495	33.4
Tyringham	5	2	3	–	4	–	1	–	211	23.7
Upton	60	30	30	–	56	–	4	–	2,447	24.5
Uxbridge	144	87	57	–	133	4	7	–	6,754	21.3
Wakefield	479	269	210	–	420	7	52	–	19,924	24.0
Wales	12	7	5	–	11	–	1	–	354	33.9
Walpole	196	114	82	–	164	2	30	–	8,774	22.3
WALTHAM	1,169	611	558	–	972	44	153	–	45,376	25.8
Ware	185	102	83	–	179	2	4	–	7,578	24.4
Wareham	187	91	96	–	165	4	18	–	7,919	23.6
Warren	67	33	34	–	61	–	6	–	3,498	19.2
Warwick	9	3	6	–	9	–	–	–	401	22.4
Washington	4	2	2	–	3	–	1	–	242	16.5
Watertown	784	408	376	–	647	30	107	–	38,454	20.4
Wayland	107	57	50	–	94	2	11	–	4,102	26.1
Webster	336	163	173	–	313	1	22	–	13,713	24.5
Wellesley	352	201	151	–	300	6	46	–	18,581	18.9
Wellfleet	24	12	12	–	23	–	1	–	851	28.2
Wendell	11	5	6	–	10	–	1	–	348	31.6
Wenham	27	15	12	–	25	–	2	–	1,499	18.0
West Boylston	54	32	22	–	48	1	5	–	2,681	20.1
West Bridgewater	88	48	40	–	80	1	7	–	3,755	23.4
West Brookfield	30	16	14	–	29	–	1	–	1,487	20.2
West Newbury	24	12	12	–	22	–	2	–	1,503	16.0
West Springfield	457	234	223	–	407	2	48	–	20,617	22.2
West Stockbridge	31	18	13	–	23	2	6	–	1,059	29.3
West Tisbury	5	2	3	–	5	–	–	–	239	20.9
Westborough	115	66	49	–	107	–	8	–	6,784	17.0
WESTFIELD	509	256	253	–	479	4	26	–	20,523	24.8
Westford	106	46	60	–	90	5	11	–	3,815	27.8
Westhampton	11	3	8	–	11	–	–	–	413	26.6
Westminster	58	34	24	–	54	1	3	–	2,153	26.9
Weston	84	39	45	–	71	4	9	–	4,905	17.1
Westport	109	60	49	–	101	1	7	–	5,198	21.0
Westwood	130	62	68	–	105	3	22	–	5,354	24.3
Weymouth	781	402	379	–	700	10	71	–	29,584	26.4
Whately	22	8	14	–	21	–	1	–	973	22.6
Whitman	197	102	95	–	173	2	22	–	8,520	23.1
Wilbraham	76	37	39	–	70	–	6	–	3,442	22.1
Williamsburg	46	25	21	–	44	–	2	–	1,925	23.9
Williamstown	109	54	55	–	101	1	7	–	4,804	22.7
Wilmington	161	87	74	–	145	3	13	–	6,026	26.7
Winchendon	181	97	84	–	172	1	8	–	6,461	28.0
Winchester	300	156	144	–	267	4	29	–	15,420	19.5
Windsor	8	4	4	–	8	–	–	–	274	29.2
Winthrop	441	232	209	–	400	5	36	–	18,696	23.6
WOBURN	531	264	267	–	457	14	60	–	19,946	26.6
WORCESTER	4,582	2,316	2,266	–	4,060	69	453	–	201,403	22.8
Worthington	11	4	7	–	10	–	1	–	363	30.3
Wrentham	77	36	41	–	71	2	4	–	5,258	14.6
Yarmouth	39	24	15	–	37	–	2	–	2,522	15.5

[1] Cities are printed in small CAPITALS.

Table 45

Counties and Cities having over 50,000 Inhabitants in 1945. (Grouped in order of population.)	Allocated Live Births, by Month of Birth, in Counties and in Cities having over 50,000 Inhabitants: 1947.												
	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November	December.
The State.	**106,690**	**9,502**	**8,736**	**9,513**	**9,009**	**9,643**	**9,068**	**9,127**	**8,743**	**8,678**	**8,580**	**8,047**	**8,044**
Average daily number of births	292	307	312	307	300	311	302	294	282	289	277	268	259
Counties.													
Middlesex	24,264	2,122	2,030	2,116	2,074	2,174	2,046	2,082	2,048	1,988	1,963	1,812	1,809
Suffolk	20,811	1,838	1,674	1,868	1,608	2,008	1,807	1,850	1,683	1,700	1,634	1,575	1,566
Worcester	12,385	1,145	1,017	1,138	1,020	1,064	1,040	1,019	1,018	1,016	999	921	988
Essex	11,997	1,041	1,027	1,080	1,098	1,056	1,022	990	940	979	1,005	889	870
Bristol	8,688	801	709	774	768	749	758	761	691	712	665	663	637
Hampden	8,635	774	694	774	699	815	740	737	735	677	707	652	631
Norfolk	8,121	725	679	723	694	721	678	733	644	637	642	618	627
Plymouth	4,289	388	322	372	388	399	366	355	370	354	316	331	328
Berkshire	3,180	275	249	277	268	279	271	237	255	276	283	268	242
Hampshire	1,816	165	123	164	163	157	147	147	141	141	163	149	156
Franklin	1,273	114	110	101	115	118	102	102	119	99	106	84	103
Barnstable	1,030	96	84	102	90	91	75	97	87	86	84	68	70
Dukes	126	12	9	18	13	9	9	12	6	8	8	11	11
Nantucket	75	6	9	6	11	3	7	5	6	5	5	6	6
Cities over 100,000													
Boston	18,565	1,625	1,491	1,672	1,424	1,790	1,602	1,644	1,540	1,502	1,465	1,405	1,405
Worcester	4,582	411	393	430	364	388	376	367	373	377	373	343	387
Springfield	3,979	379	335	342	304	400	331	332	328	306	337	307	278
Fall River	2,774	250	228	256	230	252	233	256	231	234	195	221	188
Cambridge	3,155	277	263	281	254	300	297	253	282	238	253	225	232
New Bedford	2,435	240	200	228	210	200	225	207	196	178	188	186	177
Somerville	2,548	235	230	214	208	220	205	205	230	216	199	184	202
Lynn	2,486	247	196	199	234	216	216	208	191	209	196	192	182
Lowell	2,356	212	189	202	187	199	189	223	214	194	197	154	196
Cities 50,000 to 100,000													
Lawrence	1,908	163	154	183	169	177	158	151	181	164	152	115	141
Quincy	2,098	203	193	178	160	181	170	164	176	170	182	158	163
Newton	1,618	139	147	137	136	153	112	161	137	117	135	115	129
Medford	1,490	141	113	140	147	141	122	134	125	112	111	99	105
Brockton	1,401	129	113	124	132	122	108	120	116	105	118	99	115
Malden	1,425	127	130	122	114	130	122	116	121	116	101	117	109
Pittsfield	1,341	110	111	108	112	108	122	104	112	117	122	108	107
Holyoke	1,297	107	93	130	108	121	111	97	118	100	90	108	114

Table 46

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1947.

COUNTIES AND MUNICIPALITIES.[1]	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
The State.	2,060	1,040	1,020	24	13	11	2,123	1,137	986
COUNTIES.									
Barnstable	14	8	6	–	–	–	26	12	14
Berkshire	62	29	33	–	–	–	61	31	30
Bristol	158	72	86	–	–	–	207	118	89
Dukes	2	2	–	–	–	–	2	1	1
Essex	226	109	117	6	5	1	224	123	101
Franklin	28	14	14	–	–	–	11	5	6
Hampden	148	68	80	3	1	2	167	91	76
Hampshire	38	23	15	–	–	–	37	22	15
Middlesex	450	230	220	6	2	4	491	262	229
Nantucket	–	–	–	–	–	–	–	–	–
Norfolk	178	87	91	–	–	–	163	86	77
Plymouth	100	57	43	3	2	1	71	35	36
Suffolk	444	231	213	6	3	3	407	207	200
Worcester	212	110	102	–	–	–	256	144	112
MUNICIPALITIES.									
Abington	2	1	1	–	–	–	1	–	1
Acton	–	–	–	–	–	–	1	–	1
Acushnet	2	1	1	–	–	–	2	2	–
Adams	2	1	1	–	–	–	–	–	–
Agawam	4	1	3	–	–	–	2	2	–
Alford	–	–	–	–	–	–	1	1	–
Amesbury	6	3	3	–	–	–	8	1	7
Amherst	4	2	2	–	–	–	2	1	1
Andover	2	2	–	–	–	–	7	3	4
Arlington	18	13	5	–	–	–	18	9	9
Ashburnham	4	–	4	–	–	–	–	–	–
Ashby	4	2	2	–	–	–	1	–	1
Ashfield	–	–	–	–	–	–	–	–	–
Ashland	–	–	–	–	–	–	1	–	1
Athol	6	2	4	–	–	–	3	3	–
ATTLEBORO	10	5	5	–	–	–	13	5	8
Auburn	–	–	–	–	–	–	4	2	2
Avon	2	2	–	–	–	–	2	1	1
Ayer	2	–	2	–	–	–	10	6	4
Barnstable	4	2	2	–	–	–	7	1	6
Barre	–	–	–	–	–	–	2	1	1
Becket	–	–	–	–	–	–	–	–	–
Bedford	2	–	2	–	–	–	–	–	–
Belchertown	–	–	–	–	–	–	–	–	–
Bellingham	–	–	–	–	–	–	3	2	1
Belmont	6	1	5	–	–	–	8	4	4
Berkley	–	–	–	–	–	–	–	–	–
Berlin	2	2	–	–	–	–	2	2	–
Bernardston	–	–	–	–	–	–	–	–	–
BEVERLY	12	5	7	3	3	–	13	9	4
Billerica	4	2	2	–	–	–	5	1	4
Blackstone	–	–	–	–	–	–	–	–	–
Blandford	–	–	–	–	–	–	–	–	–
Bolton	–	–	–	–	–	–	–	–	–
BOSTON	388	196	192	6	3	3	364	185	179
Bourne	–	–	–	–	–	–	–	–	–
Boxborough	–	–	–	–	–	–	–	–	–
Boxford	–	–	–	–	–	–	1	1	–
Boylston	–	–	–	–	–	–	–	–	–
Braintree	12	5	7	–	–	–	10	3	7
Brewster	–	–	–	–	–	–	–	–	–
Bridgewater	4	2	2	–	–	–	1	–	1
Brimfield	–	–	–	–	–	–	2	–	2
BROCKTON	28	17	11	–	–	–	24	8	16
Brookfield	–	–	–	–	–	–	–	–	–
Brookline	6	3	3	–	–	–	12	8	4
Buckland	4	3	1	–	–	–	–	–	–
Burlington	2	2	–	–	–	–	–	–	–
CAMBRIDGE	72	35	37	3	2	1	61	28	33
Canton	8	3	5	–	–	–	2	1	1
Carlisle	2	2	–	–	–	–	2	1	1
Carver	–	–	–	–	–	–	2	2	–
Charlemont	2	1	1	–	–	–	–	–	–
Charlton	–	–	–	–	–	–	6	1	5
Chatham	4	4	–	–	–	–	1	–	1
Chelmsford	–	–	–	–	–	–	5	2	3
CHELSEA	16	7	9	–	–	–	15	7	8
Cheshire	–	–	–	–	–	–	–	–	–
Chester	2	1	1	–	–	–	2	1	1
Chesterfield	–	–	–	–	–	–	–	–	–
CHICOPEE	18	10	8	–	–	–	21	12	9

[1] Cities are printed in small CAPITALS. [2] Allocated.

Table 46

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1947.

MUNICIPALITIES.[1]	Plural Births. Twins. Total.	Males.	Females.	Triplets. Total.	Males.	Females.	Stillbirths. Total.	Males.	Females.
Chilmark	2	2	–	–	–	–	–	–	–
Clarksburg	2	–	2	–	–	–	–	–	–
Clinton	2	1	1	–	–	–	5	4	1
Cohasset	–	–	–	–	–	–	–	–	–
Colrain	–	–	–	–	–	–	–	–	–
Concord	8	5	3	–	–	–	5	2	3
Conway	2	1	1	–	–	–	–	–	–
Cummington	–	–	–	–	–	–	–	–	–
Dalton	–	–	–	–	–	–	3	2	1
Danvers	6	3	3	–	–	–	5	3	2
Dartmouth	2	1	1	–	–	–	4	2	2
Dedham	8	6	2	–	–	–	9	5	4
Deerfield	–	–	–	–	–	–	–	–	–
Dennis	–	–	–	–	–	–	2	2	–
Dighton	4	–	4	–	–	–	–	–	–
Douglas	–	–	–	–	–	–	6	5	1
Dover	–	–	–	–	–	–	1	1	–
Dracut	4	1	3	–	–	–	2	1	1
Dudley	4	–	4	–	–	–	1	–	1
Dunstable	–	–	–	–	–	–	–	–	–
Duxbury	4	3	1	–	–	–	1	–	1
East Bridgewater	–	–	–	–	–	–	–	–	–
East Brookfield	–	–	–	–	–	–	1	–	1
East Longmeadow	2	2	–	–	–	–	1	–	1
Eastham	–	–	–	–	–	–	–	–	–
Easthampton	8	6	2	–	–	–	5	2	3
Easton	–	–	–	–	–	–	2	1	1
Edgartown	–	–	–	–	–	–	1	1	–
Egremont	–	–	–	–	–	–	–	–	–
Erving	–	–	–	–	–	–	–	–	–
Essex	2	1	1	–	–	–	1	1	–
EVERETT	24	12	12	–	–	–	17	8	9
Fairhaven	–	–	–	–	–	–	7	3	4
FALL RIVER	48	27	21	–	–	–	78	44	34
Falmouth	2	1	1	–	–	–	3	2	1
FITCHBURG	16	7	9	–	–	–	25	15	10
Florida	–	–	–	–	–	–	–	–	–
Foxborough	2	2	–	–	–	–	1	1	–
Framingham	8	2	6	–	–	–	18	7	11
Franklin	2	2	–	–	–	–	3	1	2
Freetown	4	–	4	–	–	–	2	1	1
GARDNER	4	3	1	–	–	–	6	2	4
Gay Head	–	–	–	–	–	–	–	–	–
Georgetown	–	–	–	–	–	–	–	–	–
Gill	4	2	2	–	–	–	–	–	–
GLOUCESTER	8	7	1	–	–	–	14	5	9
Goshen	–	–	–	–	–	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	2	–	2	–	–	–	5	3	2
Granby	–	–	–	–	–	–	–	–	–
Granville	–	–	–	–	–	–	1	1	–
Great Barrington	–	–	–	–	–	–	3	2	1
Greenfield	8	5	3	–	–	–	7	3	4
Groton	2	2	–	–	–	–	3	2	1
Groveland	–	–	–	–	–	–	2	1	1
Hadley	2	2	–	–	–	–	3	2	–
Halifax	–	–	–	–	–	–	–	–	–
Hamilton	–	–	–	–	–	–	–	–	–
Hampden	2	1	1	–	–	–	–	–	–
Hancock	–	–	–	–	–	–	–	–	–
Hanover	2	1	1	–	–	–	1	–	1
Hanson	2	2	–	–	–	–	1	1	–
Hardwick	–	–	–	–	–	–	2	1	1
Harvard	2	1	1	–	–	–	–	–	–
Harwich	–	–	–	–	–	–	2	2	–
Hatfield	2	1	1	–	–	–	–	–	–
HAVERHILL	24	8	16	–	–	–	13	12	1
Hawley	–	–	–	–	–	–	–	–	–
Heath	–	–	–	–	–	–	–	–	–
Hingham	10	6	4	–	–	–	5	1	4
Hinsdale	4	2	2	–	–	–	1	1	–
Holbrook	2	2	–	–	–	–	2	–	2
Holden	2	1	1	–	–	–	1	1	–
Holland	–	–	–	–	–	–	–	–	–
Holliston	4	–	4	–	–	–	–	–	–
HOLYOKE	18	8	10	3	1	2	21	14	7
Hopedale	2	–	2	–	–	–	1	–	1
Hopkinton	2	1	1	–	–	–	5	4	1

[1] Cities are printed in small capitals. [2] Allocated.

Table 46

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1947.

MUNICIPALITIES.[1]	Plural Births.						Stillbirths.		
	Twins.			Triplets.					
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
Hubbardston	–	–	–	–	–	–	–	–	–
Hudson	–	–	–	–	–	–	4	2	2
Hull	4	4	–	–	–	–	–	–	–
Huntington	2	1	1	–	–	–	–	–	–
Ipswich	4	4	–	–	–	–	4	1	3
Kingston	2	–	2	–	–	–	1	1	–
Lakeville	4	1	3	–	–	–	1	–	1
Lancaster	–	–	–	–	–	–	1	–	1
Lanesborough	–	–	–	–	–	–	–	–	–
LAWRENCE	42	20	22	–	–	–	40	22	18
Lee	–	–	–	–	–	–	1	1	–
Leicester	2	1	1	–	–	–	2	1	1
Lenox	–	–	–	–	–	–	1	–	1
LEOMINSTER	16	10	6	–	–	–	20	10	10
Leverett	–	–	–	–	–	–	–	–	–
Lexington	4	1	3	–	–	–	4	3	1
Leyden	–	–	–	–	–	–	–	–	–
Lincoln	–	–	–	–	–	–	1	1	–
Littleton	2	2	–	–	–	–	1	–	1
Longmeadow	2	–	2	–	–	–	1	1	–
LOWELL	20	9	11	–	–	–	55	32	23
Ludlow	–	–	–	–	–	–	4	1	3
Lunenburg	2	1	1	–	–	–	2	1	1
LYNN	46	20	26	–	–	–	29	15	14
Lynnfield	2	–	2	–	–	–	2	2	–
MALDEN	32	16	16	–	–	–	27	17	10
Manchester	–	–	–	–	–	–	3	–	3
Mansfield	2	2	–	–	–	–	3	1	2
Marblehead	10	5	5	3	2	1	6	2	4
Marion	–	–	–	–	–	–	–	–	–
MARLBOROUGH	12	8	4	–	–	–	4	3	1
Marshfield	2	–	2	–	–	–	2	–	2
Mashpee	–	–	–	–	–	–	–	–	–
Mattapoisett	–	–	–	–	–	–	–	–	–
Maynard	2	1	1	–	–	–	2	1	1
Medfield	6	–	6	–	–	–	1	1	–
MEDFORD	42	17	25	–	–	–	27	16	11
Medway	4	3	1	–	–	–	–	–	–
MELROSE	14	7	7	–	–	–	13	9	4
Mendon	–	–	–	–	–	–	–	–	–
Merrimac	2	1	1	–	–	–	4	3	1
Methuen	4	3	1	–	–	–	7	4	3
Middleborough	14	10	4	–	–	–	7	4	3
Middlefield	–	–	–	–	–	–	–	–	–
Middleton	–	–	–	–	–	–	1	1	–
Milford	2	1	1	–	–	–	7	4	3
Millbury	8	4	4	–	–	–	4	–	4
Millis	2	–	2	–	–	–	4	3	1
Millville	–	–	–	–	–	–	–	–	–
Milton	8	5	3	–	–	–	4	3	1
Monroe	–	–	–	–	–	–	–	–	–
Monson	–	–	–	–	–	–	4	2	2
Montague	4	2	2	–	–	–	2	1	1
Monterey	–	–	–	–	–	–	–	–	–
Montgomery	–	–	–	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	4	4	–	–	–	–	2	2	–
Nantucket	–	–	–	–	–	–	–	–	–
Natick	6	2	4	–	–	–	6	5	1
Needham	14	9	5	–	–	–	9	3	6
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	56	20	36	–	–	–	58	38	20
New Braintree	–	–	–	–	–	–	–	–	–
New Marlborough	–	–	–	–	–	–	–	–	–
New Salem	–	–	–	–	–	–	–	–	–
Newbury	2	1	1	–	–	–	–	–	–
NEWBURYPORT	6	–	6	–	–	–	13	9	4
NEWTON	30	16	14	–	–	–	25	13	12
Norfolk	–	–	–	–	–	–	1	1	–
NORTH ADAMS	10	2	8	–	–	–	17	7	10
North Andover	2	2	–	–	–	–	3	2	1
North Attleborough	4	2	2	–	–	–	2	1	1
North Brookfield	4	1	3	–	–	–	4	2	2
North Reading	–	–	–	–	–	–	2	1	1
NORTHAMPTON	12	5	7	–	–	–	14	7	7
Northborough	4	1	3	–	–	–	1	–	1
Northbridge	4	3	1	–	–	–	10	6	4
Northfield	2	–	2	–	–	–	1	–	1

[1] Cities are printed in small capitals. [2] Allocated.

Table 46

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1947.

MUNICIPALITIES.[1]	Plural Births.						Stillbirths.		
	Twins.			Triplets.					
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females
Norton	–	–	–	–	–	–	2	1	1
Norwell	2	–	2	–	–	–	3	2	1
Norwood	4	2	2	–	–	–	11	8	3
Oak Bluffs	–	–	–	–	–	–	–	–	–
Oakham	–	–	–	–	–	–	–	–	–
Orange	2	–	2	–	–	–	–	–	–
Orleans	2	–	2	–	–	–	1	–	1
Otis	–	–	–	–	–	–	–	–	–
Oxford	2	2	–	–	–	–	4	3	1
Palmer	8	–	8	–	–	–	7	4	3
Paxton	–	–	–	–	–	–	–	–	–
PEABODY	6	2	4	–	–	–	10	6	4
Pelham	–	–	–	–	–	–	–	–	–
Pembroke	2	–	2	–	–	–	–	–	–
Pepperell	–	–	–	–	–	–	3	2	1
Peru	–	–	–	–	–	–	–	–	–
Petersham	–	–	–	–	–	–	1	1	–
Phillipston	–	–	–	–	–	–	–	–	–
PITTSFIELD	38	20	18	–	–	–	30	13	17
Plainfield	–	–	–	–	–	–	1	–	1
Plainville	2	2	–	–	–	–	2	–	2
Plymouth	4	1	3	3	2	1	8	6	2
Plympton	–	–	–	–	–	–	–	–	–
Princeton	–	–	–	–	–	–	–	–	–
Provincetown	2	1	1	–	–	–	3	2	1
QUINCY	46	20	26	–	–	–	43	24	19
Randolph	8	3	5	–	–	–	6	3	3
Raynham	4	3	1	–	–	–	–	–	–
Reading	4	2	2	–	–	–	3	2	1
Rehoboth	–	–	–	–	–	–	3	3	–
REVERE	24	14	10	–	–	–	18	10	8
Richmond	–	–	–	–	–	–	–	–	–
Rochester	–	–	–	–	–	–	–	–	–
Rockland	2	–	2	–	–	–	4	3	1
Rockport	–	–	–	–	–	–	2	2	–
Rowe	–	–	–	–	–	–	–	–	–
Rowley	–	–	–	–	–	–	–	–	–
Royalston	–	–	–	–	–	–	–	–	–
Russell	–	–	–	–	–	–	–	–	–
Rutland	–	–	–	–	–	–	1	–	1
SALEM	24	13	11	–	–	–	19	7	12
Salisbury	–	–	–	–	–	–	2	1	1
Sandisfield	–	–	–	–	–	–	–	–	–
Sandwich	–	–	–	–	–	–	–	–	–
Saugus	2	2	–	–	–	–	7	4	3
Savoy	–	–	–	–	–	–	–	–	–
Scituate	2	2	–	–	–	–	4	4	–
Seekonk	–	–	–	–	–	–	3	1	2
Sharon	2	–	2	–	–	–	1	1	–
Sheffield	–	–	–	–	–	–	–	–	–
Shelburne	–	–	–	–	–	–	1	1	–
Sherborn	–	–	–	–	–	–	3	2	1
Shirley	2	–	2	–	–	–	–	–	–
Shrewsbury	–	–	–	–	–	–	3	1	2
Shutesbury	–	–	–	–	–	–	–	–	–
Somerset	2	1	1	–	–	–	1	–	1
SOMERVILLE	44	29	15	3	–	3	57	32	25
South Hadley	6	6	–	–	–	–	7	6	1
Southampton	–	–	–	–	–	–	–	–	–
Southborough	2	1	1	–	–	–	–	–	–
Southbridge	10	7	3	–	–	–	9	6	3
Southwick	–	–	–	–	–	–	2	2	–
Spencer	2	1	1	–	–	–	5	3	2
SPRINGFIELD	70	33	37	–	–	–	80	45	35
Sterling	2	1	1	–	–	–	1	1	–
Stockbridge	2	2	–	–	–	–	–	–	–
Stoneham	8	4	4	–	–	–	5	1	4
Stoughton	6	2	4	–	–	–	3	1	2
Stow	–	–	–	–	–	–	1	–	1
Sturbridge	–	–	–	–	–	–	–	–	–
Sudbury	–	–	–	–	–	–	3	1	2
Sunderland	–	–	–	–	–	–	–	–	–
Sutton	2	2	–	–	–	–	4	4	–
Swampscott	10	3	7	–	–	–	4	3	1
Swansea	4	2	2	–	–	–	3	1	2
TAUNTON	16	8	8	–	–	–	21	12	9
Templeton	8	5	3	–	–	–	2	1	1
Tewksbury	2	2	–	–	–	–	3	2	1

[1] Cities are printed in small capitals. [2] Allocated.

Table 46

PLURAL BIRTHS[2] AND STILLBIRTHS,[2] BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1947.

MUNICIPALITIES.[1]	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
State Infirmary	–	–	–	–	–	–	–	–	–
Tisbury	–	–	–	–	–	–	1	–	1
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	–	–	–	–	–	–	1	–	1
Townsend	4	2	2	–	–	–	2	2	–
Truro	–	–	–	–	–	–	–	–	–
Tyngsborough	2	1	1	–	–	–	–	–	–
Tyringham	–	–	–	–	–	–	–	–	–
Upton	2	2	–	–	–	–	–	–	–
Uxbridge	2	2	–	–	–	–	1	1	–
Wakefield	2	2	–	–	–	–	9	4	5
Wales	–	–	–	–	–	–	–	–	–
Walpole	–	–	–	–	–	–	6	4	2
WALTHAM	22	9	13	–	–	–	25	15	10
Ware	2	–	2	–	–	–	5	4	1
Wareham	6	3	3	–	–	–	3	2	1
Warren	2	–	2	–	–	–	–	–	–
Warwick	–	–	–	–	–	–	–	–	–
Washington	–	–	–	–	–	–	–	–	–
Watertown	18	12	6	–	–	–	12	5	7
Wayland	2	–	2	–	–	–	2	1	1
Webster	4	3	1	–	–	–	2	2	–
Wellesley	8	3	5	–	–	–	3	1	2
Wellfleet	–	–	–	–	–	–	3	1	2
Wendell	–	–	–	–	–	–	–	–	–
Wenham	–	–	–	–	–	–	1	1	–
West Boylston	–	–	–	–	–	–	–	–	–
West Bridgewater	–	–	–	–	–	–	–	–	–
West Brookfield	2	2	–	–	–	–	–	–	–
West Newbury	–	–	–	–	–	–	–	–	–
West Springfield	10	5	5	–	–	–	5	2	3
West Stockbridge	4	2	2	–	–	–	–	–	–
West Tisbury	–	–	–	–	–	–	–	–	–
Westborough	2	1	1	–	–	–	2	2	–
WESTFIELD	12	7	5	–	–	–	12	4	8
Westford	–	–	–	–	–	–	3	2	1
Westhampton	–	–	–	–	–	–	–	–	–
Westminster	–	–	–	–	–	–	2	1	1
Weston	–	–	–	–	–	–	1	–	1
Westport	–	–	–	–	–	–	3	2	1
Westwood	2	1	1	–	–	–	4	1	3
Weymouth	24	12	12	–	–	–	17	8	9
Whately	–	–	–	–	–	–	–	–	–
Whitman	4	4	–	–	–	–	2	1	1
Wilbraham	–	–	–	–	–	–	2	–	2
Williamsburg	–	–	–	–	–	–	–	–	–
Williamstown	–	–	–	–	–	–	4	4	–
Wilmington	2	1	1	–	–	–	4	2	2
Winchendon	4	4	–	–	–	–	5	3	2
Winchester	2	1	1	–	–	–	8	3	5
Windsor	–	–	–	–	–	–	–	–	–
Winthrop	16	14	2	–	–	–	10	5	5
WOBURN	8	6	2	–	–	–	14	8	6
WORCESTER	78	38	40	–	–	–	93	51	42
Worthington	–	–	–	–	–	–	–	–	–
Wrentham	–	–	–	–	–	–	3	1	2
Yarmouth	–	–	–	–	–	–	4	2	2

[1] Cities are printed in small capitals. [2] Allocated.

Table 47

LIVE BIRTHS[1] AND BIRTH RATES[1] FOR THE STATE AND CITIES HAVING OVER 100,000 INHABITANTS IN 1945: 1900 TO 1947.

YEARS.	The State.	Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Somerville.	Lynn.	Lowell.
	LIVE BIRTHS									
1900	73,386	16,328	3,131	1,560	4,327	2,648	2,230	–	–	2,596
1901	71,976	15,561	3,291	1,449	4,054	2,525	2,440	–	–	2,794
1902	72,219	15,516	3,349	1,592	4,341	2,476	2,437	–	–	2,493
1903	73,584	15,664	3,501	1,647	4,448	2,528	2,469	–	–	2,519
1904	75,014	15,730	3,540	1,624	4,514	2,528	2,620	–	–	2,519
1905	75,022	15,661	3,510	1,810	4,092	2,453	2,765	–	–	2,500
1906	80,237	17,062	3,743	1,816	4,333	2,768	2,949	–	–	2,547
1907	85,001	18,229	3,998	2,019	4,622	2,826	3,272	–	–	2,704
1908	86,911	18,359	3,978	2,184	4,838	2,887	3,580	–	–	2,743
1909	84,039	17,584	3,645	2,258	4,692	2,643	3,836	–	–	2,648
1910	86,539	17,672	3,923	2,445	4,591	2,436	3,863	–	–	2,632
1911	88,327	17,844	4,122	2,512	4,617	2,621	4,160	–	–	2,580
1912	89,882	18,745	4,167	2,779	4,714	2,605	3,594	–	–	2,748
1913	91,644	19,109	4,520	2,866	4,664	2,713	3,647	–	–	2,794
1914	93,399	19,467	4,667	2,986	4,703	2,745	3,574	–	–	2,914
1915	93,155	19,713	4,504	3,099	3,910	2,610	3,533	–	–	2,944
1916	93,487	19,604	4,941	3,281	3,690	2,691	3,497	–	–	3,289
1917	95,731	19,950	5,276	3,614	3,807	2,764	3,664	–	–	3,289
1918	95,607	20,092	5,239	3,770	3,645	2,672	3,920	–	–	3,279
1919	87,827	18,799	4,596	3,268	3,421	2,757	3,386	–	–	3,064
1920	91,859	19,573	4,812	3,419	3,537	2,862	3,507	–	–	3,154
1921	92,207	19,397	4,838	3,392	3,710	3,048	3,649	–	–	3,157
1922	87,636	18,536	4,357	3,089	3,537	3,007	3,344	–	–	2,923
1923	89,210	19,056	4,517	3,358	3,645	3,033	3,295	–	–	2,902
1924	91,463	19,776	4,551	3,520	3,594	3,144	3,170	–	–	3,011
1925	86,014	18,636	4,340	3,385	3,324	2,932	3,009	–	–	2,705
1926	83,502	18,731	4,312	3,298	3,050	2,933	2,762	–	–	2,466
1927	82,273	19,079	4,310	3,158	2,872	2,902	2,432	–	–	2,404
1928	79,054	18,781	3,997	2,991	2,707	2,724	2,394	–	–	2,177
1929	74,122	17,942	3,759	3,040	2,255	2,597	2,033	–	–	1,968
1930	73,690	18,057	3,638	3,106	2,201	2,524	1,988	1,677	–	1,999
1931	69,385	17,137	3,611	2,939	2,083	2,477	1,861	1,428	–	1,812
1932	68,518	17,271	3,435	2,643	2,099	2,462	1,728	1,342	–	1,932
1933	63,457	16,249	3,101	2,414	1,977	2,169	1,666	1,220	–	1,734
1934	63,767	15,825	3,237	2,431	2,072	2,190	1,775	1,233	–	1,740
1935	62,416	12,371	2,811	2,086	1,790	1,857	1,501	1,630	–	1,468
1936	61,184	12,117	2,688	2,044	1,669	1,742	1,545	1,658	–	1,552
1937	61,272	12,101	2,862	1,971	1,690	1,784	1,472	1,636	–	1,427
1938	62,382	11,943	2,822	1,989	1,709	1,822	1,467	1,719	–	1,496
1939	62,575	11,965	2,784	1,930	1,699	1,832	1,400	1,656	–	1,493
1940	65,369	12,429	2,920	2,040	1,806	1,906	1,490	1,755	–	1,473
1941	70,228	12,701	3,105	2,497	1,889	2,070	1,620	1,833	–	1,515
1942	83,371	15,063	3,824	2,950	2,354	2,362	2,047	2,092	–	1,823
1943	85,743	15,352	3,831	3,079	2,487	2,521	1,983	2,124	–	1,725
1944	78,140	14,264	3,354	2,763	2,234	2,251	1,773	1,867	–	1,645
1945	76,455	13,670	3,209	2,870	2,100	2,218	1,808	1,865	1,708	1,603
1946	96,903	16,902	4,200	3,535	2,539	2,859	2,311	2,461	2,161	2,222
1947	106,690	18,565	4,582	3,979	2,774	3,155	2,435	2,548	2,486	2,356
	BIRTH RATES PER 1,000 POPULATION: CENSUS YEARS 1920 TO 1945.									
1920	23.8	26.2	26.8	26.4	29.4	26.1	28.9	–	–	28.0
1925	20.8	23.9	22.8	23.8	25.8	24.5	25.2	–	–	24.5
1930	17.3	23.1	18.6	20.7	19.1	22.2	17.7	16.1	–	19.9
1935	14.3	15.1	14.8	13.9	15.2	15.7	13.6	16.2	–	14.7
1940	15.1	16.1	15.1	13.6	15.6	17.2	13.5	17.2	–	14.5
1945	16.9	17.8	16.1	17.8	18.3	12.0	16.4	17.6	16.1	15.8

[1] Allocated for the years 1935 to 1947, inclusive.

Table 48

LIVE BIRTHS BY SEX AND PARENT NATIVITY: 1900 TO 1947.

Years.	Population.	Sex.					Parent nativity.			
		Total number.	Males.	Females.	Unknown.	Males to 1,000 females.	Native.	Foreign.	Mixed.	Unknown.
1900	2,805,346	73,386	37,772	35,614	–	1,060	23,006	36,062	14,080	238
1901	2,849,047	71,976	37,004	34,972	–	1,058	22,516	35,370	13,847	243
1902	2,889,386	72,219	37,057	35,162	–	1,054	22,710	35,413	13,897	199
1903	2,929,725	73,584	38,210	35,374	–	1,080	22,941	36,346	14,174	123
1904	2,970,064	75,014	38,689	36,325	–	1,065	23,365	37,047	14,473	129
1905	3,015,872	75,022	38,484	36,538	–	1,080	23,785	37,085	14,021	131
1906	3,089,029	80,237	41,217	39,020	–	1,056	25,748	39,446	14,899	144
1907	3,162,186	85,001	43,486	41,515	–	1,047	26,561	43,004	15,324	112
1908	3,235,343	86,911	44,796	42,090	25	1,064	27,016	43,901	15,861	133
1909	3,308,500	84,039	43,339	40,679	21	1,061	26,525	42,596	14,785	133
1910	3,380,151	86,539	44,243	42,276	20	1,047	26,749	44,398	15,260	132
1911	3,446,079	88,327	45,352	42,961	14	1,056	27,390	45,741	15,054	142
1912	3,512,007	89,882	46,436	43,440	6	1,069	28,424	45,861	15,497	100
1913	3,577,935	91,644	47,099	44,541	4	1,057	29,387	46,737	15,430	90
1914	3,643,863	93,399	47,671	45,725	3	1,043	30,127	47,824	15,378	70
1915	3,709,792	93,155	47,786	45,363	6	1,053	31,325	46,347	15,401	82
1916	3,775,720	93,487	48,256	45,227	4	1,067	31,971	45,920	15,525	71
1917	3,841,648	95,731	49,017	46,714	–	1,049	34,129	45,753	15,786	63
1918	3,907,576	95,607	49,138	46,465	4	1,058	35,913	43,419	16,222	53
1919	3,835,614	87,827	44,713	43,113	1	1,037	33,295	39,194	15,302	36
1920	3,852,356	91,859	47,288	44,569	2	1,061	38,395	37,236	16,207	21
1921	3,885,836	92,207	47,414	44,791	2	1,059	39,254	36,553	16,378	22
1922	3,936,056	87,636	45,035	42,595	6	1,057	38,355	33,701	15,551	29
1923	3,969,536	89,210	45,631	43,572	7	1,047	40,035	33,049	16,106	20
1924	4,003,016	91,463	46,957	44,500	6	1,055	42,393	32,380	16,653	37
1925	4,144,205	86,014	44,082	41,930	2	1,051	40,905	28,968	16,112	29
1926	4,170,560 [1]	83,502	42,681	40,821	–	1,046	40,898	26,229	16,345	30
1927	4,191,644 [1]	82,273	42,270	40,003	–	1,057	41,722	24,294	16,214	43
1928	4,212,728 [1]	79,054	40,518	38,536	–	1,051	41,552	21,818	15,657	27
1929	4,233,812 [1]	74,122	38,125	35,994	–	1,059	39,783	19,299	15,026	14
1930	4,249,614	73,690	37,687	36,002	1	1,047	41,140	17,621	14,913	16
1931	4,275,969	69,385	35,534	33,850	1	1,050	40,384	14,946	14,051	4
1932	4,297,053	68,518	35,080	33,437	–	1,049	41,292	13,180	14,039	7
1933	4,318,137	63,457	32,462	30,995	–	1,047	39,907	10,818	12,716	16
1934	4,339,221	63,767	32,815	30,952	–	1,060	41,351	9,748	12,653	15
1935	4,350,910	62,416 [2]	32,117	30,299	–	1,060	41,837	8,565	12,009	5
1936	4,382,896	61,184 [2]	31,290	29,894	–	1,047	42,512	7,681	10,987	4
1937	4,404,220	61,272 [2]	31,623	29,649	–	1,067	43,497	6,472	11,299	4
1938	4,425,544	62,382 [2]	31,852	30,530	–	1,043	45,645	5,767	10,970	–
1939	4,446,868	62,575 [2]	32,048	30,527	–	1,050	47,233	4,977	10,364	1
1940	4,316,721	65,369 [2]	33,634	31,735	–	1,060	50,616	4,439	10,314	–
1941	4,325,106	70,228 [2]	35,861	34,367	–	1,043	55,863	3,938	10,425	2
1942	4,331,814	83,371 [2]	42,931	40,440	–	1,062	68,337	3,706	11,328	–
1943	4,338,530	85,743 [2]	44,291	41,452	–	1,068	70,884	3,385	11,471	3
1944	4,345,238	78,140 [2]	40,197	37,943	–	1,059	65,322	2,867	9,951	–
1945	4,511,866	76,455 [2]	39,484	36,970	1	1,068	64,659	2,407	9,385	4
1946	4,549,036	96,903 [2]	49,878	47,023	2	1,061	84,085	2,233	10,580	5
1947	4,586,206	106,690 [2]	55,074	51,615	1	1,067	93,395	2,019	11,273	3

[1] Revised figures.

[2] Allocated.

Table 49

Years.	Live Births: 1900 to 1947.					Stillbirths: 1900 to 1947.					
	Birth rate per 1,000 population.	Excess of births over deaths.[1]	Excess of births over deaths per 1,000 population.	Cases of plural births.[2]		Total number.	Per 1,000 live births.	Sex.			
				Twins.	Triplets.			Males.	Females.	Unknown.	Rate per 1,000 total births.
1900 . .	26.2	22,230	8.0	814	4	2,873	39	1,694	1,128	51	38
1901 . .	25.3	23,701	8.4	726	9	2,682	37	1,415	1,208	59	36
1902 . .	25.0	24,728	8.6	728	7	2,836	39	1,696	1,098	42	38
1903 . .	25.1	24,530	8.4	850	11	2,635	36	1,533	1,014	88	35
1904 . .	25.3	26,532	9.0	834	4	2,846	38	1,614	1,162	70	37
1905 . .	24.9	24,536	8.2	803	14	2,618	35	1,515	1,043	60	34
1906 . .	26.0	29,613	9.6	878	10	2,760	34	1,586	1,134	40	33
1907 . .	26.9	30,767	9.7	928	10	3,079	36	1,757	1,274	48	35
1908 . .	26.9	35,123	10.9	965	6	3,179	37	1,863	1,278	38	35
1909 . .	25.4	32,803	9.9	881	4	3,102	37	1,834	1,219	49	36
1910 . .	25.6	32,132	9.5	940	17	3,158	36	1,829	1,263	66	35
1911 . .	25.6	35,265	10.2	915	14	3,280	37	1,825	1,408	47	36
1912 . .	25.6	37,482	10.7	996	8	3,188	35	1,871	1,263	29	34
1913 . .	25.6	38,242	10.7	996	13	3,175	35	1,872	1,275	28	33
1914 . .	25.6	40,426	11.1	1,008	15	3,349	36	1,936	1,369	44	35
1915 . .	25.2	40,045	10.8	952	9	3,161	34	1,815	1,312	34	33
1916 . .	24.8	37,121	9.9	942	13	3,300	35	1,916	1,334	50	34
1917 . .	24.9	39,103	10.2	1,065	7	3,324	35	1,937	1,330	57	34
1918 . .	24.5	16,765	4.3	1,054	10	3,779	40	2,173	1,570	36	38
1919 . .	22.9	35,482	9.3	986	7	3,092	35	1,750	1,332	10	34
1920 . .	23.8	38,227	9.9	1,006	6	3,336	36	1,948	1,374	14	35
1921 . .	23.7	44,427	11.4	1,059	13	3,428	37	1,983	1,429	16	36
1922 . .	22.3	36,521	9.3	916	11	3,268	37	1,886	1,373	9	36
1923 . .	22.5	36,830	9.3	976	8	3,332	37	1,891	1,413	28	36
1924 . .	22.8	41,997	10.4	1,003	13	3,548	39	1,965	1,490	93	37
1925 . .	20.8	34,124	8.3	869	17	3,141	37	1,807	1,317	17	35
1926 . .	20.0[3]	30,614	7.3[3]	898	10	2,997	36	1,675	1,313	9	35
1927 . .	19.6[3]	32,949	7.8[3]	894	10	2,969	36	1,606	1,356	7	35
1928 . .	18.8[3]	27,612	6.6[3]	857	9	2,821	36	1,605	1,207	9	34
1929 . .	17.5[3]	21,951	5.2[3]	804	4	2,540	34	1,414	1,123	3	33
1930 . .	17.3	24,187	5.7	783	15	2,597	35	1,442	1,148	7	34
1931 . .	16.2	20,642	4.8	731	13	2,440	35	1,350	1,079	11	34
1932 . .	15.9	18,987	4.4	735	6	2,350	34	1,317	1,025	8	33
1933 . .	14.7	12,625	2.9	645	4	2,173	34	1,206	959	8	33
1934 . .	14.7	13,007	3.0	635	7	1,997	31	1,108	889	–	30
1935 . .	14.3[4]	12,782	2.9	612	5	1,886	30	1,000	885	1	29
1936 . .	14.0[4]	9,749	2.3	634	8	1,816	30	980	835	1	29
1937 . .	13.9[4]	9,533	2.2	622	2	1,744	28	987	757	–	28
1938 . .	14.1[4]	13,097	3.0	621	6	1,730	28	922	808	–	27
1939 . .	14.1[4]	12,283	2.8	651	6	1,765	28	949	816	–	27
1940 . .	15.1[4]	14,671	3.4	625	11	1,774	27	958	816	–	26
1941 . .	16.2[4]	19,772	4.5	721	9	1,768	25	933	835	–	25
1942 . .	19.2[4]	32,848	7.5	856	9	2,066	25	1,094	972	–	24
1943 . .	19.8[4]	31,332	7.2	800	9	2,016	24	1,080	936	–	23
1944 . .	18.0[4]	26,686	6.1	774	11	1,821	23	996	825	–	23
1945 . .	16.9[4]	25,692	5.7	758	8	1,748	23	917	831	–	22
1946 . .	21.3[4]	45,614	10.0	1,060	6	2,135	22	1,151	984	–	22
1947 . .	23.3[4]	55,107	12.0	1,030	8	2,123	20	1,137	986	–	20

[1] Exclusive of stillbirths. [2] There was one case of quadruplets in 1926. [3] Revised rate.
[4] Allocated.

MARRIAGE STATISTICS

	PAGE
Introduction	243, 244
Marriage registration	243
Source of data	243
Increase of marriages	243
Solemnization	243, 244
Accuracy	244
Purpose, marriage requirements	244
Statistical tables	245–254

INTRODUCTION.

Marriage Registration.—The public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth, but many City and Town Clerks co-operate by making periodic returns throughout the year. From 1841 to 1947, inclusive, there have been 5,424,846 marriages reported, recorded and tabulated in this department.

Source of Data. — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. Chapter 561, Acts of 1943 provides that in cases of persons, one or both of whom is in the armed forces, such notice may be given by either party, provided one is a resident. If a marriage is performed in a town other than the town issuing the license, a copy of the license is required to be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention has been filed, unless a court waives the requirement, the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses are required to be returned by the clergyman or magistrate to the office or offices issuing the same.

Decrease of Marriages. — There has been a decrease in marriages solemnized during the year 1947 from the number in 1946. For the year 1947, there were 49,803 marriages recorded as compared with 56,498 in 1946 and 38,197 in 1945.

Solemnization. — A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a non-resident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usages of their societies;

and it may be solemnized among the Baha'is, by the Chairman of an incorporated local spiritual assembly of the Baha'is according to the usage of their society; and a specified marriage may be performed by a non-resident clergyman commissioned by the Governor in accordance with the provisions of General Laws Chap. 207, Sec. 39; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

Chapter 273 of the Acts of 1946 provides for filing evidence of marriage of residents of Massachusetts who have been married in another State or without the United States, with the city or town clerk of their place of domicile at the time of the marriage.

Chapter 561 of the Acts of 1943 provides for premarital blood examination. Certificates of medical examinations must be presented by both parties to the intended marriage before the marriage certificate is issued. If the test is positive it does not prevent the marriage but the physician is required to inform the parties when the result is positive.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, copies have been prepared of the marriage laws and are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

Table 50

Counties and Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1947. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1947. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
The State.	49,803	44,691	980	1,918	2,214	23,554	3,298	14,747	8,204
Counties.									
Barnstable	456	414	5	15	22	176	49	106	125
Berkshire	1,457	1,344	15	41	57	817	71	366	203
Bristol	5,095	4,658	81	147	209	2,744	278	1,178	895
Dukes	45	41	1	1	2	12	1	11	21
Essex	5,301	4,814	77	160	250	2,614	432	1,569	686
Franklin	616	586	7	7	16	216	40	202	158
Hampden	4,171	3,827	67	115	162	2,052	261	1,297	561
Hampshire	888	842	9	15	22	308	45	341	194
Middlesex	9,850	8,891	187	432	340	3,715	716	3,639	1,780
Nantucket	26	25	–	1	–	15	–	4	7
Norfolk	3,485	3,071	75	169	170	1,100	236	1,352	797
Plymouth	1,804	1,630	24	67	83	793	142	533	336
Suffolk	10,704	9,155	335	563	651	5,743	656	2,521	1,784
Worcester	5,905	5,393	97	185	230	3,249	371	1,628	657
Municipalities.									
Abington	66	62	–	3	1	19	6	27	14
Acton	18	18	–	–	–	9	1	6	2
Acushnet	47	42	–	2	3	9	2	29	7
Adams	155	147	4	2	2	88	9	46	12
Agawam	74	70	1	1	2	12	9	37	16
Alford	2	2	–	–	–	–	2	–	–
Amesbury	99	91	1	–	7	47	9	29	14
Amherst	91	81	1	2	7	22	5	42	22
Andover	99	92	1	2	4	39	5	39	16
Arlington	179	155	7	6	11	33	17	89	40
Ashburnham	23	21	–	–	2	6	–	10	7
Ashby	16	15	1	–	–	3	–	2	11
Ashfield	8	7	–	1	–	2	1	3	2
Ashland	23	21	–	1	1	7	2	9	5
Athol	129	117	–	6	6	69	6	36	18
ATTLEBORO	265	244	1	9	11	141	10	73	41
Auburn	114	104	2	4	4	23	10	31	50
Avon	16	16	–	–	–	5	2	6	3
Ayer	45	40	1	2	2	16	2	14	13
Barnstable	150	134	2	5	9	56	17	41	36
Barre	40	40	–	–	–	22	2	8	8
Becket	2	2	–	–	–	–	–	–	2
Bedford	36	33	–	2	1	16	6	5	9
Belchertown	27	25	1	1	–	9	1	4	13
Bellingham	54	48	–	3	3	10	3	33	8
Belmont	224	203	1	16	4	47	8	96	73
Berkley	6	6	–	–	–	2	–	1	3
Berlin	37	33	–	1	3	3	2	2	30
Bernardston	10	10	–	–	–	–	1	2	7
BEVERLY	238	221	1	9	7	114	20	89	15
Billerica	80	78	–	2	–	29	3	34	14
Blackstone	63	59	1	–	3	11	4	37	11
Blandford	9	9	–	–	–	1	–	6	2
Bolton	2	2	–	–	–	1	1	–	–
BOSTON	9,742	8,317	303	524	598	5,396	599	2,197	1,550
Bourne	29	23	1	3	2	10	4	7	8
Boxborough	1	1	–	–	–	–	–	–	1
Boxford	8	7	–	–	1	1	–	2	5
Boylston	7	7	–	–	–	3	1	3	–
Braintree	168	160	1	3	4	64	14	56	34
Brewster	4	4	–	–	–	3	1	–	–
Bridgewater	61	59	1	1	–	18	12	22	9
Brimfield	18	16	1	–	1	3	2	2	11
BROCKTON	641	571	8	25	37	373	33	178	57
Brookfield	17	16	–	–	1	4	–	6	7
Brookline	805	685	35	38	47	111	65	245	384
Buckland	26	25	–	1	–	5	1	4	16
Burlington	22	22	–	–	–	4	2	13	3
CAMBRIDGE	1,253	1,098	39	62	54	423	113	467	250
Canton	55	47	1	4	3	21	3	27	4
Carlisle	3	3	–	–	–	–	–	1	2
Carver	8	8	–	–	–	1	2	2	3
Charlemont	9	9	–	–	–	2	1	3	3
Charlton	23	22	–	1	–	11	1	11	–
Chatham	18	17	–	1	–	10	2	4	2
Chelmsford	65	62	1	1	1	21	9	20	15
CHELSEA	405	350	21	13	21	173	25	121	86
Cheshire	20	19	–	–	1	2	2	8	8
Chester	6	5	–	–	1	2	2	–	2
Chesterfield	1	1	–	–	–	–	–	–	1
CHICOPEE	648	593	10	20	25	283	25	217	123
Chilmark	1	–	–	1	–	–	–	1	–

[1] Cities are printed in small CAPITALS.

Table 50

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1947. Nativity.					Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1947.			
	Total couples.	Bride and groom both—		Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
		Native.	Foreign.						
Clarksburg	–	–	–	–	–	–	–	–	–
Clinton	114	106	2	4	2	58	9	39	8
Cohasset	34	34	–	–	–	7	1	17	9
Colrain	9	8	–	–	1	4	1	3	1
Concord	80	76	–	3	1	23	7	36	14
Conway	8	8	–	–	–	2	–	3	3
Cummington	2	2	–	–	–	–	–	2	–
Dalton	53	51	–	–	2	16	5	26	6
Danvers	109	103	2	2	2	39	11	49	10
Dartmouth	72	69	–	1	2	20	8	29	15
Dedham	160	150	1	7	2	44	13	80	23
Deerfield	54	51	2	1	–	7	3	18	26
Dennis	13	12	–	–	1	3	1	5	4
Dighton	49	42	1	2	4	12	3	20	14
Douglas	25	25	–	–	–	9	3	8	5
Dover	4	4	–	–	–	1	–	2	1
Dracut	45	42	–	3	–	8	6	19	12
Dudley	7	6	–	–	1	1	2	1	3
Dunstable	3	3	–	–	–	3	–	–	–
Duxbury	17	13	–	1	3	3	–	8	6
East Bridgewater	39	37	–	1	1	12	4	17	6
East Brookfield	24	24	–	–	–	4	–	8	12
East Longmeadow	33	29	–	1	3	6	3	14	10
Eastham	2	2	–	–	–	1	–	1	–
Easthampton	126	121	–	4	1	48	8	54	16
Easton	65	58	2	4	1	18	5	28	14
Edgartown	12	11	–	–	1	3	–	3	6
Egremont	6	6	–	–	–	1	3	–	2
Erving	13	11	–	–	2	1	–	3	9
Essex	6	6	–	–	–	2	1	2	1
EVERETT	523	452	15	32	24	181	34	216	92
Fairhaven	115	99	3	8	5	36	11	53	15
FALL RIVER	1,502	1,400	20	43	39	1,067	53	309	73
Falmouth	94	85	1	5	3	48	9	22	15
FITCHBURG	543	490	10	31	12	349	23	139	32
Florida	–	–	–	–	–	–	–	–	–
Foxborough	39	37	–	2	–	20	4	13	2
Framingham	267	244	3	8	12	126	20	86	35
Franklin	107	97	2	6	2	48	5	50	4
Freetown	9	7	–	2	–	2	1	4	2
GARDNER	210	177	8	13	12	133	10	52	15
Gay Head	–	–	–	–	–	–	–	–	–
Georgetown	10	9	1	–	–	2	1	3	4
Gill	8	6	–	1	1	4	–	1	3
GLOUCESTER	241	223	3	2	13	164	17	40	20
Goshen	2	2	–	–	–	–	–	1	1
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	91	82	3	2	4	18	6	39	28
Granby	3	3	–	–	–	1	–	2	–
Granville	6	6	–	–	–	1	–	1	4
Great Barrington	100	89	2	1	8	37	2	27	34
Greenfield	226	217	4	1	4	102	14	75	35
Groton	15	13	–	1	1	4	–	5	6
Groveland	30	27	–	–	3	7	1	14	8
Hadley	35	32	1	1	1	6	1	16	12
Halifax	17	15	–	1	1	3	2	4	8
Hamilton	30	28	–	1	1	7	4	12	7
Hampden	4	4	–	–	–	–	–	3	1
Hancock	–	–	–	–	–	–	–	–	–
Hanover	41	37	1	3	–	7	8	10	16
Hanson	14	12	–	–	2	6	5	2	1
Hardwick	20	18	1	–	1	5	3	9	3
Harvard	10	7	1	–	2	4	–	1	5
Harwich	27	25	–	1	1	6	2	4	15
Hatfield	21	21	–	–	–	4	2	12	3
HAVERHILL	439	400	1	16	22	284	27	108	20
Hawley	1	1	–	–	–	1	–	–	–
Heath	3	3	–	–	–	–	1	–	2
Hingham	71	62	2	4	3	14	7	41	9
Hinsdale	8	8	–	–	–	2	2	4	–
Holbrook	24	22	–	2	–	7	4	9	4
Holden	35	32	–	2	1	8	2	16	9
Holland	5	5	–	–	–	1	–	1	3
Holliston	18	18	–	–	–	3	3	7	5
HOLYOKE	615	561	13	13	28	319	34	222	40
Hopedale	40	34	–	3	3	7	–	23	10
Hopkinton	23	22	–	–	1	8	3	11	1
Hubbardston	5	5	–	–	–	1	–	2	2

[1] Cities are printed in small CAPITALS.

Table 50

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1947. Nativity.					Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1947.			
	Total couples.	Bride and groom both—		Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
		Native.	Foreign.						
Hudson	73	70	1	2	–	35	5	27	6
Hull	36	33	1	–	2	12	4	7	13
Huntington	12	11	–	–	1	1	1	3	7
Ipswich	82	77	1	–	4	33	7	31	11
Kingston	32	28	–	1	3	9	1	5	17
Lakeville	12	12	–	–	–	3	1	1	7
Lancaster	33	27	–	1	5	15	5	9	4
Lanesborough	4	3	–	1	–	–	1	1	2
LAWRENCE	1,063	966	17	37	43	586	98	259	120
Lee	41	40	–	1	–	17	–	15	9
Leicester	58	55	–	2	1	19	1	27	11
Lenox	35	30	1	2	2	10	4	12	9
LEOMINSTER	232	217	1	8	6	116	21	83	12
Leverett	6	6	–	–	–	2	–	3	1
Lexington	109	99	1	7	2	31	6	52	20
Leyden	3	3	–	–	–	–	–	2	1
Lincoln	11	9	–	2	–	2	–	4	5
Littleton	23	19	2	–	2	4	3	8	8
Longmeadow	42	40	–	–	2	2	6	25	9
LOWELL	1,110	1,033	13	25	39	668	78	264	100
Ludlow	65	62	1	–	2	27	4	27	7
Lunenburg	22	21	1	–	–	2	2	4	14
LYNN	1,130	1,007	25	50	48	661	82	293	94
Lynnfield	34	27	–	2	5	6	1	7	20
MALDEN	596	533	15	14	34	234	65	199	98
Manchester	25	21	2	–	2	9	1	8	7
Mansfield	66	58	1	2	5	23	10	29	4
Marblehead	79	72	–	4	3	25	8	33	13
Marion	13	12	–	–	1	2	2	4	5
MARLBOROUGH	182	170	2	6	4	106	11	60	5
Marshfield	27	23	2	2	–	9	4	9	5
Mashpee	1	1	–	–	–	–	–	1	–
Mattapoisett	19	18	–	–	1	3	1	9	6
Maynard	74	68	1	3	2	27	8	29	10
Medfield	25	22	1	–	2	10	2	9	4
MEDFORD	702	633	11	32	26	209	43	302	148
Medway	16	15	–	1	–	4	2	9	1
MELROSE	222	206	1	12	3	75	23	95	29
Mendon	9	9	–	–	–	4	1	3	1
Merrimac	49	45	1	–	3	3	4	10	32
Methuen	178	155	2	7	14	50	14	78	36
Middleborough	126	115	1	6	4	59	10	37	20
Middlefield	–	–	–	–	–	–	–	–	–
Middleton	24	23	–	–	1	4	2	9	9
Milford	213	201	1	4	7	118	17	68	10
Millbury	76	73	–	1	2	21	10	29	16
Millis	24	20	–	2	2	3	1	12	8
Millville	24	20	–	1	3	2	3	17	2
Milton	184	170	2	7	5	37	13	100	34
Monroe	–	–	–	–	–	–	–	–	–
Monson	61	59	–	–	2	15	4	21	21
Montague	125	120	–	1	4	50	6	46	23
Monterey	–	–	–	–	–	–	–	–	–
Montgomery	–	–	–	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	15	15	–	–	–	3	–	9	3
Nantucket	26	25	–	1	–	15	–	4	7
Natick	131	117	3	7	4	49	11	55	16
Needham	125	103	7	12	3	42	9	33	41
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	1,585	1,417	47	45	76	1,033	98	348	106
New Braintree	–	–	–	–	–	–	–	–	–
New Marlborough	5	5	–	–	–	2	–	2	1
New Salem	2	2	–	–	–	1	–	–	1
Newbury	15	15	–	–	–	–	2	5	8
NEWBURYPORT	159	150	1	1	7	69	20	43	27
NEWTON	697	628	13	29	27	227	34	285	151
Norfolk	12	9	–	2	1	5	–	3	4
NORTH ADAMS	293	272	1	9	11	178	15	78	22
North Andover	63	57	2	3	1	17	9	33	4
North Attleborough	115	110	–	3	2	46	8	36	25
North Brookfield	32	29	–	3	–	12	2	17	1
North Reading	16	14	–	–	2	9	–	5	2
NORTHAMPTON	271	263	3	1	4	132	6	109	24
Northborough	19	16	1	2	–	7	4	6	2
Northbridge	117	103	–	1	13	60	9	41	7
Northfield	20	19	–	–	1	5	2	8	5
Norton	60	52	1	1	6	13	3	16	28

[1] Cities are printed in small capitals.

Table 50

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1947. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1947. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Norwell	8	6	–	1	1	2	–	5	1
Norwood	170	138	7	11	14	69	8	77	16
Oak Bluffs	20	18	1	–	1	7	–	3	10
Oakham	–	–	–	–	–	–	–	–	–
Orange	58	54	1	1	2	23	7	19	9
Orleans	42	40	–	–	2	12	3	6	21
Otis	5	5	–	–	–	1	1	–	3
Oxford	45	41	1	–	3	19	5	15	6
Palmer	151	142	2	4	3	48	9	60	34
Paxton	6	6	–	–	–	1	–	3	2
PEABODY	272	249	11	5	7	110	22	97	43
Pelham	5	5	–	–	–	1	1	2	1
Pembroke	8	7	1	–	–	4	3	1	–
Pepperell	48	42	–	2	4	12	4	10	22
Peru	2	2	–	–	–	–	–	–	2
Petersham	14	13	–	–	1	2	–	7	5
Phillipston	3	3	–	–	–	2	–	1	–
PITTSFIELD	606	548	6	24	28	431	19	105	51
Plainfield	1	1	–	–	–	–	–	–	1
Plainville	12	11	–	1	–	2	1	6	3
Plymouth	174	154	1	11	8	101	11	31	31
Plympton	7	6	–	–	1	1	–	3	3
Princeton	8	8	–	–	–	–	–	6	2
Provincetown	28	25	1	–	2	17	4	3	4
QUINCY	736	633	16	39	48	369	52	255	60
Randolph	86	80	–	2	4	28	2	42	14
Raynham	18	17	–	1	–	1	4	1	12
Reading	128	119	1	4	4	59	10	47	12
Rehoboth	50	45	–	1	4	5	3	7	35
REVERE	422	365	9	22	26	134	24	130	134
Richmond	7	7	–	–	–	1	–	–	6
Rochester	2	2	–	–	–	1	–	–	1
Rockland	82	79	1	–	2	30	7	28	17
Rockport	36	34	–	1	1	17	4	7	8
Rowe	1	1	–	–	–	–	–	1	–
Rowley	15	15	–	–	–	5	2	6	2
Royalston	6	6	–	–	–	2	–	1	3
Russell	11	11	–	–	–	7	–	4	–
Rutland	8	8	–	–	–	–	2	5	1
SALEM	486	435	3	11	37	237	39	144	66
Salisbury	17	16	–	–	1	4	–	4	9
Sandisfield	11	11	–	–	–	1	–	–	10
Sandwich	20	20	–	–	–	1	3	6	10
Saugus	147	133	1	5	8	48	15	65	19
Savoy	–	–	–	–	–	–	–	–	–
Scituate	54	48	2	–	4	16	5	16	17
Seekonk	453	412	3	14	24	29	12	6	406
Sharon	49	45	–	–	4	12	2	6	29
Sheffield	19	18	–	–	1	8	1	7	3
Shelburne	14	14	–	–	–	3	–	6	5
Sherborn	12	11	–	–	1	2	–	7	3
Shirley	24	22	–	2	–	10	1	10	3
Shrewsbury	58	54	–	2	2	13	5	29	11
Shutesbury	–	–	–	–	–	–	–	–	–
Somerset	62	58	–	–	4	18	2	35	7
SOMERVILLE	882	785	25	52	20	382	61	340	99
South Hadley	155	144	2	5	4	30	11	43	71
Southampton	3	3	–	–	–	1	–	2	–
Southborough	14	14	–	–	–	1	4	4	5
Southbridge	222	210	3	4	5	115	14	74	19
Southwick	10	10	–	–	–	2	2	1	5
Spencer	73	70	–	1	2	39	5	23	6
SPRINGFIELD	1,936	1,759	30	67	80	1,134	133	484	185
Sterling	10	10	–	–	–	2	1	5	2
Stockbridge	18	18	–	–	–	6	1	7	4
Stoneham	100	94	1	4	1	37	7	51	5
Stoughton	77	72	–	3	2	34	4	37	2
Stow	6	6	–	–	–	3	1	1	1
Sturbridge	14	12	–	1	1	3	2	6	3
Sudbury	37	34	–	2	1	6	1	2	28
Sunderland	9	8	–	–	1	2	1	1	5
Sutton	13	10	–	1	2	3	1	6	3
Swampscott	84	77	1	1	5	16	5	37	26
Swansea	53	51	–	1	1	10	4	23	16
TAUNTON	467	437	2	8	20	251	35	119	62
Templeton	54	50	–	2	2	24	5	16	9
Tewksbury	40	35	1	4	–	14	1	14	11
Tisbury	9	9	–	–	–	2	–	3	4

[1] Cities are printed in small capitals.

Table 50

Municipalities.[1]	Marriages, Classified by Nativity of Bride and Groom, in Each County and Municipality: 1947. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, Classified by Residence of Bride and Groom, in Each County and Municipality: 1947. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	2	2	–	–	–	–	–	–	2
Townsend	27	26	–	–	1	9	3	5	10
Truro	2	1	–	–	1	1	–	–	1
Tyngsborough	148	137	1	6	4	14	2	5	127
Tyringham	–	–	–	–	–	–	–	–	–
Upton	24	22	1	–	1	11	1	8	4
Uxbridge	87	76	1	5	5	23	10	39	15
Wakefield	198	189	2	4	3	64	17	86	31
Wales	1	1	–	–	–	–	–	1	–
Walpole	76	68	–	5	3	22	2	36	16
WALTHAM	441	395	10	31	5	212	18	157	54
Ware	98	94	1	1	2	44	7	33	14
Wareham	97	91	1	1	4	39	8	24	26
Warren	34	33	–	–	1	10	3	20	1
Warwick	1	1	–	–	–	–	–	–	1
Washington	1	1	–	–	–	–	–	–	1
Watertown	399	341	9	28	21	110	32	161	96
Wayland	36	27	1	4	4	4	5	13	14
Webster	213	204	2	4	3	72	15	79	47
Wellesley	150	131	2	9	8	29	8	83	30
Wellfleet	13	12	–	–	1	2	1	2	8
Wendell	1	1	–	–	–	–	1	–	–
Wenham	5	5	–	–	–	2	–	2	1
West Boylston	34	33	1	–	–	5	3	12	14
West Bridgewater	24	23	–	1	–	9	1	11	3
West Brookfield	9	9	–	–	–	1	2	3	3
West Newbury	12	11	–	1	–	3	1	2	6
West Springfield	203	190	5	3	5	77	11	88	27
West Stockbridge	11	11	–	–	–	1	–	6	4
West Tisbury	3	3	–	–	–	–	1	1	1
Westborough	47	45	–	1	1	20	2	22	3
WESTFIELD	254	238	4	6	6	106	14	74	60
Westford	37	35	–	2	–	13	2	17	5
Westhampton	8	8	–	–	–	1	–	5	2
Westminster	7	6	–	1	–	2	–	2	3
Weston	25	22	2	1	–	–	4	11	10
Westport	36	34	–	–	2	8	6	12	10
Westwood	19	18	–	1	–	3	–	11	5
Weymouth	218	201	–	7	10	84	14	85	35
Whately	1	1	–	–	–	–	–	1	–
Whitman	108	97	2	5	4	37	5	31	35
Wilbraham	19	17	–	–	2	6	3	9	1
Williamsburg	23	22	–	–	1	7	1	11	4
Williamstown	51	47	1	1	2	14	4	22	11
Wilmington	50	48	–	1	1	16	3	23	8
Winchendon	82	80	–	1	1	43	3	26	10
Winchester	135	124	3	4	4	20	11	74	30
Windsor	2	2	–	–	–	1	–	–	1
Winthrop	135	123	2	4	6	40	8	73	14
WOBURN	192	181	–	3	8	88	10	84	10
WORCESTER	2,406	2,172	56	72	106	1,710	128	431	137
Worthington	4	3	–	–	1	1	1	–	2
Wrentham	40	35	–	2	3	9	2	10	19
Yarmouth	13	13	–	–	–	6	2	4	1

[1] Cities are printed in small capitals.

Table 51

Age at Marriage.	Marriages, by Sex, Age, and Marital Condition: 1947. Both sexes.	Males. Total.	Males. Single.	Males. Widowed.	Males. Divorced.	Females. Total.	Females. Single.	Females. Widowed.	Females. Divorced.
The State									
13 Years and Over	**99,606**	**49,803**	**43,768**	**2,262**	**3,773**	**49,803**	**43,417**	**2,148**	**4,238**
Under 20 years	10,903	1,751	1,747	1	3	9,152	9,092	9	51
20 to 29 years	65,675	34,399	33,351	99	949	31,276	29,147	439	1,690
30 to 39 years	14,945	8,858	7,032	302	1,524	6,087	4,053	496	1,538
40 to 49 years	4,648	2,584	1,254	495	835	2,064	868	495	701
50 to 59 years	2,242	1,360	313	674	373	882	194	475	213
60 to 69 years	956	668	61	525	82	288	53	196	39
70 to 79 years	220	169	10	152	7	51	8	37	6
80 years and over	17	14	–	14	–	3	2	1	–

Line No.	Table 52 Months.	Marriages, by Months in Counties: The State. Total number.	Average daily number.	Counties. Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.
1	**The Year**	**49,803**	**136**	**456**	**1,457**	**5,095**	**45**	**5,301**	**616**	**4,171**	**888**	**9,850**
2	January	3,006	97	28	80	325	4	337	38	228	39	567
3	February	3,413	122	36	89	355	5	356	48	290	52	645
4	March	1,751	56	17	45	145	2	189	16	111	28	335
5	April	4,711	157	37	129	511	1	512	58	368	89	1,038
6	May	4,177	135	36	135	436	2	413	55	431	96	795
7	June	7,942	265	66	210	791	7	868	92	652	129	1,631
8	July	3,598	116	39	138	409	5	408	46	264	84	638
9	August	4,528	146	40	144	395	7	456	69	381	83	874
10	September	5,346	178	57	157	592	3	536	62	468	87	1,085
11	October	4,514	146	50	148	419	3	512	52	398	93	913
12	November	4,637	155	37	135	518	5	488	57	441	80	904
13	December	2,180	70	13	47	199	1	226	23	139	28	425

Line No.	Table 53 Counties and Sex.	Marriages in Each County, All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.									
1	**Grooms**	**49,803**	–	–	2	23	117	439	1,170	20,327
2	**Brides**	**49,803**	–	13	79	435	1,274	3,064	4,287	21,930
	Barnstable:									
3	Grooms	456	–	–	–	1	2	10	13	202
4	Brides	456	–	–	3	9	24	48	44	175
	Berkshire:									
5	Grooms	1,457	–	–	–	–	6	15	37	620
6	Brides	1,457	–	–	1	16	39	115	139	643
	Bristol:									
7	Grooms	5,095	–	–	1	2	21	66	138	2,209
8	Brides	5,095	–	2	4	56	180	358	505	2,192
	Dukes:									
9	Grooms	45	–	–	–	–	–	1	–	23
10	Brides	45	–	–	–	2	1	2	3	19
	Essex:									
11	Grooms	5,301	–	–	–	2	15	48	124	2,164
12	Brides	5,301	–	2	9	46	142	305	447	2,363
	Franklin:									
13	Grooms	616	–	–	–	–	1	6	14	255
14	Brides	616	–	–	2	14	18	50	54	266
	Hampden:									
15	Grooms	4,171	–	–	–	–	10	27	107	1,795
16	Brides	4,171	–	2	6	31	109	288	363	1,885
	Hampshire:									
17	Grooms	888	–	–	–	1	1	7	33	359
18	Brides	888	–	–	1	13	24	71	89	365
	Middlesex:									
19	Grooms	9,850	–	–	1	4	14	71	240	4,061
20	Brides	9,850	–	1	9	81	219	533	843	4,540
	Nantucket:									
21	Grooms	26	–	–	–	–	–	–	3	10
22	Brides	26	–	–	–	–	–	6	4	8
	Norfolk:									
23	Grooms	3,485	–	–	–	–	5	24	64	1,363
24	Brides	3,485	–	–	2	21	58	153	268	1,608
	Plymouth:									
25	Grooms	1,804	–	–	–	–	6	18	54	743
26	Brides	1,804	–	1	8	22	61	132	168	783
	Suffolk:									
27	Grooms	10,704	–	–	–	8	26	90	211	3,943
28	Brides	10,704	–	4	23	77	215	593	792	4,466
	Worcester:									
29	Grooms	5,905	–	–	–	5	10	56	132	2,580
30	Brides	5,905	–	1	11	47	184	410	568	2,617

AND IN CITIES HAVING OVER 100,000 INHABITANTS: 1947.

Line No.	COUNTIES — Con.					CITIES HAVING OVER 100,000 INHABITANTS.								
	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.	Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Lynn.	Somerville.	Lowell.
1	**26**	**3,485**	**1,804**	**10,704**	**5,905**	**9,742**	**2,406**	**1,936**	**1,502**	**1,253**	**1,585**	**1,130**	**882**	**1,110**
2	3	211	123	690	333	615	140	123	99	74	89	76	53	54
3	1	225	109	796	406	729	164	137	105	89	115	81	67	57
4	2	149	74	484	154	451	80	55	34	39	38	54	32	24
5	1	279	139	972	577	886	232	165	168	124	152	105	86	134
6	2	240	169	782	585	711	238	212	147	89	132	93	71	116
7	3	657	275	1,630	931	1,470	373	266	221	224	289	165	148	189
8	1	198	145	764	459	699	194	143	114	96	134	101	56	65
9	3	349	189	992	546	911	216	166	108	81	105	87	73	115
10	5	367	191	1,110	626	1,001	270	205	180	148	196	111	98	115
11	3	306	162	952	503	857	208	198	125	104	123	102	81	97
12	1	304	139	958	570	877	198	199	151	114	157	100	76	105
13	1	200	89	574	215	535	93	67	50	71	55	55	41	39

Line No.	BY SEX AND AGE: 1947.											
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	**14,072**	**6,037**	**2,821**	**1,544**	**1,040**	**787**	**573**	**425**	**243**	**118**	**51**	**14**
2	**9,346**	**3,955**	**2,132**	**1,239**	**825**	**508**	**374**	**184**	**104**	**42**	**9**	**3**
3	107	34	25	14	15	12	6	5	3	3	3	1
4	65	30	12	11	18	6	4	3	1	2	1	–
5	396	162	89	46	26	18	13	15	10	2	1	1
6	253	112	52	30	22	14	9	5	5	2	–	–
7	1,342	551	293	163	103	72	55	45	11	16	7	–
8	886	378	201	129	89	44	35	14	15	5	2	–
9	7	3	2	4	1	1	–	1	1	1	–	–
10	10	1	4	–	1	–	–	1	1	–	–	–
11	1,506	632	305	165	106	72	54	39	40	20	6	3
12	981	427	223	120	90	59	39	22	16	6	2	2
13	182	66	29	17	12	9	9	6	7	2	1	–
14	111	33	23	8	14	11	6	2	3	1	–	–
15	1,197	466	208	123	69	67	45	37	9	8	3	–
16	755	318	163	92	56	43	35	18	7	–	–	–
17	242	121	47	26	20	7	6	9	5	2	2	–
18	164	70	31	30	10	10	5	2	2	–	1	–
19	2,874	1,204	509	253	196	154	107	94	43	19	8	4
20	1,847	730	411	253	160	85	73	39	14	10	1	1
21	7	2	2	1	–	–	–	–	1	–	–	–
22	5	1	2	–	–	–	–	–	–	–	–	–
23	1,035	430	218	116	77	52	41	28	18	8	5	1
24	706	287	164	87	59	29	26	9	6	2	–	–
25	485	205	89	56	43	39	29	20	11	3	1	2
26	281	138	73	47	34	25	16	12	3	–	–	–
27	3,026	1,499	716	414	272	199	130	80	58	21	9	2
28	2,213	984	555	325	199	123	77	28	18	10	2	–
29	1,666	662	289	146	106	85	78	46	26	13	5	–
30	1,069	446	218	107	73	59	49	29	13	4	–	–

Table 54

MARRIAGES, BY SEX AND AGE: 1947.

Age of Grooms.	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
	AGE OF BRIDES.														
All Ages.	49,803	9,152	21,930	9,346	3,955	2,132	1,239	825	508	374	184	104	42	9	3
Under 20 . .	1,751	1,272	458	17	4	–	–	–	–	–	–	–	–	–	–
20 to 24 . .	20,327	6,369	12,193	1,522	195	37	9	1	–	1	–	–	–	–	–
25 to 29 . .	14,072	1,285	7,341	4,442	818	146	24	11	4	–	1	–	–	–	–
30 to 34 . .	6,037	171	1,523	2,331	1,462	455	78	13	2	1	1	–	–	–	–
35 to 39 . .	2,821	44	300	710	873	640	200	46	5	3	–	–	–	–	–
40 to 44 . .	1,544	6	80	207	356	442	313	103	29	6	2	–	–	–	–
45 to 49 . .	1,040	3	23	67	150	236	257	202	77	19	5	1	–	–	–
50 to 54 . .	787	1	8	23	62	115	200	187	121	56	6	6	2	–	–
55 to 59 . .	573	–	4	18	25	37	102	148	115	86	26	9	3	–	–
60 to 64 . .	425	1	–	6	7	14	38	78	89	120	54	15	2	–	1
65 to 69 . .	243	–	–	2	3	8	17	23	38	57	54	29	10	1	1
70 to 74 . .	118	–	–	1	–	2	1	10	20	19	17	27	18	3	–
75 to 79 . .	51	–	–	–	–	–	–	2	8	4	14	13	5	5	–
80 and over .	14	–	–	–	–	–	–	1	–	2	4	4	2	–	1

Table 55

FIRST MARRIAGES, BY SEX AND AGE: 1947.

Age of Grooms (Bachelors).	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
	AGE OF BRIDES (MAIDS).														
All Ages.	40,466	8,898	20,369	7,400	2,362	917	310	128	44	24	7	6	1	–	–
Under 20 . .	1,727	1,269	444	12	2	–	–	–	–	–	–	–	–	–	–
20 to 24 . .	19,471	6,272	11,768	1,286	121	20	3	1	–	–	–	–	–	–	–
25 to 29 . .	12,301	1,194	6,713	3,772	536	73	8	1	3	–	1	–	–	–	–
30 to 34 . .	4,366	131	1,222	1,773	980	231	26	2	1	–	–	–	–	–	–
35 to 39 . .	1,556	28	183	436	509	319	69	10	2	–	–	–	–	–	–
40 to 44 . .	562	2	28	86	154	167	97	24	3	1	–	–	–	–	–
45 to 49 . .	272	1	8	18	45	73	70	46	10	1	–	–	–	–	–
50 to 54 . .	124	1	1	9	14	28	31	21	14	4	1	–	–	–	–
55 to 59 . .	50	–	2	6	–	4	4	17	6	8	1	2	–	–	–
60 to 64 . .	22	–	–	2	–	1	1	5	3	8	2	–	–	–	–
65 to 69 . .	10	–	–	–	1	–	1	1	1	2	2	2	–	–	–
70 to 74 . .	4	–	–	–	–	1	–	–	–	–	–	2	1	–	–
75 to 79 . .	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
80 and over .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 56

FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1947.

Age of Grooms (Bachelors).	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
	AGE OF BRIDES (WIDOWS).[1]														
All Ages.	3,302	47	685	942	664	438	249	143	75	38	9	8	3	1	–
Under 20 . .	20	2	13	3	2	–	–	–	–	–	–	–	–	–	–
20 to 24 . .	633	28	310	207	68	14	5	–	–	1	–	–	–	–	–
25 to 29 . .	946	14	266	392	198	54	13	8	1	–	–	–	–	–	–
30 to 34 . .	699	3	71	246	215	125	32	5	1	1	–	–	–	–	–
35 to 39 . .	411	–	18	63	119	126	64	18	1	2	–	–	–	–	–
40 to 44 . .	274	–	7	23	39	78	75	32	16	3	1	–	–	–	–
45 to 49 . .	146	–	–	5	13	27	30	45	17	7	2	–	–	–	–
50 to 54 . .	96	–	–	2	8	8	20	23	21	12	1	1	–	–	–
55 to 59 . .	43	–	–	1	2	5	6	8	13	6	1	1	–	–	–
60 to 64 . .	16	–	–	–	–	–	4	3	3	5	–	–	1	–	–
65 to 69 . .	13	–	–	–	–	1	–	1	1	1	4	3	1	1	–
70 to 74 . .	4	–	–	–	–	–	–	–	1	–	–	2	1	–	–
75 to 79 . .	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
80 and over .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Includes divorced.

Table 57

REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1947.

Age of Grooms. (Widowers).[1]	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.	**2,951**	**194**	**729**	**649**	**457**	**317**	**259**	**171**	**82**	**44**	**28**	**12**	**6**	**1**	**2**
Under 20	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–
20 to 24	180	66	91	20	3	–	–	–	–	–	–	–	–	–	–
25 to 29	594	73	299	175	38	7	1	1	–	–	–	–	–	–	–
30 to 34	582	35	197	192	120	29	6	2	–	–	1	–	–	–	–
35 to 39	456	13	82	145	116	80	17	3	–	–	–	–	–	–	–
40 to 44	340	4	38	65	90	78	50	13	2	–	–	–	–	–	–
45 to 49	255	2	13	29	48	60	66	24	13	–	–	–	–	–	–
50 to 54	184	–	6	7	20	39	50	38	14	7	1	2	–	–	–
55 to 59	158	–	2	9	17	13	41	46	22	4	1	2	1	–	–
60 to 64	96	1	–	3	4	7	16	25	17	16	6	–	–	–	1
65 to 69	55	–	–	2	1	4	11	11	5	9	6	5	1	–	–
70 to 74	29	–	–	1	–	–	1	6	7	4	5	3	1	1	–
75 to 79	14	–	–	–	–	–	–	1	2	3	5	–	3	–	–
80 and over	6	–	–	–	–	–	–	1	–	1	3	–	–	–	1

[1] Includes divorced.

Table 58

REMARRIAGES OF BOTH PARTIES, BY AGE: 1947.

Age of Grooms (Widowers).[1]	Age of brides (widows).[1] All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.	**3,084**	**13**	**147**	**355**	**472**	**460**	**421**	**383**	**307**	**268**	**140**	**78**	**32**	**7**	**1**
Under 20	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
20 to 24	43	3	24	9	3	3	1	–	–	–	–	–	–	–	–
25 to 29	231	4	63	103	46	12	2	1	–	–	–	–	–	–	–
30 to 34	390	2	33	120	147	70	14	4	–	–	–	–	–	–	–
35 to 39	398	3	17	66	129	115	50	15	2	1	–	–	–	–	–
40 to 44	368	–	7	33	73	119	91	34	8	2	1	–	–	–	–
45 to 49	367	–	2	15	44	76	91	87	37	11	3	1	–	–	–
50 to 54	383	–	1	5	20	40	99	105	72	33	3	3	2	–	–
55 to 59	322	–	–	2	6	15	51	77	74	68	23	4	2	–	–
60 to 64	291	–	–	1	3	6	17	45	66	91	46	15	1	–	–
65 to 69	165	–	–	–	1	3	5	10	31	45	42	19	8	–	1
70 to 74	81	–	–	–	–	1	–	4	12	15	12	20	15	2	–
75 to 79	35	–	–	–	–	–	–	1	5	1	9	12	2	5	–
80 and over	8	–	–	–	–	–	–	–	–	1	1	4	2	–	–

[1] Includes divorced.

Table 59

FIRST MARRIAGES AND REMARRIAGES: 1947.

Grooms.	Brides. Total number of marriages.	First marriage.	Second marriage.	Third marriage.	Fourth marriage.	Fifth marriage.
Total number	**49,803** [1]	**43,417**	**5,915**	**449**	**21**	–
First marriage	43,768	40,466	3,150	144	8	–
Second marriage	5,608	2,809	2,547	242	10	–
Third marriage	403 [1]	135	210	54	3	–
Fourth marriage	24	7	8	9	–	–
Fifth marriage	–	–	–	–	–	–

[1] Includes 1 sixth marriage.

Table 60

Years.	Marriages, Marriage Rates, and Nativity of Persons Married: 1922 to 1947.						
	Total Number.	Rates — Persons married per 1,000 population.		Nativity — Percentages.			
		Annual.	Five-year averages.	Bride and groom — both — Native.	Bride and groom — both — Foreign.	Native groom and foreign bride.	Foreign groom and native bride.
1922	32,683	16.6		57.3	21.5	9.3	11.9
1923	35,200	17.7	16.5	57.2	20.7	9.8	12.3
1924	32,080	16.0		57.4	20.0	9.6	13.0
1925	31,238	15.1		58.0	19.0	9.7	13.3
1926	30,584	14.5		59.2	17.6	9.8	13.4
1927	30,408	14.2		60.7	16.6	9.2	13.5
1928	29,082	13.4	13.8	62.3	14.7	9.2	13.8
1929	30,568	14.0		63.3	13.9	9.6	13.2
1930	27,431	12.9		65.4	12.6	9.0	13.0
1931	26,296	12.3		67.2	11.3	9.0	12.5
1932	22,817	10.6		68.8	10.1	8.6	12.5
1933	25,949	12.0	12.5	71.4	8.5	8.1	12.0
1934	30,241	13.9		74.0	7.3	7.7	11.0
1935	30,019	13.8		75.4	6.1	8.3	10.2
1936	31,985	13.7		76.7	6.3	7.3	9.7
1937	33,652	15.3		79.1	5.0	6.8	9.1
1938	31,904	14.4	16.3	80.4	4.7	5.8	9.1
1939	38,784	17.4		82.3	3.9	5.8	8.0
1940	44,836	20.8		83.5	3.4	5.6	7.5
1941	52,992	24.5		85.6	2.9	5.0	6.5
1942	48,098	22.2		86.4	2.7	4.7	6.2
1943	37,232	17.2		86.2	3.1	4.3	6.4
1944	34,681	16.0	19.9	86.1	2.9	4.3	6.7
1945	38,197	19.7		87.5	2.5	4.1	5.9
1946	56,498	24.8		89.2	1.8	3.9	5.1
1947	49,803	21.7		89.7	2.0	3.9	4.4

Table 61

Years.	Marriages and Marriage Rates in the State and in Cities having over 100,000 Inhabitants in 1945: 1922 to 1947.									
	The State.	Cities having over 100,000 inhabitants in 1945.								
		Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Somerville.	Lynn.	Lowell.
1922	32,683	7,816	1,414	1,104	1,070	1,350	1,176	–	–	895
1923	35,200	8,243	1,505	1,181	1,164	1,340	1,255	–	–	1,004
1924	32,080	7,688	1,375	1,148	1,093	1,114	978	–	–	880
1925	31,238	7,263	1,420	1,080	1,015	1,052	1,028	–	–	843
1926	30,584	7,151	1,287	1,024	1,062	1,027	912	–	–	795
1927	30,408	6,944	1,240	904	963	1,106	842	–	–	771
1928	29,082	6,691	1,195	1,012	986	848	659	–	–	737
1929	30,568	6,828	1,378	1,044	1,039	925	860	–	–	767
1930	27,431	6,238	1,122	983	1,008	831	698	666	–	648
1931	26,296	5,863	1,027	787	948	937	660	638	–	625
1932	22,817	5,193	840	659	769	769	528	492	–	582
1933	25,949	5,366	989	769	823	961	740	539	–	678
1934	30,241	6,288	1,318	991	958	1,085	912	621	–	739
1935	30,019	6,114	1,317	986	886	944	814	580	–	748
1936	31,985	6,415	1,447	997	977	1,060	984	628	–	850
1937	33,652	6,682	1,547	1,169	941	1,112	980	633	–	825
1938	31,904	6,299	1,390	1,161	887	1,017	842	630	–	795
1939	38,784	7,359	1,740	1,340	1,004	1,292	1,151	705	–	980
1940	44,836	8,429	2,020	1,682	1,491	1,219	1,291	786	–	1,075
1941	52,992	10,025	2,475	1,885	1,312	1,651	1,493	860	–	1,251
1942	48,098	9,976	2,194	1,757	1,467	1,307	1,365	881	–	1,023
1943	37,232	8,508	1,591	1,323	1,231	1,092	1,044	739	–	753
1944	34,681	7,849	1,417	1,279	1,131	1,031	958	721	–	788
1945	38,197	8,266	1,726	1,414	1,112	1,184	1,056	727	851	1,016
1946	56,498	10,985	2,609	2,169	1,474	1,805	1,732	1,067	1,182	1,355
1947	49,803	9,742	2,406	1,936	1,253	1,502	1,585	882	1,130	1,110
	Marriage Rates — Persons Married per 1,000 Population, Census Years: 1915 to 1945.									
1915	17.0	21.8	17.3	16.1	18.0	20.4	19.2	–	–	18.1
1920	19.8	22.8	20.1	21.7	22.8	25.8	21.9	–	–	23.2
1925	15.1	18.6	14.9	15.2	17.0	16.3	17.2	–	–	15.3
1930	12.9	16.0	11.5	13.1	17.7	14.4	12.4	12.8	–	12.9
1935	13.8	15.0	13.8	13.2	15.0	16.1	14.8	11.5	–	14.9
1940	20.8	21.9	20.9	24.9	22.0	25.8	23.4	15.4	–	21.2
1945	17.0	21.6	17.4	17.7	20.0	20.6	19.1	13.7	16.2	20.1

DIVORCE STATISTICS

	PAGE
Introduction	255, 256
Causes for divorce	255
Source of data	255
Applications for divorce	255
Contested cases	255
Number of divorces	255
Divorce rates	255, 256
Party to which granted	256
Divorces classified by causes	256
Annulment classified as divorce	256
Duration of marriages	256
Statistical tables	257–275

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of Chapter 208, Sections 1 and 2 of the General Laws, are as follows:—

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters. Under the provisions of General Laws, Tercentenary Edition, Chapter 208, the probate court now has concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1923 to 1947, the highest proportion of applications being granted in 1940 (90.7 per cent), and the lowest proportion in 1929 (71.1 per cent). During this entire period 86.5 per cent of all applications were granted, .6 per cent were refused, and 12.9 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1923 to 1947, only 29.1 per cent were contested. In 1947, of the 11,459 applications for divorce, only 3,879 or 33.9 per cent, were contested, and of the 9,840 divorces granted, 3,001 or 30.5 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (31.9 per cent) than for those granted to the husband (26.5 per cent).

Number of Divorces. — Divorces granted in 1947 numbered 9,840, a decrease of 231, or 2.3 per cent less than the number granted in 1946, and 3,085 more than the average number granted for the five-year period 1942 to 1946.

Divorce Rates. — The number of divorces granted per 100,000 population was 214.6 as compared with 221.4 in 1946, 151.4 in 1945, 145.3 in 1944 and 118.6 in 1943.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 66, page 272, for the census years 1920 to 1945. In this table the number of divorces shown for the census years 1920 to 1945 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole.

Party to Which Granted. — Almost three-fourths (74.9 per cent) of the total number of divorces in the period 1923 to 1947 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife, and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

The proportion of divorces granted to the wife fluctuated between 72.1 per cent in 1924, and 78.3 in 1941, as compared with 74.9 per cent for the entire period of 1923 to 1947.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have nearly doubled in the twenty-five year period 1923 to 1947, while the number of divorces granted for adultery has decreased almost one-quarter.

The most common ground on which divorce was granted by the courts was cruel and abusive treatment, which accounted for 54 per cent of all the divorces granted in the period 1923 to 1947, for 29.9 per cent of all those granted to the husband in this period, and for 62 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five year period 1923 to 1947, are shown in Table 68, page 273.

Annulled Cases. — Among the less important classes of cases appears the term "Annulments." In 2,229 cases, or 1.9 per cent of the total number of divorces granted during the period 1923 to 1947, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years libellants were married at the time of application for divorce has fluctuated between 11.6 years in 1944 and 9.6 years in 1947. The average number of years the libellants were married in 1947 was 9.6.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1947, 62.4 per cent made application for divorce before they had been married ten years, as compared with 63.2 in 1946, 55.1 in 1945, 51 in 1944, 52.4 in 1943 and 56.5 for the twenty-five year period 1923 to 1947.

Table 62

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
The State.	**11,459**[1]	**2,220**	**8,272**	**450**	**284**	**176**	**11**	**46**	**274**
Husband	3,263	1,004	1,837	340	78	–	3	1	140
Wife	8,196	1,216	6,435	110	206	176	8	45	134
Granted	9,840	2,073	6,897	389	264	163	10	44	244
Husband	2,508	905	1,248	286	66	–	2	1	120
Wife	7,332	1,168	5,649	103	198	163	8	43	124
Refused	59	3	51	4	–	1	–	–	1
Husband	27	3	20	4	–	–	–	–	1
Wife	32	–	31	–	–	1	–	–	–
Dismissed	1,560	144	1,324	57	20	12	1	2	29
Husband	728	96	569	50	12	–	1	–	19
Wife	832	48	755	7	8	12	–	2	10
Contested	3,879	415	3,234	136	57	25	3	9	70
Husband	1,165	207	826	105	26	–	1	–	45
Wife	2,714	208	2,408	31	31	25	2	9	25
Not contested	7,580	1,805	5,038	314	227	151	8	37	204
Husband	2,098	797	1,011	235	52	–	2	1	95
Wife	5,482	1,008	4,027	79	175	151	6	36	109
DURATION OF MARRIAGE.									
Less than 6 months	199	–	187	2	1	5	1	3	41
Husband	62	–	60	2	–	–	–	–	17
Wife	137	–	127	–	1	5	1	3	24
6 to 11 months	333	–	309	9	4	9	1	1	31
Husband	95	–	87	7	1	–	–	–	18
Wife	238	–	222	2	3	9	1	1	13
1 to 4 years	3,362	258	2,762	180	73	65	5	19	147
Husband	952	152	633	146	20	–	1	–	75
Wife	2,410	106	2,129	34	53	65	4	19	72
5 to 9 years	3,252	570	2,393	161	69	44	2	13	32
Husband	933	265	514	126	27	–	1	–	17
Wife	2,319	305	1,879	35	42	44	1	13	15
10 to 19 years	2,887	731	1,952	77	88	31	2	6	20
Husband	787	336	385	45	20	–	1	–	13
Wife	2,100	395	1,567	32	68	31	1	6	7
20 to 29 years	1,124	484	558	19	42	17	–	4	3
Husband	327	175	128	13	10	–	–	1	–
Wife	797	309	430	6	32	17	–	3	3
30 years and over	302	177	111	2	7	5	–	–	–
Husband	107	76	30	1	–	–	–	–	–
Wife	195	101	81	1	7	5	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years.	9.6	14.4	8.4	7.2	11.3	8.6	5.0	7.3	3.4

Number of Libels pending January 1, 1947	14,831
Number of Libels filed during the year 1947	11,681
Number of Divorces granted during the year 1947	9,840
Number of Divorces refused during the year 1947	59
Number of Libels contested during the year 1947	3,909
Number of Libels uncontested during the year 1947	8,032
Number of cases finally determined in 1947	12,847
Number of petitions for annulment in 1947	284

[1] Fifty-one libels were received from the Superior Court; twelve thousand, seven hundred and ninety-six from the Probate Court. Four libels transferred. Two petitions for affirmation of marriage. Five decrees vacated. Twelve libels discontinued. Three libels dismissed under Rule 87 of the Superior Court and one thousand, three hundred and sixty-two libels and ten petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 62a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Barnstable County.	161[1]	40	116	5	–	–	–	–	3
Husband	55	18	33	4	–	–	–	–	2
Wife	106	22	83	1	–	–	–	–	1
Granted	152	40	107	5	–	–	–	–	3
Husband	51	18	29	4	–	–	–	–	2
Wife	101	22	78	1	–	–	–	–	1
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	9	–	9	–	–	–	–	–	–
Husband	4	–	4	–	–	–	–	–	–
Wife	5	–	5	–	–	–	–	–	–
Contested	25	3	20	2	–	–	–	–	1
Husband	7	2	4	1	–	–	–	–	1
Wife	18	1	16	1	–	–	–	–	–
Not contested	136	37	96	3	–	–	–	–	2
Husband	48	16	29	3	–	–	–	–	1
Wife	88	21	67	–	–	–	–	–	1
DURATION OF MARRIAGE.									
Less than 6 months	1	–	1	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	4	–	4	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
1 to 4 years	49	11	36	2	–	–	–	–	2
Husband	20	7	11	2	–	–	–	–	1
Wife	29	4	25	–	–	–	–	–	1
5 to 9 years	45	9	35	1	–	–	–	–	1
Husband	16	6	9	1	–	–	–	–	1
Wife	29	3	26	–	–	–	–	–	–
10 to 19 years	40	11	28	1	–	–	–	–	–
Husband	8	3	5	–	–	–	–	–	–
Wife	32	8	23	1	–	–	–	–	–
20 to 29 years	19	7	11	1	–	–	–	–	–
Husband	7	–	6	1	–	–	–	–	–
Wife	12	7	5	–	–	–	–	–	–
30 years and over	3	2	1	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years.	9.8	12.1	9.0	10.7	–	–	–	–	4.9

Number of Libels pending January 1, 1947	207
Number of Libels filed during the year 1947	172
Number of Divorces granted during the year 1947	152
Number of Divorces refused during the year 1947	–
Number of Libels contested during the year 1947	25
Number of Libels uncontested during the year 1947	136
Number of cases finally determined in 1947	171
Number of petitions for annulment in 1947	4

[1] No libels were received from the Superior Court; one hundred and seventy-one from the Probate Court. One libel transferred. Nine libels and one petition for annulment dismissed under Rule 43 of the Probate Court.

Table 62b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Berkshire County.	**335**[1]	**46**	**175**	**36**	**23**	**51**	**2**	**2**	**5**
Husband	89	25	24	31	9	–	–	–	2
Wife	246	21	151	5	14	51	2	2	3
Granted	283	43	135	31	21	49	2	2	4
Husband	70	22	14	26	8	–	–	–	1
Wife	213	21	121	5	13	49	2	2	3
Refused	25	1	20	3	–	1	–	–	1
Husband	8	1	4	3	–	–	–	–	1
Wife	17	–	16	–	–	1	–	–	–
Dismissed	27	2	20	2	2	1	–	–	–
Husband	11	2	6	2	1	–	–	–	–
Wife	16	–	14	–	1	1	–	–	–
Contested	117	10	80	12	5	10	–	–	1
Husband	32	7	10	12	3	–	–	–	–
Wife	85	3	70	–	2	10	–	–	1
Not contested	218	36	95	24	18	41	2	2	4
Husband	57	18	14	19	6	–	–	–	2
Wife	161	18	81	5	12	41	2	2	2
DURATION OF MARRIAGE.									
Less than 6 months	7	–	4	–	–	3	–	–	3
Husband	1	–	1	–	–	–	–	–	1
Wife	6	–	3	–	–	3	–	–	2
6 to 11 months	6	–	5	–	–	1	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	4	–	3	–	–	1	–	–	–
1 to 4 years	104	10	47	17	9	21	–	–	2
Husband	33	8	6	15	4	–	–	–	1
Wife	71	2	41	2	5	21	–	–	1
5 to 9 years	106	9	63	12	8	12	1	1	–
Husband	27	5	8	11	3	–	–	–	–
Wife	79	4	55	1	5	12	1	1	–
10 to 19 years	80	13	44	6	6	10	1	–	–
Husband	20	9	5	4	2	–	–	–	–
Wife	60	4	39	2	4	10	1	–	–
20 to 29 years	22	8	10	–	–	3	–	1	–
Husband	5	3	2	–	–	–	–	–	–
Wife	17	5	8	–	–	3	–	1	–
30 years and over	10	6	2	1	–	1	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	9	6	2	–	–	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	8.6	10.3	8.6	7.1	7.7	8.3	8.3	14.7	1.4

Number of Libels pending January 1, 1947	285
Number of Libels filed during the year 1947	345
Number of Divorces granted during the year 1947	283
Number of Divorces refused during the year 1947	25
Number of Libels contested during the year 1947	117
Number of Libels uncontested during the year 1947	218
Number of cases finally determined in 1947	379
Number of petitions for annulment in 1947	5

[1] No libels were received from the Superior Court; three hundred and seventy-nine from the Probate Court. Five libels discontinued. Thirty-nine libels dismissed under Rule 43 of the Probate Court.

Table 62c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Bristol County.	**1,044**[1]	**236**	**663**	**63**	**32**	**47**	**2**	**1**	**20**
Husband	295	113	119	51	10	–	2	–	11
Wife	749	123	544	12	22	47	–	1	9
Granted	899	218	550	56	29	44	1	1	15
Husband	235	100	82	45	7	–	1	–	7
Wife	664	118	468	11	22	44	–	1	8
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	145	18	113	7	3	3	1	–	5
Husband	60	13	37	6	3	–	1	–	4
Wife	85	5	76	1	–	3	–	–	1
Contested	47	11	30	5	1	–	–	–	6
Husband	28	9	13	5	1	–	–	–	4
Wife	19	2	17	–	–	–	–	–	2
Not contested	997	225	633	58	31	47	2	1	14
Husband	267	104	106	46	9	–	2	–	7
Wife	730	121	527	12	22	47	–	1	7
DURATION OF MARRIAGE.									
Less than 6 months	16	–	16	–	–	–	–	–	7
Husband	6	–	6	–	–	–	–	–	4
Wife	10	–	10	–	–	–	–	–	3
6 to 11 months	41	–	34	1	1	5	–	–	2
Husband	8	–	7	1	–	–	–	–	1
Wife	33	–	27	–	1	5	–	–	1
1 to 4 years	305	31	217	26	8	21	1	1	10
Husband	81	15	41	21	3	–	1	–	6
Wife	224	16	176	5	5	21	–	1	4
5 to 9 years	315	65	212	23	6	8	1	–	–
Husband	97	36	37	20	3	–	1	–	–
Wife	218	29	175	3	3	8	–	–	–
10 to 19 years	227	69	130	9	13	6	–	–	1
Husband	59	30	19	7	3	–	–	–	–
Wife	168	39	111	2	10	6	–	–	1
20 to 29 years	114	54	47	4	3	6	–	–	–
Husband	32	20	9	2	1	–	–	–	–
Wife	82	34	38	2	2	6	–	–	–
30 years and over	26	17	7	–	1	1	–	–	–
Husband	12	12	–	–	–	–	–	–	–
Wife	14	5	7	–	1	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years.	9.6	14.8	8.0	7.2	12.0	8.2	6.9	1.5	2.0

Number of Libels pending January 1, 1947	398
Number of Libels filed during the year 1947	1,012
Number of Divorces granted during the year 1947	899
Number of Divorces refused during the year 1947	—
Number of Libels contested during the year 1947	47
Number of Libels uncontested during the year 1947	997
Number of cases finally determined in 1947	1,158
Number of petitions for annulment in 1947	21

[1] No libels were received from the Superior Court; one thousand, one hundred and fifty-eight from the Probate Court. One hundred and fourteen libels and one petition for annulment dismissed under Rule 43 of the Probate Court.

Table 62d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Dukes County.	18[1]	3	15	–	–	–	–	–	–
Husband	7	2	5	–	–	–	–	–	–
Wife	11	1	10	–	–	–	–	–	–
Granted	18	3	15	–	–	–	–	–	–
Husband	7	2	5	–	–	–	–	–	–
Wife	11	1	10	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	2	–	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Not contested	16	3	13	–	–	–	–	–	–
Husband	6	2	4	–	–	–	–	–	–
Wife	10	1	9	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	8	1	7	–	–	–	–	–	–
Husband	3	1	2	–	–	–	–	–	–
Wife	5	–	5	–	–	–	–	–	–
5 to 9 years	6	2	4	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	5	1	4	–	–	–	–	–	–
10 to 19 years	2	–	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
20 to 29 years	2	–	2	–	–	–	–	–	–
Husband	2	–	2	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	7.9	6.7	8.1	–	–	–	–	–	–

Number of Libels pending January 1, 1947	16
Number of Libels filed during the year 1947	22
Number of Divorces granted during the year 1947	18
Number of Divorces refused during the year 1947	—
Number of Libels contested during the year 1947	2
Number of Libels uncontested during the year 1947	16
Number of cases finally determined in 1947	18
Number of petitions for annulment in 1947	—

[1] No libels were received from the Superior Court; eighteen from the Probate Court.

Table 62e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Essex County.	**1,297**[1]	**416**	**736**	**99**	**39**	**3**	**1**	**3**	**14**
Husband	300	177	45	68	10	–	–	–	8
Wife	997	239	691	31	29	3	1	3	6
Granted	1,190	395	662	88	39	2	1	3	10
Husband	258	165	25	58	10	–	–	–	4
Wife	932	230	637	30	29	2	1	3	6
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	107	21	74	11	–	1	–	–	4
Husband	42	12	20	10	–	–	–	–	4
Wife	65	9	54	1	–	1	–	–	–
Contested	115	17	74	21	3	–	–	–	2
Husband	46	12	17	16	1	–	–	–	1
Wife	69	5	57	5	2	–	–	–	1
Not contested	1,182	399	662	78	36	3	1	3	12
Husband	254	165	28	52	9	–	–	–	7
Wife	928	234	634	26	27	3	1	3	5
DURATION OF MARRIAGE.									
Less than 6 months	10	–	10	–	–	–	–	–	2
Husband	–	–	–	–	–	–	–	–	1
Wife	10	–	10	–	–	–	–	–	1
6 to 11 months	5	–	4	–	–	1	–	–	1
Husband	2	–	2	–	–	–	–	–	–
Wife	3	–	2	–	–	1	–	–	1
1 to 4 years	306	43	226	26	8	–	1	2	6
Husband	66	28	15	20	3	–	–	–	2
Wife	240	15	211	6	5	–	1	2	4
5 to 9 years	422	122	240	45	14	–	–	1	–
Husband	98	51	12	31	4	–	–	–	–
Wife	324	71	228	14	10	–	–	1	–
10 to 19 years	377	152	195	18	12	–	–	–	5
Husband	90	68	10	10	2	–	–	–	5
Wife	287	84	185	8	10	–	–	–	–
20 to 29 years	135	65	53	10	5	2	–	–	–
Husband	31	18	5	7	1	–	–	–	–
Wife	104	47	48	3	4	2	–	–	–
30 years and over	42	34	8	–	–	–	–	–	–
Husband	13	12	1	–	–	–	–	–	–
Wife	29	22	7	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.3	13.8	8.6	8.3	10.2	11.9	3.0	4.0	5.0

Number of Libels pending January 1, 1947	1,977
Number of Libels filed during the year 1947	1,114
Number of Divorces granted during the year 1947	1,190
Number of Divorces refused during the year 1947	—
Number of Libels contested during the year 1947	115
Number of Libels uncontested during the year 1947	1,182
Number of cases finally determined in 1947	1,468
Number of petitions for annulment in 1947	16

[1] No libels were received from the Superior Court; one thousand, four hundred and sixty-eight from the Probate Court. One hundred and seventy-one libels and two petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 62f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Franklin County.	**115**[1]	**18**	**70**	**11**	**10**	**5**	**1**	–	–
Husband	34	9	17	6	2	–	–	–	–
Wife	81	9	53	5	8	5	1	–	–
Granted	101	17	59	11	10	3	1	–	–
Husband	30	8	14	6	2	–	–	–	–
Wife	71	9	45	5	8	3	1	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	14	1	11	–	–	2	–	–	–
Husband	4	1	3	–	–	–	–	–	–
Wife	10	–	8	–	–	2	–	–	–
Contested	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Not contested	112	18	67	11	10	5	1	–	–
Husband	33	9	16	6	2	–	–	–	–
Wife	79	9	51	5	8	5	1	–	–
DURATION OF MARRIAGE.									
Less than 6 months	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	5	–	4	–	–	–	1	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	5	–	4	–	–	–	1	–	–
1 to 4 years	23	1	16	2	2	2	–	–	–
Husband	6	1	4	1	–	–	–	–	–
Wife	17	–	12	1	2	2	–	–	–
5 to 9 years	41	7	22	7	4	1	–	–	–
Husband	14	3	5	4	2	–	–	–	–
Wife	27	4	17	3	2	1	–	–	–
10 to 19 years	28	3	19	2	4	–	–	–	–
Husband	9	3	5	1	–	–	–	–	–
Wife	19	–	14	1	4	–	–	–	–
20 to 29 years	9	5	4	–	–	–	–	–	–
Husband	3	1	2	–	–	–	–	–	–
Wife	6	4	2	–	–	–	–	–	–
30 years and over	6	2	2	–	–	2	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	5	1	2	–	–	2	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years.	8.1	16.8	5.2	7.9	10.5	16.2	.8	–	–

Number of Libels pending January 1, 1947	152
Number of Libels filed during the year 1947	110
Number of Divorces granted during the year 1947	101
Number of Divorces refused during the year 1947	—
Number of Libels contested during the year 1947	3
Number of Libels uncontested during the year 1947	112
Number of cases finally determined in 1947	128
Number of petitions for annulment in 1947	—

[1] No libels were received from the Superior Court; one hundred and twenty-eight from the Probate Court. Thirteen libels dismissed under Rule 43 of the Probate Court.

Table 62g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampden County.	1,055[1]	157	833	28	24	4	2	7	47
Husband	310	72	217	17	3	–	–	1	27
Wife	745	85	616	11	21	4	2	6	20
Granted	917	145	712	25	24	3	2	6	42
Husband	237	62	156	15	3	–	–	1	24
Wife	680	83	556	10	21	3	2	5	18
Refused	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Dismissed	136	12	119	3	–	1	–	1	5
Husband	73	10	61	2	–	–	–	–	3
Wife	63	2	58	1	–	1	–	1	2
Contested	491	59	407	12	8	2	2	1	18
Husband	146	31	106	8	1	–	–	–	13
Wife	345	28	301	4	7	2	2	1	5
Not contested	564	98	426	16	16	2	–	6	29
Husband	164	41	111	9	2	–	–	1	14
Wife	400	57	315	7	14	2	–	5	15
DURATION OF MARRIAGE.									
Less than 6 months	8	–	8	–	–	–	–	–	2
Husband	2	–	2	–	–	–	–	–	1
Wife	6	–	6	–	–	–	–	–	1
6 to 11 months	15	–	15	–	–	–	–	–	3
Husband	2	–	2	–	–	–	–	–	1
Wife	13	–	13	–	–	–	–	–	2
1 to 4 years	311	9	275	12	8	1	2	4	29
Husband	90	7	73	9	1	–	–	–	15
Wife	221	2	202	3	7	1	2	4	14
5 to 9 years	298	38	242	10	3	3	–	2	11
Husband	93	18	67	7	1	–	–	–	8
Wife	205	20	175	3	2	3	–	2	3
10 to 19 years	273	52	207	5	9	–	–	–	2
Husband	72	27	44	1	–	–	–	–	2
Wife	201	25	163	4	9	–	–	–	–
20 to 29 years	117	44	67	1	4	–	–	1	–
Husband	39	17	20	–	1	–	–	1	–
Wife	78	27	47	1	3	–	–	–	–
30 years and over	33	14	19	–	–	–	–	–	–
Husband	12	3	9	–	–	–	–	–	–
Wife	21	11	10	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years.	9.5	13.9	8.8	6.5	10.8	4.8	2.5	6.3	3.4

Number of Libels pending January 1, 1947	879
Number of Libels filed during the year 1947	1,097
Number of Divorces granted during the year 1947	917
Number of Divorces refused during the year 1947	2
Number of Libels contested during the year 1947	491
Number of Libels uncontested during the year 1947	564
Number of cases finally determined in 1947	1,163
Number of petitions for annulment in 1947	47

[1] One libel was received from the Superior Court; one thousand, one hundred and sixty-two from the Probate Court. One libel discontinued. One hundred and seven libels dismissed under Rule 43 of the Probate Court.

Table 62h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampshire County.	**92**[1]	**30**	**47**	**5**	**9**	**1**	–	–	–
Husband	27	13	9	5	–	–	–	–	–
Wife	65	17	38	–	9	1	–	–	–
Granted	78	27	36	5	9	1	–	–	–
Husband	21	11	5	5	–	–	–	–	–
Wife	57	16	31	–	9	1	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	14	3	11	–	–	–	–	–	–
Husband	6	2	4	–	–	–	–	–	–
Wife	8	1	7	–	–	–	–	–	–
Contested	26	7	16	2	–	1	–	–	–
Husband	7	2	3	2	–	–	–	–	–
Wife	19	5	13	–	–	1	–	–	–
Not contested	66	23	31	3	9	–	–	–	–
Husband	20	11	6	3	–	–	–	–	–
Wife	46	12	25	–	9	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	3	–	2	1	–	–	–	–	–
Husband	3	–	2	1	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	23	4	17	1	1	–	–	–	–
Husband	5	2	2	1	–	–	–	–	–
Wife	18	2	15	–	1	–	–	–	–
5 to 9 years	31	9	16	3	2	1	–	–	–
Husband	9	3	3	3	–	–	–	–	–
Wife	22	6	13	–	2	1	–	–	–
10 to 19 years	18	8	7	–	3	–	–	–	–
Husband	6	4	2	–	–	–	–	–	–
Wife	12	4	5	–	3	–	–	–	–
20 to 29 years	10	5	3	–	2	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	8	3	3	–	2	–	–	–	–
30 years and over	7	4	2	–	1	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	5	2	2	–	1	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years.	10.9	15.0	8.3	4.9	14.7	6.0	–	–	–

Number of Libels pending January 1, 1947	153
Number of Libels filed furing the year 1947	106
Number of Divorces granted during the year 1947	78
Number of Divorces refused during the year 1947	—
Number of Libels contested during the year 1947	26
Number of Libels uncontested during the year 1947	66
Number of cases finally determined in 1947	103
Number of petitions for annulment in 1947	—

[1] Fifty libels were received from the Superior Court; fifty-three from the Probate Court. Three libels dismissed under Rule 87 of the Superior Court and eight libels dismissed under Rule 43 of the Probate Court.

Table 62i

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Middlesex County.	2,414[1]	470	1,866	72	42	11	–	13	52
Husband	670	203	404	53	10	–	–	–	25
Wife	1,744	267	1,402	19	32	11	–	13	27
Granted	2,040	437	1,483	64	35	8	–	13	41
Husband	488	181	257	45	5	–	–	–	19
Wife	1,552	256	1,226	19	30	8	–	13	22
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	374	33	323	8	7	3	–	–	11
Husband	182	22	147	8	5	–	–	–	6
Wife	192	11	176	–	2	3	–	–	5
Contested	1,153	135	963	36	14	1	–	4	18
Husband	310	60	218	26	6	–	–	–	10
Wife	843	75	745	10	8	1	–	4	8
Not contested	1,261	335	843	36	28	10	–	9	34
Husband	360	143	186	27	4	–	–	–	15
Wife	901	192	657	9	24	10	–	9	19
DURATION OF MARRIAGE.									
Less than 6 months	41	–	38	1	–	1	–	1	8
Husband	13	–	12	1	–	–	–	–	3
Wife	28	–	26	–	–	1	–	1	5
6 to 11 months	68	–	65	2	1	–	–	–	5
Husband	19	–	17	2	–	–	–	–	3
Wife	49	–	48	–	1	–	–	–	2
1 to 4 years	727	56	616	39	10	3	–	3	25
Husband	211	37	140	32	2	–	–	–	14
Wife	516	19	476	7	8	3	–	3	11
5 to 9 years	630	109	488	19	8	1	–	5	9
Husband	160	40	101	14	5	–	–	–	3
Wife	470	69	387	5	3	1	–	5	6
10 to 19 years	630	158	444	10	12	3	–	3	4
Husband	178	68	104	4	2	–	–	–	2
Wife	452	90	340	6	10	3	–	3	2
20 to 29 years	263	117	133	–	10	2	–	1	1
Husband	73	46	26	–	1	–	–	–	–
Wife	190	71	107	–	9	2	–	1	1
30 years and over	55	30	22	1	1	1	–	–	–
Husband	16	12	4	–	–	–	–	–	–
Wife	39	18	18	1	1	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	9.9	15.4	8.6	6.2	12.8	10.9	–	9.5	4.1

Number of Libels pending January 1, 1947	3,291
Number of Libels filed during the year 1947	2,323
Number of Divorces granted during the year 1947	2,040
Number of Divorces refused during the year 1947	—
Number of Libels contested during the year 1947	1,153
Number of Libels uncontested during the year 1947	1,261
Number of cases finally determined in 1947	2,724
Number of petitions for annulment in 1947	54

[1] No libels were received from the Superior Court; two thousand, seven hundred and twenty-four from the Probate Court. Three libels transferred. One petition for affirmation of marriage. Three hundred and six libels and two petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 62j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Nantucket County.	16[1]	3	13	–	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	14	2	12	–	–	–	–	–	–
Granted	14	3	11	–	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	12	2	10	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Contested	4	–	4	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
Not contested	12	3	9	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	11	2	9	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	4	1	3	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
5 to 9 years	4	–	4	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	4	–	4	–	–	–	–	–	–
10 to 19 years	5	–	5	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	4	–	4	–	–	–	–	–	–
20 to 29 years	3	2	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	2	1	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.8	15.3	10.9	–	–	–	–	–	–

Number of Libels pending January 1, 1947	17
Number of Libels filed during the year 1947	11
Number of Divorces granted during the year 1947	14
Number of Divorces refused during the year 1947	—
Number of Libels contested during the year 1947	4
Number of Libels uncontested during the year 1947	12
Number of cases finally determined in 1947	17
Number of petitions for annulment in 1947	—

[1] No libels were received from the Superior Court; seventeen from the Probate Court. One petition for affirmation of marriage.

Table 62k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Norfolk County.	710[1]	87	595	16	6	5	–	1	17
Husband	200	38	150	11	1	–	–	–	9
Wife	510	49	445	5	5	5	–	1	8
Granted	599	80	493	15	5	5	–	1	15
Husband	149	35	104	10	–	–	–	–	7
Wife	450	45	389	5	5	5	–	1	8
Refused	13	1	12	–	–	–	–	–	–
Husband	6	1	5	–	–	–	–	–	–
Wife	7	–	7	–	–	–	–	–	–
Dismissed	98	6	90	1	1	–	–	–	2
Husband	45	2	41	1	1	–	–	–	2
Wife	53	4	49	–	–	–	–	–	–
Contested	340	27	304	6	2	1	–	–	5
Husband	101	10	86	4	1	–	–	–	3
Wife	239	17	218	2	1	1	–	–	2
Not contested	370	60	291	10	4	4	–	1	12
Husband	99	28	64	7	–	–	–	–	6
Wife	271	32	227	3	4	4	–	1	6
DURATION OF MARRIAGE.									
Less than 6 months	11	–	11	–	–	–	–	–	1
Husband	2	–	2	–	–	–	–	–	1
Wife	9	–	9	–	–	–	–	–	–
6 to 11 months	27	–	27	–	–	–	–	–	4
Husband	6	–	6	–	–	–	–	–	2
Wife	21	–	21	–	–	–	–	–	2
1 to 4 years	190	14	166	5	1	3	–	1	8
Husband	49	5	39	5	–	–	–	–	4
Wife	141	9	127	–	1	3	–	1	4
5 to 9 years	216	16	192	6	1	1	–	–	3
Husband	63	7	51	5	–	–	–	–	2
Wife	153	9	141	1	1	1	–	–	1
10 to 19 years	186	32	147	4	2	1	–	–	–
Husband	50	14	36	–	–	–	–	–	–
Wife	136	18	111	4	2	1	–	–	–
20 to 29 years	64	19	42	1	2	–	–	–	1
Husband	22	9	11	1	1	–	–	–	–
Wife	42	10	31	–	1	–	–	–	1
30 years and over	16	6	10	–	–	–	–	–	–
Husband	8	3	5	–	–	–	–	–	–
Wife	8	3	5	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years.	9.7	15.6	8.8	8.6	14.6	5.7	–	2.4	3.9

Number of Libels pending January 1, 1947	770
Number of Libels filed during the year 1947	824
Number of Divorces granted during the year 1947	599
Number of Divorces refused during the year 1947	13
Number of Libels contested during the year 1947	340
Number of Libels uncontested during the year 1947	370
Number of cases finally determined in 1947	822
Number of petitions for annulment in 1947	20

[1] No libels were received from the Superior Court; eight hundred and twenty-two from the Probate Court. Five decrees vacated. One hundred and seven libels and three petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 621

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Plymouth County.	540[1]	68	447	8	14	2	–	1	9
Husband	165	34	122	6	3	–	–	–	5
Wife	375	34	325	2	11	2	–	1	4
Granted	440	66	352	7	12	2	–	1	9
Husband	131	33	91	5	2	–	–	–	5
Wife	309	33	261	2	10	2	–	1	4
Refused	13	–	13	–	–	–	–	–	–
Husband	8	–	8	–	–	–	–	–	–
Wife	5	–	5	–	–	–	–	–	–
Dismissed	87	2	82	1	2	–	–	–	–
Husband	26	1	23	1	1	–	–	–	–
Wife	61	1	59	–	1	–	–	–	–
Contested	231	16	213	1	1	–	–	–	1
Husband	66	7	58	1	–	–	–	–	1
Wife	165	9	155	–	1	–	–	–	–
Not Contested	309	52	234	7	13	2	–	1	8
Husband	99	27	64	5	3	–	–	–	4
Wife	210	25	170	2	10	2	–	1	4
DURATION OF MARRIAGE.									
Less than 6 months	11	–	10	–	–	–	–	1	–
Husband	2	–	2	–	–	–	–	–	–
Wife	9	–	8	–	–	–	–	1	–
6 to 11 months	24	–	23	1	–	–	–	–	1
Husband	10	–	9	1	–	–	–	–	1
Wife	14	–	14	–	–	–	–	–	–
1 to 4 years	162	10	144	5	3	–	–	–	8
Husband	49	6	40	3	–	–	–	–	4
Wife	113	4	104	2	3	–	–	–	4
5 to 9 years	165	19	141	2	3	–	–	–	–
Husband	50	10	37	2	1	–	–	–	–
Wife	115	9	104	–	2	–	–	–	–
10 to 19 years	115	17	93	–	3	2	–	–	–
Husband	35	10	24	–	1	–	–	–	–
Wife	80	7	69	–	2	2	–	–	–
20 to 29 years	50	13	33	–	4	–	–	–	–
Husband	15	4	10	–	1	–	–	–	–
Wife	35	9	23	–	3	–	–	–	–
30 years and over	13	9	3	–	1	–	–	–	–
Husband	4	4	–	–	–	–	–	–	–
Wife	9	5	3	–	1	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	9.2	15.4	8.2	3.7	15.5	11.3	–	.2	1.9

Number of Libels pending January 1, 1947	473
Number of Libels filed during the year 1947	538
Number of Divorces granted during the year 1947	440
Number of Divorces refused during the year 1947	13
Number of Libels contested during the year 1947	231
Number of Libels uncontested during the year 1947	309
Number of cases finally determined in 1947	611
Number of petitions for annulment in 1947	10

[1] No libels were received from the Superior Court; six hundred and eleven from the Probate Court. Seventy-one libels and one petition for annulment dismissed under Rule 43 of the Probate Court.

Table 62m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1947.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Suffolk County.	2,256[1]	455	1,615	72	58	41	–	15	67
Husband	668	208	371	64	25	–	–	–	28
Wife	1,588	247	1,244	8	33	41	–	15	39
Granted	1,957	427	1,363	57	56	40	–	14	66
Husband	503	188	241	50	24	–	–	–	28
Wife	1,454	239	1,122	7	32	40	–	14	38
Refused	6	1	4	1	–	–	–	–	–
Husband	5	1	3	1	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Dismissed	293	27	248	14	2	1	–	1	1
Husband	160	19	127	13	1	–	–	–	–
Wife	133	8	121	1	1	1	–	1	1
Contested	820	93	672	25	17	9	–	4	10
Husband	241	46	165	20	10	–	–	–	6
Wife	579	47	507	5	7	9	–	4	4
Not contested	1,436	362	943	47	41	32	–	11	57
Husband	427	162	206	44	15	–	–	–	22
Wife	1,009	200	737	3	26	32	–	11	35
DURATION OF MARRIAGE.									
Less than 6 months	60	–	57	–	1	1	–	1	11
Husband	19	–	19	–	–	–	–	–	2
Wife	41	–	38	–	1	1	–	1	9
6 to 11 months	82	–	76	2	2	1	–	1	5
Husband	24	–	22	1	1	–	–	–	3
Wife	58	–	54	1	1	1	–	1	2
1 to 4 years	684	47	570	31	17	13	–	6	37
Husband	180	21	124	28	7	–	–	–	16
Wife	504	26	446	3	10	13	–	6	21
5 to 9 years	592	114	426	20	14	15	–	3	6
Husband	179	55	97	19	8	–	–	–	3
Wife	413	59	329	1	6	15	–	3	3
10 to 19 years	572	157	374	18	13	7	–	3	7
Husband	174	74	80	15	5	–	–	–	4
Wife	398	83	294	3	8	7	–	3	3
20 to 29 years	212	106	92	1	8	4	–	1	1
Husband	68	42	21	1	4	–	–	–	–
Wife	144	64	71	–	4	4	–	1	1
30 years and over	54	31	20	–	3	–	–	–	–
Husband	24	16	8	–	–	–	–	–	–
Wife	30	15	12	–	3	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	9.6	15.4	8.1	7.0	8.5	8.3	–	7.1	4.0

Number of Libels pending January 1, 1947	4,002
Number of Libels filed during the year 1947	2,572
Number of Divorces granted during the year 1947	1,957
Number of Divorces refused during the year 1947	6
Number of Libels contested during the year 1947	820
Number of Libels uncontested during the year 1947	1,436
Number of cases finally determined in 1947	2,664
Number of petitions for annulment in 1947	67

[1] No libels were received from the Superior Court; two thousand six hundred and sixty-four from the Probate Court. Four hundred and eight libels dismissed under Rule 43 of the Probate Court.

Table 62n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: **1947.**

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Worcester County.	**1,406**[1]	**191**	**1,141**	**35**	**27**	**6**	**3**	**3**	**40**
Husband	441	91	320	24	5	–	1	–	23
Wife	965	100	821	11	22	6	2	3	17
Granted	1,152	172	919	25	24	6	3	3	39
Husband	326	79	224	17	5	–	1	–	23
Wife	826	93	695	8	19	6	2	3	16
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	254	19	222	10	3	–	–	–	1
Husband	115	12	96	7	–	–	–	–	–
Wife	139	7	126	3	3	–	–	–	1
Contested	505	37	446	14	6	1	1	–	8
Husband	178	21	143	10	3	–	1	–	6
Wife	327	16	303	4	3	1	–	–	2
Not Contested	901	154	695	21	21	5	2	3	32
Husband	263	70	177	14	2	–	–	–	17
Wife	638	84	518	7	19	5	2	3	15
DURATION OF MARRIAGE.									
Less than 6 months	31	–	29	1	–	–	1	–	7
Husband	15	–	14	1	–	–	–	–	4
Wife	16	–	15	–	–	–	1	–	3
6 to 11 months	53	–	50	2	–	1	–	–	10
Husband	18	–	17	1	–	–	–	–	7
Wife	35	–	33	1	–	1	–	–	3
1 to 4 years	466	20	422	14	6	1	1	2	20
Husband	158	13	136	9	–	–	–	–	12
Wife	308	7	286	5	6	1	1	2	8
5 to 9 years	381	51	308	13	6	2	–	1	2
Husband	126	30	87	9	–	–	–	–	–
Wife	255	21	221	4	6	2	–	1	2
10 to 19 years	334	59	257	4	11	2	1	–	1
Husband	84	26	49	3	5	–	1	–	–
Wife	250	33	208	1	6	2	–	–	1
20 to 29 years	104	39	60	1	4	–	–	–	–
Husband	28	13	14	1	–	–	–	–	–
Wife	76	26	46	–	4	–	–	–	–
30 years and over	37	22	15	–	–	–	–	–	–
Husband	12	9	3	–	–	–	–	–	–
Wife	25	13	12	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	8.7	11.4	8.3	7.0	11.2	8.1	5.4	5.7	1.9

Number of Libels pending January 1, 1947	2,211
Number of Libels filed during the year 1947	1,435
Number of Divorces granted during the year 1947	1,152
Number of Divorces refused during the year 1947	—
Number of Libels contested during the year 1947	505
Number of Libels uncontested during the year 1947	901
Number of cases finally determined in 1947	1,421
Number of petitions for annulment in 1947	40

[1] No libels were received from the Superior Court; one thousand four hundred and twenty-one from the Probate Court. Six libels discontinued. Nine libels dismissed under Rule 43 of the Probate Court.

Table 63

Years.	Divorces Granted: 1923 to 1947.				
	Total number.	Granted to husband.		Granted to wife.	
		Number.	Per cent.	Number.	Per cent.
1923 to 1947	**117,674**	**29,488**	**25.1**	**88,186**	**74.9**
1923	3,593	972	27.1	2,621	72.9
1924	3,845	1,074	27.9	2,771	72.1
1925	3,395	910	26.8	2,485	73.2
1926	3,363	908	27.0	2,455	73.0
1927	3,493	895	25.6	2,598	74.4
1928	3,663	939	25.6	2,724	74.4
1929	3,574	925	25.9	2,649	74.1
1930	3,746	988	26.4	2,758	73.6
1931	3,625	894	24.7	2,731	75.3
1932	3,543	938	26.5	2,605	73.5
1933	3,210	801	25.0	2,409	75.0
1934	3,645	858	23.5	2,787	76.5
1935	4,081	955	23.4	3,126	76.6
1936	4,311	1,037	24.1	3,274	75.9
1937	4,687	1,145	24.4	3,542	75.6
1938	4,599	1,058	23.0	3,541	77.0
1939	4,425	983	22.2	3,442	77.8
1940	4,502	989	22.0	3,513	78.0
1941	4,760	1,031	21.7	3,729	78.3
1942	5,414	1,232	22.8	4,182	77.2
1943	5,144	1,288	25.0	3,856	75.0
1944	6,312	1,605	25.4	4,707	74.6
1945	6,833	1,764	25.8	5,069	74.2
1946	10,071	2,791	27.7	7,280	72.3
1947	9,840	2,508	25.5	7,332	74.5

Table 64

Period of Years.	Divorces Granted: 1920 to 1944.		
	Total number.	Increase over preceding period.	
		Number.	Per cent.
1920 to 1924	18,165	6,090	50.4
1925 to 1929	17,488	677[1]	3.7[1]
1930 to 1934	17,769	281	1.6
1935 to 1939	22,103	4,334	24.4
1940 to 1944	26,132	4,029	18.2

[1] Decrease.

Table 65

Census Years.	Comparison of Increase in Divorce with Increase in Population: 1920 to 1945.							
	Divorces.			Population.			Population to one divorce.	Divorces per 100,000 population.
	Total number.	Increase over preceding census year.		Total.	Increase over preceding census year.			
		Number.	Per cent.		Number.	Per cent.		
1920	3,647	1,395	61.9	3,852,356	159,046	4.3	1,056	94.7
1925	3,395	252[1]	6.9[1]	4,144,205	291,849	7.6	1,221	81.9
1930	3,746	351	10.3	4,249,614	105,409	2.5	1,134	88.1
1935	4,081	335	8.9	4,350,910	101,296	2.4	1,066	93.8
1940	4,502	421	10.3	4,316,721	65,811[1]	1.5[1]	959	104.3
1945	6,833	2,331	51.8	4,511,866	195,145	4.5	660	151.4

[1] Decrease.

Table 66

Census Years.	Divorce Rates based on Total Population and on Married Population: Census Years, 1920 to 1945.					
	Population.		Divorce: annual average.[1]		Married population to one divorce.	Divorces per 100,000 married population.
	Total.	Married.[2]	Number.	Per 100,000 population.		
1920	3,852,356	1,534,584	3,123	81	491	204
1925	4,144,205	–	3,538	83	–	–
1930	4,249,614	1,740,235	3,630	85	479	209
1935	4,350,910	–	3,987	92	–	–
1940	4,316,721	1,867,437	4,741	110	273	366
1945	4,511,866	–	7,640	169	–	–

[1] For the five-year period of which the census year is the median year.
[2] Married population for 1925, 1935 and 1945 not available.

Table 67

Counties.	Annual Average[1] Number of Divorces in the State and in Each County: Census Years 1925 to 1945. Number.				
	1945.	1940.	1935.	1930.	1925.
The State	**7,640**	**4,741**	**3,989**	**3,631**	**3,537**
Barnstable	99	67	50	35	31
Berkshire	211	174	141	109	128
Bristol	738	375	299	281	292
Dukes	12	8	9	6	4
Essex	766	512	418	403	437
Franklin	83	45	40	31	36
Hampden	687	373	307	267	263
Hampshire	61	38	39	33	31
Middlesex	1,526	967	820	778	647
Nantucket	9	4	5	3	4
Norfolk	533	328	280	215	165
Plymouth	411	204	155	126	143
Suffolk	1,635	1,113	1,035	996	989
Worcester	869	533	391	348	367

[1] For the five-year period of which the census year is the median year.

Table 68

Statutory Causes.	Divorces Granted for Specified Causes for 25 Years: 1923 to 1947.								
	Total.			Granted to husband.			Granted to wife.		
	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.
All Causes.	**117,318[1]**	**100.0**	**100.0**	**29,361**	**25.0**	**100.0**	**87,957**	**75.0**	**100.0**
Cruel and abusive treatment	63,346	100.0	54.0	8,773	13.8	29.9	54,573	86.2	62.0
Desertion	41,023	100.0	35.0	16,204	39.5	55.2	24,819	60.5	28.2
Adultery	5,212	100.0	4.5	3,578	68.6	12.2	1,634	31.4	1.9
Intoxication	4,122	100.0	3.5	742	18.0	2.5	3,380	82.0	3.9
Non-support	2,967	100.0	2.5	–	–	–	2,967	100.0	3.4
Imprisonment	485	100.0	.4	14	2.9	–[2]	471	97.1	.5
Impotency	163	100.0	.1	50	30.7	.2	113	69.3	.1

[1] 2,229 Annulments not included. [2] Less than one-tenth of one per cent.

Table 69

Years Divorces were granted.	Statutory Causes of Divorce: 1923 to 1947.								
	All causes.	Cruel and abusive treatment.	Desertion.	Adultery.	Intoxication.	Non-support.	Imprisonment.	Impotency.	Annulment.
1923	3,593	1,442	1,622	271	123	87	9	9	30
1924	3,845	1,424	1,776	271	171	157	6	8	32
1925	3,395	1,272	1,558	240	146	111	11	9	48
1926	3,363	1,220	1,539	232	164	154	4	6	44
1927	3,493	1,363	1,580	254	123	119	9	5	40
1928	3,663	1,463	1,625	254	146	112	17	3	43
1929	3,574	1,555	1,482	222	138	114	11	12	40
1930	3,746	1,647	1,581	235	126	100	6	10	41
1931	3,625	1,675	1,488	183	112	114	8	7	38
1932	3,543	1,686	1,421	172	131	104	19	10	56
1933	3,210	1,632	1,212	146	91	110	14	5	61
1934	3,645	1,952	1,367	105	93	105	22	1	58
1935	4,081	2,149	1,527	133	122	126	19	5	70
1936	4,311	2,321	1,575	153	134	101	23	4	79
1937	4,687	2,345	1,884	134	163	132	22	7	121
1938	4,599	2,474	1,706	123	165	109	18	4	81
1939	4,425	2,460	1,549	139	145	107	20	5	105
1940	4,502	2,531	1,488	137	179	133	29	5	93
1941	4,760	2,733	1,575	136	176	114	23	3	135
1942	5,414	3,068	1,839	141	214	116	30	6	97
1943	5,144	3,042	1,652	126	191	100	26	7	109
1944	6,312	3,835	1,925	183	224	114	26	5	118
1945	6,833	4,395	1,779	277	246	91	36	9	170
1946	10,071	6,765	2,200	556	335	174	33	8	276
1947	9,840	6,897	2,073	389	264	163	44	10	244

Table 70

Years of Application.	Applications for Divorce: 1923 to 1947.											
	Total.	Granted.		Refused.		Dismissed.		Contested.		Not contested.	
		Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
	136,005	**117,674**	**86.5**	**758**	**.6**	**17,573**	**12.9**	**39,641**	**29.1**	**96,364**	**70.9**
1923	4,116	3,593	87.3	42	1.0	481	11.7	508	12.3	3,608	87.7
1924	4,294	3,845	89.5	32	.7	417	9.7	895	20.8	3,399	79.1
1925	3,887	3,395	87.4	33	.8	459	11.8	923	23.7	2,964	76.3
1926	4,044	3,363	83.2	23	.6	658	16.2	919	22.7	3,125	77.3
1927	4,026	3,493	86.7	34	.8	499	12.5	1,044	26.0	2,982	74.0
1928	4,180	3,663	87.6	55	1.3	462	11.1	1,048	25.1	3,132	74.9
1929	5,028	3,574	71.1	40	.8	1,414	28.1	1,308	26.0	3,720	74.0
1930	4,560	3,746	82.1	12	.3	802	17.6	1,209	26.5	3,351	73.5
1931	4,303	3,625	84.2	4	.1	674	15.7	1,282	29.8	3,021	70.2
1932	4,095	3,543	86.5	7	.2	545	13.3	1,179	28.8	2,916	71.2
1933	3,731	3,210	86.0	3	.1	518	13.9	1,093	29.3	2,638	70.7
1934	4,238	3,645	86.0	1	–[1]	592	14.0	1,237	29.2	3,001	70.8
1935	4,727	4,081	86.3	3	.1	643	13.6	1,317	27.9	3,410	72.1
1936	4,895	4,311	88.1	43	.9	541	11.0	1,441	29.4	3,454	70.6
1937	5,216	4,687	89.9	7	.1	522	10.0	1,480	28.4	3,736	71.6
1938	5,214	4,599	88.2	6	.1	609	11.7	1,411	27.1	3,803	72.9
1939	4,919	4,425	89.9	4	.1	490	10.0	1,334	27.1	3,585	72.9
1940	4,966	4,502	90.7	2	–[1]	462	9.3	1,345	27.1	3,621	72.9
1941	5,322	4,760	89.4	29	.6	533	10.0	1,536	28.9	3,786	71.1
1942	6,092	5,414	88.9	34	.5	644	10.6	1,893	31.1	4,199	68.9
1943	5,856	5,144	87.8	44	.8	668	11.4	1,927	32.9	3,929	67.1
1944	7,171	6,312	88.0	64	.9	795	11.1	2,469	34.4	4,702	65.6
1945	7,967	6,833	85.8	57	.7	1,077	13.5	2,791	35.0	5,176	65.0
1946	11,699	10,071	86.1	120	1.0	1,508	12.9	4,173	35.7	7,526	64.3
1947	11,459	9,840	85.9	59	.5	1,560	13.6	3,879	33.9	7,580	66.1

[1] Less than one-tenth of one per cent.

Table 71

Statutory Cause and Party to which Granted.	Divorces Granted classified by Statutory Cause and Party to which Granted: 1947.				
	Total Number.	Cases Contested.		Cases not Contested.	
		Number.	Per cent.	Number.	Per cent.
All Causes.	**9,840**	**3,001**	**30.5**	**6,839**	**69.5**
Husband	2,508	664	26.5	1,844	73.5
Wife	7,332	2,337	31.9	4,995	68.1
Desertion	2,073	337	16.3	1,736	83.7
Husband	905	145	16.0	760	84.0
Wife	1,168	192	16.4	976	83.6
Cruel and abusive treatment	6,897	2,484	36.0	4,413	64.0
Husband	1,248	429	34.4	819	65.6
Wife	5,649	2,055	36.4	3,594	63.7
Adultery	389	99	25.4	290	74.6
Husband	286	71	24.8	215	75.2
Wife	103	28	27.2	75	72.8
Intoxication	264	47	17.8	217	82.2
Husband	66	18	27.3	48	72.7
Wife	198	29	14.6	169	85.4
Non-support	163	22	13.5	141	86.5
Husband	–	–	–	–	–
Wife	163	22	13.5	141	86.5
Impotency	10	3	30.0	7	70.0
Husband	2	1	50.0	1	50.0
Wife	8	2	25.0	6	75.0
Imprisonment	44	9	20.5	35	79.5
Husband	1	–	–	1	100.0
Wife	43	9	20.9	34	79.1
Annulments	244	56	23.0	188	77.0
Husband	120	33	27.5	87	72.5
Wife	124	23	18.5	101	81.5

Table 72

Party to which Granted.	Libels for Divorces Granted and Not Granted, Contested and Not Contested, classified by Party to which Granted: 1947.							
	Total.		Granted.		Refused.		Dismissed	
	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.
Total.	**3,879**	**7,580**	**3,001**	**6,839**	**53**	**6**	**825**	**735**
Husband	1,165	2,098	664	1,844	24	3	477	251
Wife	2,714	5,482	2,337	4,995	29	3	348	484

Table 73

Years of Application.	Number of Years Libellants were Married at Time of Application for Divorce: 1923 to 1947.								
	Total.[1]	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Average.
23	4,116	45	80	1,027	1,166	1,276	418	102	10.4
24	4,286	41	71	990	1,287	1,351	456	90	10.6
25	3,883	45	72	919	1,181	1,154	391	121	10.7
26	4,044	44	67	979	1,225	1,195	430	104	10.6
27	4,026	41	63	900	1,305	1,213	402	99	10.7
28	4,180	40	79	975	1,371	1,232	385	98	10.2
29	5,028	56	86	1,139	1,531	1,549	509	153	10.7
30	4,560	55	75	1,070	1,403	1,346	493	116	10.6
31	4,301	51	78	1,026	1,270	1,313	444	119	10.6
32	4,094	43	76	941	1,214	1,306	433	81	10.5
33	3,731	25	66	881	1,162	1,135	383	79	10.4
34	4,238	32	74	960	1,280	1,336	456	100	10.6
35	4,726	52	81	1,054	1,436	1,517	478	108	10.6
36	4,892	49	83	1,045	1,473	1,615	493	134	10.7
37	5,216	39	92	1,113	1,528	1,758	546	140	10.7
38	5,214	64	98	1,205	1,529	1,636	529	152	10.6
39	4,918	47	101	1,180	1,398	1,509	558	125	10.7
940	4,966	47	75	1,223	1,344	1,549	589	139	10.8
941	5,322	45	87	1,286	1,508	1,631	612	153	10.8
942	6,091	83	119	1,404	1,706	1,840	765	174	10.9
943	5,856	78	110	1,261	1,627	1,832	765	183	11.0
944	7,171	77	118	1,656	1,805	2,189	1,065	261	11.6
945	7,967	100	151	2,166	1,971	2,276	1,024	279	10.6
946	11,699	181	272	3,750	3,186	2,923	1,115	269	10.1
947	11,459	199	333	3,362	3,252	2,887	1,124	302	9.6

[1] Exclusive of those for which duration of marriage was unknown.

POPULATION STATISTICS

	PAGE
Introductory	276
Estimated population	276
Statistical tables	277-278
Estimated population by age and sex	278

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1945 in this report are based on the State census taken as of January 1, 1945.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,493,281 at the State census of 1945 (January 1), and of 4,316,721 at the Federal census of 1940 (April 1). The increase during the intercensal period (4 years, 9 months) was 176,560, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{4{,}493{,}281 - 4{,}316{,}721}{57} = 3{,}097.5$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for July 1, 1947, is estimated by adding to the population as it existed at the preceding census (January 1, 1945), 3,097.5 for each month intervening between the date of enumeration and the date for which the estimate is desired (July 1, 1947). There being 30 months between these dates, the calculation would be

$$4{,}493{,}281 + (30 \times 3{,}097.5) = 4{,}586{,}206$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1945 is shown on page 277.

Table 74

CENSUS POPULATION OF MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1945: 1920 TO 1945.

MUNICIPALITIES.	January 1, 1945.	April 1, 1940.	January 1, 1935.	April 1, 1930.	March 31, 1925.	January 1, 1920.
The State	**4,493,281**	**4,316,721**	**4,350,910**	**4,249,614**	**4,144,205**	**3,852,356**
CITIES OVER 100,000.						
Boston	766,386	770,816	817,713	781,188	779,620	748,060
Worcester	198,741	193,694	190,471	195,311	190,757	179,754
Springfield	159,896	149,554	149,642	149,900	142,065	129,614
Fall River	115,062	115,428	117,414	115,274	128,993	120,485
Cambridge	111,124	110,879	118,075	113,643	119,669	109,694
New Bedford	110,308	110,341	110,022	112,597	119,539	121,217
Somerville	105,883	102,177	100,773	103,908	99,032	93,091
Lynn	105,153	98,123	100,909	102,320	103,081	99,148
Lowell	101,229	101,389	100,114	100,234	110,296	112,759
50,000 TO 100,000						
Lawrence	85,603	84,323	86,785	85,068	93,527	94,270
Quincy	82,084	75,810	76,909	71,983	60,055	47,876
Newton	77,257	69,873	66,144	65,276	53,003	46,054
Medford	67,071	63,083	61,444	59,714	47,627	39,038
Brockton	65,202	62,343	62,407	63,797	65,343	66,254
Malden	59,567	58,010	57,277	58,036	51,789	49,103
Brookline (town)	56,940	49,786	50,319	47,490	42,681	37,748
Holyoke	53,775	53,750	56,139	56,537	60,335	60,203
Pittsfield	53,560	49,684	47,516	49,677	46,877	41,763
25,000 TO 50,000						
Everett	48,553	46,784	47,228	48,424	42,072	40,120
Haverhill	46,162	46,752	49,516	48,710	49,232	53,884
Chicopee	44,626	41,664	41,952	43,930	41,882	36,214
Fitchburg	43,770	41,824	41,700	40,692	43,609	41,029
Waltham	43,577	40,020	40,557	39,247	34,746	30,915
Arlington (town)	43,515	40,013	38,539	36,094	24,943	18,665
Salem	42,833	41,213	43,472	43,353	42,821	42,529
Chelsea	39,940	41,259	42,673	45,816	47,247	43,184
Taunton	38,612	37,395	37,431	37,355	39,255	37,137
Watertown (town)	37,438	35,427	35,827	34,913	25,480	21,457
Revere	35,687	34,405	35,319	35,680	33,261	28,823
Belmont (town)	28,866	26,867	24,831	21,748	15,256	10,749
Melrose	27,971	25,333	24,256	23,170	20,165	18,204
Weymouth (town)	27,957	23,868	21,748	20,882	17,253	15,057
Beverly	26,814	25,537	25,871	25,086	22,685	22,561
Framingham (town)	25,502	23,214	22,651	22,210	21,078	17,033
15,000 TO 25,000						
Northampton	24,977	24,794	24,525	24,381	24,145	21,951
Gloucester	24,862	24,046	24,164	24,204	23,375	22,947
Leominster	23,549	22,226	21,894	21,810	22,120	19,744
Methuen (town)	23,160	21,880	21,073	21,069	20,606	15,189
Attleboro	22,375	22,071	21,835	21,769	20,623	19,731
Peabody	22,303	21,711	22,082	21,345	19,870	19,552
North Adams	22,230	22,213	22,085	21,621	22,717	22,282
Milton (town)	21,718	18,708	18,147	16,434	12,861	9,382
Braintree (town)	20,279	16,378	17,122	15,712	13,193	10,580
Gardner	20,245	20,206	20,397	19,399	18,730	16,971
Westfield	19,956	18,793	18,788	19,775	19,342	18,604
Woburn	19,886	19,751	19,695	19,434	18,370	16,574
West Springfield (town)	19,453	17,135	17,118	16,684	15,326	13,443
Winthrop (town)	18,696	16,768	17,001	16,852	16,158	15,455
Wakefield (town)	18,677	16,223	16,494	16,318	15,611	13,025
Wellesley (town)	17,581	15,127	13,376	11,439	9,049	6,224
Southbridge (town)	17,561	16,825	15,786	14,264	15,489	14,245
Greenfield (town)	17,020	15,672	15,903	15,500	15,246	15,462
Dedham (town)	16,659	15,508	15,371	15,136	13,918	10,792
Saugus (town)	16,662	14,825	15,076	14,700	12,743	10,874
Norwood (town)	16,508	15,383	15,574	15,049	14,151	12,627
Milford (town)	15,801	15,388	15,008	14,741	14,781	13,471
Natick (town)	15,789	13,851	14,394	13,589	12,871	10,907
Marlborough	15,680	15,154	15,781	15,587	16,236	15,028
Winchester (town)	15,300	15,081	13,371	12,719	11,565	10,485

Table 75

Age and Year.	Estimated Population by Age and Sex: July 1, 1947		
	Total Number.	Males.	Females.
1947.			
All ages	**4,586,206**	**2,233,712**	**2,352,494**
Under 1 year	55,906	28,435	27,471
Under 5 years	299,296	152,608	146,688
5 to 9 years	323,786	164,677	159,109
10 to 14 years	376,069	190,775	185,294
15 to 19 years	409,319	204,941	204,378
20 to 24 years	393,084	191,360	201,724
25 to 29 years	368,364	177,981	190,383
30 to 34 years	343,323	164,410	178,913
35 to 39 years	328,143	157,616	170,527
40 to 44 years	326,125	157,149	168,976
45 to 49 years	317,962	155,746	162,216
50 to 54 years	281,593	139,278	142,315
55 to 59 years	231,236	112,872	118,364
60 to 64 years	195,923	92,051	103,872
65 to 69 years	161,985	73,620	88,365
70 to 74 years	113,279	50,937	62,342
75 to 79 years	67,417	28,860	38,557
80 to 84 years	33,571	13,320	20,251
85 to 89 years	12,062	4,339	7,723
90 to 94 years	2,981	992	1,989
95 to 99 years	596	162	434
100 years and over	92	18	74
Unknown	–	–	–

APPENDIX

International Classification of Causes of Death
1. Detailed International List
2. Abridged International List

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death, these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this, the title "Other infectious and parasitic diseases" of the detailed list (title No. 44) includes only such epidemic maladies as are not classified separately in titles 1 to 44 of that list; but "Other infectious and parasitic diseases" of the abridged list includes titles 4, 5, 6, 7, 11, 12, 23, 24, 25, 26, 27, 29, 31, 32, 36, 37, 38, 40, 41, 42, 43, and 44 of the detailed list.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List:—

1. Detailed International List.

I. Infectious and Parasitic Diseases.

1. Typhoid fever.*
2. Paratyphoid fever.*
3. Plague.*
4. Cholera.
5. Undulant fever (brucellosis).
6. Cerebrospinal (meningococcus) meningitis.
7. Anthrax (infection by bacillus anthracis).[2]
8. Scarlet fever.*
9. Whooping cough.*
10. Diphtheria (infection by C. diphtheriae).*
11. Erysipelas.*
12. Tetanus.[3]
13. Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes).*
    (a) With mention of occupational disease of the lungs.
    (b) Without mention of occupational disease of the lungs.
    (c) Tuberculosis of unspecified site.
14. Tuberculosis of the meninges and central nervous system.[4]
15. Tuberculosis of the intestines and peritoneum.[5]
16. Tuberculosis of the vertebral column.*
17. Tuberculosis of the bones and joints (except vertebral column).*[6]
    (a) Bones.
    (b) Joints.
18. Tuberculosis of the skin and subcutaneous cellular tissue.[6]
19. Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric, and retroperitoneal lymph nodes).[6]
20. Tuberculosis of the genito-urinary system.[6]

[1] The second decennial revision of the International Classification of Causes of Death was made at Paris, July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and was used beginning with 1921. The causes of death as given in the fourth revision number 214, compared with 179 in the first, 189 in the second, and 205 in the third classification. The fifth revision of the International List of Causes of Death is largely a revision of the previous edition and is based upon the translation of the official French version of the proceedings of the International Commission of 1938.

[2] Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; *i.e.*, the *bacillus anthracis*.

[3] A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

[4] A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

[5] An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

[6] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

Detailed International List — *Continued.*

I. Infectious and Parasitic Diseases. —*Cont.*

21. Tuberculosis of other organs.[1]
    (*a*) Tuberculosis of the adrenal glands.
    (*b*) Tuberculosis of other organs.
22. Disseminated tuberculosis.*
    (*a*) Acute (generalized) miliary tuberculosis.
    (*b*) Other and unspecified generalized tuberculosis.
23. Leprosy.*
24. Septicemia and purulent infection (non-puerperal).
    (*a*) Septicemia.
    (*b*) Pyemia.
    (*c*) Gas bacillus gangrene.
    (*d*) Generalized bacillus coli infection.
25. Gonococcus infection.[2]
26. Other diseases due to bacteria (except dysentery).
    (*a*) Tularemia.
    (*b*) Other diseases due to bacteria.
27. Dysentery.[3]
    (*a*) Bacillary.
    (*b*) Amebic.
    (*c*) Other and unspecified forms of dysentery.
28. Malaria.[4]
    (*a*) Benign tertian malaria.
    (*b*) Quartan malaria.
    (*c*) Malignant tertian (estivoautumnal) malaria.
    (*d*) Malaria (unspecified form).
29. Other diseases due to parasitic protozoa (except spirochetes).
30. Syphilis.[5]
    (*a*) Locomotor ataxia (tabes dorsalis).*
    (*b*) General paralysis of the insane.*
    (*c*) Other syphilis of the central nervous system.
    (*d*) Aneurysm of the aorta.
    (*e*) Other syphilis of the circulatory system.
    (*f*) Congenital syphilis.
    (*g*) Other and unspecified forms of syphilis.
31. Relapsing fever.[6]
32. Other diseases due to spirochetes.
    (*a*) Spirochetosis icterohaemorrhagica (Weil's disease).
    (*b*) Other diseases due to spirochetes.
33. Influenza (grippe).
    (*a*) With respiratory complications specified.
    (*b*) Without respiratory complications specified.
34. Smallpox.*
35. Measles.*
36. Acute poliomyelitis and acute polioencephalitis.*
37. Acute infectious encephalitis (lethargic).
    (*a*) Acute infectious encephalitis (lethargic).
    (*b*) Sequelae of encephalitis lethargica.
    (*c*) Encephalitis lethargica unqualified.
    (*d*) Equine encephalomyelitis.

I. Infectious and Parasitic Diseases. —*Cont.*

38. Other diseases due to filtrable viruses.
    (*a*) Yellow fever.*
    (*b*) Rabies.[7]
    (*c*) Herpes zoster.*
    (*d*) German measles.
    (*e*) Chickenpox.
    (*f*) Other diseases ascribed to viruses.
39. Typhus fever and typhus-like diseases (due to Rickettsia).*
    (*a*) Exanthematic typhus (epidemic form).
    (*b*) Endemic typhus fever.
    (*c*) Rocky Mountain spotted fever.
    (*d*) Other typhus-like diseases.
40. Ankylostomiasis.[8]
41. Hydatid disease.
42. Other diseases caused by helminths.[9]
43. Mycoses.[10]
44. Other infectious and parasitic (communicable) diseases.
    (*a*) Venereal diseases (except gonorrhea and syphilis).
    (*b*) Lymphogranulomatosis (Hodgkin's disease).
    (*c*) Mumps.
    (*d*) Other infectious and parasitic (communicable) diseases.

II. Cancers and other Tumors.

45. Cancer of the buccal cavity and pharynx.*
    (*a*) Lip.
    (*b*) Tongue.
    (*c*) Mouth.
    (*d*) Jaw bone.
    (*e*) Unspecified parts of the buccal cavity.
    (*f*) Pharynx.
46. Cancer of the digestive organs and peritoneum.[11]
    (*a*) Esophagus.
    (*b*) Stomach.
    (*c*) Duodenum.
    (*d*) Rectum and anus.
    (*e*) Intestines (except duodenum and rectum).
    (*f*) Liver and biliary passages.
    (*g*) Pancreas.
    (*h*) Mesentery and peritoneum.
    (*m*) Other and unspecified sites.
47. Cancer of the respiratory system.[11]
    (*a*) Larynx.
    (*b*) Trachea.
    (*c*) Bronchus.
    (*d*) Lung.
    (*e*) Pleura.
    (*f*) Mediastinum and unspecified sites.
48. Cancer of the uterus.[11]
    (*a*) Cervix.
    (*b*) Other and unspecified sites.
49. Cancer of other female genital organs.[11]
    (*a*) Ovary.
    (*b*) Fallopian tube and parametrium.
    (*c*) Vagina.
    (*d*) Vulva.
    (*e*) Other and unspecified sites.

---

[1] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

[2] An unreliable statement of cause of death, without autopsy, unless a gonococcic lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

[3] Not a reliable statement of cause of death unless the specific cause of infection has been identified.

[4] Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *Plasmodium malaria* was found in the blood before death or at autopsy.

[5] Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

[6] This statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor, that is, the *Spirillum* (*Spirochaetal*) *obermeieri*, before death.

[7] Not a reliable statement of cause of death unless verified by autopsy, or proof that the infecting bite was by a proved rabid animal.

[8] A reliable statement of cause of death, without autopsy, *provided* the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

[9] A reliable statement of cause of death, without autopsy, *only* with the demonstration of the parasite or its ova in the tissues or discharges.

[10] A reliable statement of cause of death, without autopsy, *only* when lesion is *accessible in direct* examination, or the etiological factor has been identified in the discharges before death.

[11] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

Detailed International List — *Continued.*

II. Cancers and other Tumors.—*Cont.*

50. Cancer of the breast.*
51. Cancer of the male genital organs.[1]
    (*a*) Scrotum.
    (*b*) Prostate.
    (*c*) Testes.
    (*d*) Penis.
    (*e*) Other and unspecified sites.
52. Cancer of the urinary organs (male and female).[1]
    (*a*) Kidney.
    (*b*) Bladder.
    (*c*) Other and unspecified sites.
53. Cancer of the skin (except vulva and scrotum).*
54. Cancer of the brain and other parts of the central nervous system (including glioma, except when specified as benign).[1]
    (*a*) Glioma.
    (*b*) Other and unspecified cancers of the brain and central nervous system.
55. Cancer of other and unspecified organs.[1]
    (*a*) Adrenal gland.
    (*b*) Bone (except jaw bone and accessory sinuses).
    (*c*) Thyroid gland.
    (*d*) Nasal cavity and accessory sinuses.
    (*e*) Other and unspecified organs.
56. Nonmalignant tumors (including dermoid cysts).[1]
    (*a*) Ovary.
    (*b*) Uterus.
    (*c*) Other female genital organs.
    (*d*) Brain and other parts of the central nervous system.
    (*e*) Other and unspecified organs.
57. Tumors of unspecified nature.*[1]
    (*a*) Ovary.
    (*b*) Uterus.
    (*c*) Other female genital organs.
    (*d*) Brain and other parts of the central nervous system.
    (*e*) Other and unspecified organs.

III. Rheumatism, Diseases of Nutrition and of the Endocrine Glands, other General Diseases, and Avitaminoses.

58. Acute rheumatic fever.*
    (*a*) Acute rheumatic pericarditis.
    (*b*) Acute rheumatic endocarditis.
    (*c*) Acute rheumatic myocarditis.
    (*d*) Other acute rheumatic heart diseases.
    (*e*) Other forms of acute rheumatic fever.
    (*f*) Rheumatism (not specified as acute or chronic).
59. Chronic rheumatism and other rheumatic diseases.
    (*a*) Rheumatoid arthritis.
    (*b*) Other chronic articular rheumatism.
    (*c*) Other and unspecified forms of chronic rheumatism.
60. Gout.
61. Diabetes mellitus.*
62. Diseases of the pituitary gland.
63. Diseases of the thyroid and parathyroid glands.
    (*a*) Simple goiter.
    (*b*) Exophthalmic goiter.
    (*c*) Myxedema and cretinism.
    (*d*) Other diseases of the thyroid glands.
    (*e*) Diseases of the parathyroid glands.
64. Diseases of the thymus gland.

III. Rheumatism, Diseases of Nutrition and of the Endocrine Glands, other General Diseases, and Avitaminoses.—*Cont.*

65. Diseases of the adrenal glands (not specified as tuberculous).*
    (*a*) Addison's disease (not specified as tuberculous).
    (*b*) Other diseases of the adrenal glands.
66. Other general diseases.
    (*a*) Osteomalacia.
    (*b*) Other general diseases.
67. Scurvy.*
68. Beriberi.*
69. Pellagra (except alcoholic).*
70. Rickets.*
71. Other avitaminoses.

IV. Diseases of the Blood and Blood-Forming Organs.

72. Hemorrhagic conditions.
    (*a*) Primary purpuras.
    (*b*) Hemophilia.
    (*c*) Other hemorrhagic conditions.
73. Anemias (except splenic anemia).[2]
    (*a*) Pernicious anemia.
    (*b*) Other hyperchromic anemias
    (*c*) Hypochromic anemias.
    (*d*) Other and unspecified anemias.
74. Leukemias and aleukemias.[3]
    (*a*) Leukemias.
    (*b*) Aleukemias.
75. Diseases of the spleen.
    (*a*) Splenic anemia.
    (*b*) Splenomegaly (of undetermined nature).
    (*c*) Other diseases of the spleen.
76. Other diseases of the blood and blood-forming organs.
    (*a*) Agranulocytosis.
    (*b*) Erythrocytosis.
    (*c*) Hemoglobinemia.
    (*d*) Other diseases of the blood and blood-forming organs.

V. Chronic Poisoning and Intoxication.

77. Alcoholism (ethylism).*
    (*a*) Alcoholic pellagra.
    (*b*) Other deficiency states associated with alcoholism.
    (*c*) Acute alcoholism.
    (*d*) Chronic alcoholism.
    (*e*) Other and unspecified alcoholism.
78. Lead poisoning.[4]
    (*a*) Specified as occupational.
    (*b*) Not specified as occupational.
79. Chronic poisoning by other mineral or organic substances.[5]
    (*a*) Specified as occupational.[6]
    (*b*) Not specified as occupational.

VI. Diseases of the Nervous System and Sense Organs.

80. Encephalitis (nonepidemic).
    (*a*) Intracranial abscess.
    (*b*) Other encephalitis (nonepidemic).
81. Meningitis (not due to meningococcus).
    (*a*) Simple meningitis.
    (*b*) Acute cerebrospinal meningitis (not due to meningococcus).
    (*c*) Pneumococcus meningitis.
82. Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis).

---

[1] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

[2] An unreliable statement of cause of death, without autopsy, unless an operation was performed.

[3] Not a reliable statement of cause of death unless verified by confirmatory blood examination.

[4] A reliable statement of cause of death, without autopsy, *if* there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

[5] A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

[6] A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

Detailed International List — *Continued.*

VI. Diseases of the Nervous System and Sense Organs.—*Cont.*

83. Intracranial lesions of vascular origin.
    (*a*) Cerebral hemorrhage or effusion (excluding birth injuries).
    (*b*) Cerebral embolism and thrombosis.
    (*c*) Cerebral softening.
    (*d*) Hemiplegia and other paralysis of unspecified origin.
84. Mental diseases and deficiency (except general paralysis of the insane).
    (*a*) Mental deficiency.
    (*b*) Schizophrenia (dementia praecox).
    (*c*) Manic-depressive psychosis.
    (*d*) Other mental diseases.
85. Epilepsy.[1]
86. Convulsions (under 5 years of age).
87. Other diseases of the nervous system.*
    (*a*) Chorea.
    (*b*) Neuritis (except rheumatic and alcoholic).
    (*c*) Paralysis agitans (except result of encephalitis).
    (*d*) Disseminated sclerosis.
    (*e*) Other diseases of the nervous system.
88. Diseases of the organs of vision.*
89. Diseases of the ear and mastoid process.*
    (*a*) Otitis and other diseases of the ear.
    (*b*) Diseases of the mastoid process.

VII. Diseases of the Circulatory System.

90. Pericarditis (except acute rheumatic).[2]
    (*a*) Chronic rheumatic pericarditis.
    (*b*) Other pericarditis.
91. Acute endocarditis (except rheumatic).*
    (*a*) Bacterial endocarditis (acute, subacute, or unspecified).
    (*b*) Other acute or subacute endocarditis.
    (*c*) Endocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age).
92. Chronic affections of the valves and endocardium.*
    (*a*) Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever).
    (*b*) Diseases of the mitral valve (whether or not specified as rheumatic).
    (*c*) Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic.
    (*d*) Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic.
    (*e*) Endocarditis (not specified as acute, chronic, or rheumatic, 45 years of age and over).
93. Diseases of the myocardium.*
    (*a*) Acute myocarditis (except rheumatic).
    (*b*) Myocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age).
    (*c*) Chronic myocarditis and myocardial degeneration, specified as rheumatic.
    (*d*) Chronic myocarditis and myocardial degeneration, not specified as rheumatic.
    (*e*) Other myocarditis (not specified as acute, chronic, or rheumatic).
94. Diseases of the coronary arteries and angina pectoris.*
    (*a*) Diseases of the coronary arteries.
    (*b*) Angina pectoris.
95. Other diseases of the heart.*
    (*a*) Functional diseases of the heart (without mention of organic lesion).
    (*b*) Other diseases of the heart, specified as rheumatic.

VII. Diseases of the Circulatory System. —*Cont.*

    (*c*) Other diseases of the heart, not specified as rheumatic.
96. Aneurysm (except of heart and aorta).
97. Arteriosclerosis (except coronary or renal sclerosis).
98. Gangrene.
99. Other diseases of the arteries.*
100. Diseases of the veins.[3]
    (*a*) Varices.
    (*b*) Other diseases of the veins.
101. Diseases of the lymphatic system.*
102. High blood pressure (idiopathic).
103. Other diseases of the circulatory system.*

VIII. Diseases of the Respiratory System.

104. Diseases of the nasal fossae and accessory sinuses.*
    (*a*) Diseases of the nasal fossae.
    (*b*) Diseases of the accessory sinuses.
105. Diseases of the larynx.*
106. Bronchitis.
    (*a*) Acute.
    (*b*) Chronic.*
    (*c*) Unspecified.
107. Bronchopneumonia (including capillary bronchitis).*
108. Lobar pneumonia.
109. Pneumonia unspecified.
110. Pleurisy (not specified as tuberculous).*
    (*a*) Empyema.
    (*b*) Other and unspecified forms of pleurisy.
111. Hemorrhagic infarction, thrombosis, edema, and chronic congestion of the lungs.[4]
    (*a*) Hemorrhagic infarction and thrombosis of the lungs.
    (*b*) Acute edema of the lungs.
    (*c*) Chronic and unspecified congestion of the lungs.
112. Asthma.
113. Pulmonary emphysema.*
114. Other diseases of the respiratory system (except tuberculosis).*
    (*a*) Silicosis.
    (*b*) Other and unspecified forms of pneumoconioses.
    (*c*) Gangrene of lung.
    (*d*) Abscess of lung.
    (*e*) Other and unspecified diseases of the respiratory system.

IX. Diseases of the Digestive System.

115. Diseases of the buccal cavity, pharynx, tonsils and adnexa.*
    (*a*) Diseases of the teeth and gums.
    (*b*) Septic sore throat.
    (*c*) Diseases of the pharynx and tonsils.
    (*d*) Diseases of other and unspecified parts of the buccal cavity and adnexa.
116. Diseases of the esophagus.*
117. Ulcer of stomach or duodenum.
    (*a*) Stomach.
    (*b*) Duodenum.
118. Other diseases of the stomach (except cancer).
119. Diarrhea, enteritis, and ulceration of the intestines (under 2 years of age).*
    (*a*) Diarrhea and enteritis.
    (*b*) Ulceration of the intestines (except duodenum).
120. Diarrhea, enteritis, and ulceration of the intestines (2 years of age and over).
    (*a*) Diarrhea and enteritis.
    (*b*) Ulceration of the intestines (except duodenum).
121. Appendicitis.

---

[1] An unreliable statement of cause of death, without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

[2] An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

[3] A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

[4] Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes*, or accompanying lesions which are known to lead to congestion of the lungs.

Detailed International List — *Continued.*

IX. Diseases of the Digestive System.—*Cont.*

122. Hernia, intestinal obstruction.
    (*a*) Hernia.[1]
    (*b*) Intestinal obstruction.[2]
123. Other diseases of the intestines.
124. Cirrhosis of the liver.*
    (*a*) With mention of alcoholism.
    (*b*) Without mention of alcoholism.
125. Other diseases of the liver.*
    (*a*) Acute yellow atrophy of the liver (non-puerperal).
    (*b*) Other diseases of the liver.
126. Biliary calculi.*
127. Other diseases of the gallbladder and biliary ducts.
    (*a*) Cholecystitis (without mention of biliary calculus).
    (*b*) Other diseases of the gallbladder and biliary ducts.
128. Diseases of the pancreas (except diabetes mellitus).
129. Peritonitis (cause not stated).

X. Diseases of the Genitourinary System.

130. Acute nephritis.
131. Chronic nephritis.*
    (*a*) Arteriosclerotic kidney.
    (*b*) Other chronic nephritis.
132. Nephritis unspecified (10 years of age and over).*
133. Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth, or puerperium).
    (*a*) Pyelitis, pyelonephritis, and pyelocystitis.
    (*b*) Other diseases of the kidneys and ureters.
134. Calculi of the urinary passages.*
    (*a*) Kidneys and ureters.
    (*b*) Bladder.
    (*c*) Other and unspecified parts of the urinary passages.
135. Diseases of the urinary bladder.*
    (*a*) Cystitis.
    (*b*) Other diseases of the bladder.
136. Diseases of the urethra (except calculus).*
    (*a*) Stricture of the urethra.
    (*b*) Others under this title.
137. Diseases of the prostate.*
    (*a*) Hypertrophy of the prostate.
    (*b*) Other diseases of the prostate.
138. Diseases of other male genital organs (not specified as venereal).*
139. Diseases of the female genital organs.*
    (*a*) Ovaries, fallopian tubes, and parametria.
    (*b*) Uterus.
    (*c*) Other and unspecified female genital organs.

XI. Diseases of Pregnancy, Childbirth, and the Puerperium.

140. Abortion with mention of infection.*
    Abortion (spontaneous, therapeutic, or of unspecified origin):
    (*a*) With mention of pyelitis.
    (*b*) With mention of other infection.
    Abortion (induced for reasons other than therapeutic):
    (*c*) Self-induced abortion with mention of infection.
    (*d*) Abortion induced for nontherapeutic reasons by persons other than the woman herself with mention of infection.
141. Abortion without mention of infection.*
    Abortion (spontaneous, therapeutic, or of unspecified origin):
    (*a*) With mention of hemorrhage, trauma or shock, and toxemia.
    (*b*) With mention of hemorrhage, trauma or shock (but not toxemia).

XI. Diseases of Pregnancy, Childbirth, and the Puerperium.—*Cont.*

    (*c*) With mention of toxemia (but not hemorrhage, trauma or shock).
    (*d*) Without mention of hemorrhage, trauma or shock, or toxemia.
    Abortion (induced for reasons other than therapeutic):
    (*e*) Self-induced abortion.
    (*f*) Abortion induced for nontherapeutic reasons by persons other than the woman herself.
142. Ectopic gestation.*
    (*a*) With mention of infection.
    (*b*) Without mention of infection.
143. Hemorrhage of pregnancy (death before delivery).*
    (*a*) Placenta previa.
    (*b*) Premature separation of placenta.
    (*c*) Other and unspecified hemorrhage of pregnancy.
144. Toxemias of pregnancy (death before delivery).*
    (*a*) Eclampsia of pregnancy.
    (*b*) Albuminuria and nephritis of pregnancy.
    (*c*) Acute yellow atrophy of liver (during pregnancy).
    (*d*) Other toxemias of pregnancy.
145. Other diseases and accidents of pregnancy (death before delivery).*
    (*a*) Infection of pregnancy.
    (*b*) Other accidents of pregnancy.
146. Hemorrhage of childbirth and puerperium.*
    (*a*) Placenta previa (with childbirth).
    (*b*) Premature separation of placenta (with childbirth).
    (*c*) Other and unspecified hemorrhages of childbirth and puerperium.
147. Infection during childbirth and puerperium.*
    (*a*) Puerperal pyelitis and pyelonephritis.
    (*b*) General or local puerperal infection (except pyelitis).
    (*c*) Puerperal thrombophlebitis.
    (*d*) Puerperal embolism and sudden death.
148. Puerperal toxemias (excluding death before delivery).*
    (*a*) Puerperal eclampsia.
    (*b*) Puerperal albuminuria and nephritis.
    (*c*) Acute yellow atrophy of the liver (puerperal).
    (*d*) Other puerperal toxemias.
149. Other accidents and specified conditions of childbirth.*
    (*a*) Laceration, rupture, or other trauma of pelvic organs and tissue.
    (*b*) Other specified conditions of childbirth.
150. Other and unspecified conditions of childbirth and the puerperium.*
    (*a*) Infection of breast during lactation.
    (*b*) Psychosis of puerperium.
    (*c*) Other and unspecified conditions of childbirth and the puerperium.

XII. Diseases of the Skin and Cellular Tissue.

151. Carbuncle, furuncle.[3]
152. Phlegmon, acute abscess.[3]
153. Other diseases of the skin and cellular tissue.*

XIII. Diseases of the Bones and Organs of Movement.

154. Osteomyelitis and periostitis.*
    (*a*) Acute.
    (*b*) Chronic or unspecified.
155. Other diseases of the bones (except tuberculosis).*
156. Diseases of the joints and other organs of movement.*
    (*a*) Diseases of the joints (except tuberculosis and rheumatism).
    (*b*) Diseases of other and unspecified organs of movement.

---

[1] A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

[2] An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

[3] A reliable statement of cause of death, without autopsy, *if* there is an accompanying statement of the site and nature of the original infection.

Detailed International List — *Continued.*

XIV. Congenital Malformations.

157. Congenital malformations (stillbirths not included).*
    Congenital malformations of the central nervous system:
        (a) Congenital hydrocephalus.
        (b) Spina bifida and meningocele.
        (c) Anencephalus.
        (d) Other congenital malformations of the central nervous system.
    Congenital malformations of the cardiovascular system:
        (e) Congenital malformations of the heart.
        (f) Other congenital malformations of the cardiovascular system.
    Other congenital malformations:
        (g) Congenital malformations of the digestive system.
        (h) Congenital malformations of the genitourinary system.
        (m) Other and unspecified congenital malformations.

XV. Diseases Peculiar to the First Year of Life.

158. Congenital debility (cause not stated).
159. Premature birth (cause not stated).*
160. Injury at birth.*
    (a) Intracranial or spinal hemorrhage.
    (b) Other intracranial or spinal injuries.
    (c) Other injuries at birth.
161. Other diseases peculiar to the first year of life.
    (a) Asphyxia (cause not specified), atelectasis.
    (b) Infection of the umbilicus; pemphigus and other infections (nonsyphilitic).
    (c) Other specified diseases peculiar to the first year of life.

XVI. Senility.

162. Senility.
    (a) Senility with mention of senile dementia.
    (b) Senility without mention of senile dementia.

XVII. Violent or Accidental Deaths.

163. Suicide by solid or liquid poisons or by poisonous gases.[1]
    (a) Arsenic and compounds.
    (b) Barbituric acid and derivatives.
    (c) Cresol compounds.
    (d) Mercury and compounds.
    (e) Nux vomica and strychnine.
    (f) Carbolic acid and phenol.
    (g) Other solid or liquid poisons.
    (h) Illuminating gas.
    (m) Motor-vehicle exhaust gas.
    (o) Other carbon monoxide gas.
    (x) Other poisonous gases.
164. Suicide by other means.
    (a) Suicide by hanging or strangulation.*
    (b) Suicide by drowning.*
    (c) Suicide by firearms and explosives.*
    (d) Suicide by cutting or piercing instruments.*
    (e) Suicide by jumping from high places.*
    (f) Suicide by crushing.*
    (g) Suicide by other or unspecified means.*
165. Infanticide (homicide of infants under 1 year of age).*
166. Homicide by firearms.*
167. Homicide by cutting or piercing instruments.*
168. Homicide by other means.*
169. Railway accidents (except collisions with motor vehicles).*
170. Motor-vehicle accidents.*
    (a) Collisions between automobiles and trains.*
    (b) Collisions between automobiles and streetcars.*
    (c) Automobile accidents (except collisions with trains or streetcars).*
    (d) Motorcycle accidents (except collisions with automobiles).*

XVII. Violent or Accidental Deaths. —*Cont.*

171. Streetcar and other road-transport accidents.*
    (a) Streetcar accidents (except collisions with trains or motor vehicles).
    (b) Other and unspecified road-transport accidents.
172. Water-transport accidents.*
    (a) Drowning.
    (b) Other water-transport accidents.
173. Air-transport accidents.*
174. Accidents in mines and quarries.*
175. Agricultural and forestry accidents.*
    (a) Accidents involving agricultural machinery and vehicles.
    (b) Injury by animals in agriculture.
    (c) Other agricultural accidents.
    (d) Accidents involving forestry machinery and vehicles.
    (e) Other forestry accidents.
176. Other accidents involving machinery.*
177. Food poisoning.[2]
178. Accidental absorption of poisonous gas.
    (a) Illuminating gas.
    (b) Motor-vehicle exhaust gas.
    (c) Other carbon monoxide gas.
    (x) Other poisonous gases.
179. Acute accidental poisoning by solids or liquids.
    (a) Arsenic and compounds.
    (b) Barbituric acid and derivatives.
    (c) Cresol compounds.
    (d) Mercury and compounds.
    (e) Nux vomica and strychnine.
    (f) Carbolic acid and phenol.
    (g) Lye and potash.
    (h) Tobacco and derivatives.
    (m) Narcotics.
    (o) Methanol and other alcohols.
    (x) Other and unspecified substances.
180. Conflagration.*
181. Accidental burns (except due to conflagration).*
182. Accidental mechanical suffocation.*
183. Accidental drowning.*
184. Accidental injury by firearms.
185. Accidental injury by cutting or piercing instruments.[3]
186. Accidental injury by fall or crushing.*
    (a) Fall.
    (b) Crushing.
187. Cataclysm (all deaths attributed to a cataclysm regardless of their nature).
188. Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations).*
189. Hunger or thirst.*
190. Excessive cold.*
191. Excessive heat.*
192. Lightning.*
193. Accidents due to electric currents (except lightning).
194. Poisoning by venomous animals (not specified as occurring in the course of agricultural and forestry operations).*
195. Other accidents.
    (a) Sequelae of preventive immunization, inoculation, or vaccination.
    (b) Other accidents due to medical or surgical intervention.
    (c) Lack of care of the newborn.
    (d) Obstruction, suffocation, or puncture by ingested objects.
    (e) Other and unspecified accidents.
196. Deaths of military personnel during operations of war.
197. Deaths of civilians due to operations of war.
198. Legal executions.*

XVIII. Ill-defined and Unknown Causes.

199. Sudden death.
200. Ill-defined or unknown causes.
    (a) Ill-defined.
    (b) Found dead (cause unknown).
    (c) Unknown or unspecified cause.

---

[1] A reliable statement of cause of death, without autopsy, if the character of the solid, liquid or gas is specified.

[2] An unreliable statement of cause of death without supporting data as to a group of accompanying cases or the ingestion of the particular poisonous substances.

[3] An unreliable statement of cause of death without supporting data, such as site and extent of injury.

2. Abridged International List.

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appear in parentheses.

Abridged
Int. List
Number.

Cause of Death.

1. Typhoid and paratyphoid fevers (1, 2).*
2. Plague (3).*
3. Scarlet fever (8).*
4. Whooping cough (9).*
5. Diphtheria (10).*
6. Tuberculosis of the respiratory system (13).*
7. All other forms of tuberculosis (14, 15, 16, 17, 18, 19, 20, 21, 22).
8. Malaria (28).
9. Syphilis (30).
10. Influenza (33).
11. Smallpox (34).*
12. Measles (35).*
13. Typhus fever (39).*
14. Other infectious or parasitic diseases (4, 5, 6, 7, 11, 12, 23, 24, 25, 26, 27, 29, 31, 32, 36, 37, 38, 40, 41, 42, 43, 44).
15. Cancer and other malignant tumors (45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55).
16. Non-malignant tumors or tumors of unspecified nature (56, 57).*
17. Chronic rheumatism and gout (59, 60).
18. Diabetes mellitus (61).
19. Chronic or acute alcoholism (77),
20. Avitaminosis, other general diseases, diseases of the blood, and chronic poisonings (58, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 78, 79).
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82).
22. Intracranial lesions of vascular origin (83).
23. Other diseases of the nervous system and sense organs (80, 84, 85, 86, 87, 88, 89).
24. Diseases of the heart (90, 91, 92, 93, 94, 95).*
25. Other diseases of the circulatory system (96, 97, 98, 99, 100, 101, 102, 103).
26. Bronchitis (106).
27. Pneumonia and bronchopneumonia (107, 108, 109).
28. Other diseases of the respiratory system (104, 105, 110, 111, 112, 113, 114).
29. Diarrhea and enteritis (119, 120).
30. Appendicitis (121).
31. Diseases of the liver and biliary passages (124, 125, 126, 127).
32. Other diseases of the digestive system (115, 116, 117, 118, 122, 123, 128, 129).
33. Nephritis (130, 131, 132).
34. Other diseases of the urinary and genital systems (133, 134, 135, 136, 137, 138, 139).
35. Puerperal infection (140, 147).*
36. Other diseases of pregnancy, childbirth, and the puerperium (141, 142, 143, 144, 145, 146, 148, 149, 150).*
37. Diseases of the skin, cellular tissue, bones, and organs of movement (151, 152, 153, 154, 155, 156).
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157, 158, 159, 160, 161).
39. Senility, old age (162).
40. Suicide (163, 164).*
41. Homicide (165, 166, 167, 168).*
42. Automobile accidents (all motor-driven road vehicles) (170).*
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198).
44. Causes of death ill-defined, unknown, or unspecified (199, 200).

BOSTON PUBLIC LIBRARY
3 9999 06351 658 5